Characterization of on!® Nicotine Pouches – Part 2: Nicotine Dissolution Release Profiles

Karl A. Wagner, Cameron R. Smith, Nicholas McCutcheon, Hannah Grisevich, Christopher J. Suarez, Fadi Aldeek, Christopher B. McFarlane, Timothy L. Danielson Altria Client Services LLC, Richmond, VA, USA

SRNT 26th Annual Meeting March 11-14, 2020, New Orleans, LA, USA

http://sciences.altria.com Altria

This scientific research is presented by Altria Client Services LLC (ALCS). ALCS affiliate companies are tobacco product manufacturers.

ABSTRACT

on!® is an oral tobacco-derived nicotine pouch product that does not contain cut, ground, powdered or leaf tobacco. In order to issue market authorization, FDA must determine whether the on!® nicotine pouches are appropriate for the protection of public health (APPH). We characterize the nicotine release profiles for the portfolio of on!® nicotine pouches to inform the determination of APPH. Evaluating nicotine release profiles through dissolution testing is valuable for product assessment and for product-to-product comparisons. We used a robust dissolution method to study the *in vitro* release of nicotine from on!® products into artificial saliva using the U.S. Pharmacopeia flow-through cell dissolution apparatus 4 (USP-4). Additionally, we validated a UPLC-UV method for the determination of nicotine in dissolution fractions. Nicotine release profiles were compared by calculating the difference factor (f₁) and similarity factor (f₂) by adopting methodology referenced in Guidance for Industry from FDA's Center for Drug Evaluation and Research (CDER).

on!® nicotine pouches are marketed in a variety of flavors and nicotine strengths. Nicotine release rates, based on percent released, were comparable across nicotine strengths and flavor variant. Furthermore, nicotine release rate for on!® nicotine pouches was found to be equivalent to Skoal BanditsTM (a traditional pouched moist smokeless tobacco product) based on FDA's criteria.^{2,3}

STUDY OVERVIEW

- on!® is an oral tobacco-derived nicotine pouch product that does not contain cut, ground, powdered or leaf tobacco.
- We adopted a robust nicotine release method utilizing the USP-4 flow-through cell apparatus.¹
- We performed product-to-product comparisons on the 35 varieties of on!® nicotine pouches (seven flavors with five nicotine strengths each).
- We calculated the difference factor (f₁) and similarity factor (f₂) using the 4 mg on!® nicotine pouches as a reference to the other nicotine strengths for each flavor variant.^{2,3}

CUMULATIVE AND % RELEASE PROFILES





Figure 2. Calculation of nicotine cumulative and % release profiles from 4 mg Mint on!® nicotine pouches.

Error bars represent ± 1 standard deviation.

DISSOLUTION METHODOLOGY





Pump



Fractions Collector




Figure 1. SOTAX CE7 Smart flow-through system (USP-4) including cells holder, pump, fractions collector, and flow-through cell.⁵

Table 1. Artificial saliva composition.⁴

Ingredient	Amount per 1 L (g)
Magnesium Chloride Hexahydrate (MgCl · 6H ₂ O)	0.17 g
Potassium Hydrogen Phosphate anhydrous (K ₂ HPO ₄ · H ₂ O)	0.68 g
Sodium Chloride (NaCl)	0.33 g
Potassium Chloride (KCI)	0.75 g
Calcium chloride dihydrate (CaCI · 2H ₂ O)	0.15 g
Potassium Carbonate (K ₂ CO ₃)	0.53 g
Type 1 Water (De-ionized)	1000 mL
Hydrochloric acid	2 mL
5N sodium hydroxide	Adjust to pH 6.8 ± 0.1

f₁ & f₂ Models

$$f_1 = \left\{ \left[\sum_{t=1}^{n} |R - T| \right] / \left[\sum_{t=1}^{n} R \right] \right\} \times 100 \qquad f_2 = 50 \cdot \log \left[\frac{100}{\sqrt{1 + \frac{\sum_{t=1}^{t=n} [R_t - T_t]^2}{n}}} \right]$$

R_t and T_t are the cumulative percentage dissolved at each of the selected n time points of the two products.

f₁ values up to 15 (0-15) and f₂ values of 50 or greater (50-100) ensure similarity or equivalence between two products.

Comparison

4 mg vs 1 mg

4 mg vs 2 mg

4 mg vs 3 mg

4 mg vs 8 mg

Comparison

4 mg vs 1 mg

4 mg vs 3 mg

4 mg vs 8 mg

Table 2. Product-to-product comparisons using f₁ and f₂ model

on!® Wintergreen

on!® Coffee


Equivalency

Equivalency

Yes

Yes

NICOTINE CUMULATIVE AND PERCENT RELEASE PROFILES FOR *on!*® NICOTINE POUCHES



4 mg vs 2 mg	4.5	74.8	Yes
4 mg vs 3 mg	1.7	91.1	Yes
4 mg vs 8 mg	2.6	86.1	Yes
	on!® Mint		
Comparison	f ₁	f ₂	Equivalency
4 mg vs 1 mg	0.8	97.4	Yes
4 mg vs 2 mg	3.9	79.0	Yes
4 mg vs 3 mg	5.9	71.5	Yes
4 mg vs 8 mg	7.4	67.1	Yes
	on!® Origina	al	
Comparison	f ₁	f ₂	Equivalency
4 mg vs 1 mg	8.5	62.2	Yes
4 mg vs 2 mg	4.0	77.3	Yes
4 mg vs 3 mg	8.4	62.6	Yes
4 mg vs 8 mg	3.0	82.8	Yes
	on!® Citrus	5	
Comparison	f ₁	f ₂	Equivalency
4 mg vs 1 mg	6.5	72.2	Yes
4 mg vs 2 mg	5.7	71.3	Yes
4 mg vs 3 mg	6.5	73.2	Yes
4 mg vs 8 mg	6.3	72.8	Yes
	on!® Berry		
Comparison	f ₁	f ₂	Equivalency
4 mg vs 1 mg	8.6	63.0	Yes
4 mg vs 2 mg	4.1	76.4	Yes
4 mg vs 3 mg	1.5	92.3	Yes
4 mg vs 8 mg	6.4	67.6	Yes
	on!® Cinnam	on	
Comparison	f ₁	f ₂	Equivalency
4 mg vs 1 mg	8.1	63.8	Yes
4 mg vs 2 mg	2.3	87.3	Yes
	+	1	+

Figure 3: Nicotine cumulative and percent release profile profiles from on!® nicotine pouches (n=12). Error bars represent ± 1 standard deviation.

COMPARASON TO SKOAL BANDITS™ POUCH




Figure 4: Cumulative release profile of nicotine from 4 mg Wintergreen on!® nicotine pouches and Skoal Bandits™ Wintergreen pouch. Error bars represent ± 1 standard deviation.




Figure 5: Total release profile of nicotine from 4 mg Wintergreen on!® nicotine pouches and Skoal Bandits™ Wintergreen. Error bars represent ± 1 standard deviation.

CONCLUSIONS

- Following FDA guidance, we applied a robust USP-4 dissolution method to determine the nicotine release profiles for a variety of on!® nicotine pouches.^{2,3}
- Nicotine release rate for each flavor variant is equivalent based on f₁ and f₂ criteria.³
- Demonstrated a dose-dependent response for the cumulative nicotine release profiles for all nicotine strengths.
- The nicotine release rate for 4 mg Wintergreen on!® nicotine pouches was found to be equivalent
 to Skoal Bandits™ Wintergreen (a traditional pouched moist smokeless tobacco product).

STRENGTHS & LIMITATIONS

- We applied an accurate and reproducible tool to perform product to product comparisons using cumulative and percent nicotine release profiles.
- This methodology was not developed to serve as a direct surrogate to clinical studies for evaluating human usage or exposure. Additional work would need to be conducted to establish *in vitrol in vivo* correlations.

REFERENCES

- 1. J. H. Miller, T. Danielson, Y. B. Pithawalla, A. P. Brown, C. Wilkinson, K. Wagner, and F. Aldeek. Development and Validation of Dissolution Testing for Nicotine Release from Smokeless Tobacco Products Using Flow-through Cell Apparatus and UPLC-PDA. *J. Chromatogr B* 2020.
- 2. Todd L. Cecil, Ph.D. to David L. Ashley Ph.D. Food and Drug Administration, Center for Tobacco Products, Office of Science. Memorandum: "Dissolution as a Critical Comparison of Smokeless Product Performance: SE Requirements and Recommendations for the Review of Dissolution Studies." May 2, 2016.
- 3. Food and Drug Administration, Guidance for Industry: Dissolution Testing of Immediate Release Solid Oral Dosage Forms. 1997.
- 4. German Institute for Standardization (DIN) Recipe is based upon German standard DIN v53160-1, Determination of the Colour Release of Articles of Daily Use, Part1: Resistance to Artificial Saliva, section 4.2, October 2002.
- 5. https://www.sotax.com/en/usp4_dissolution_testing/