Nicotine and Product Risk Perceptions – Potential Solutions To Correct Misperceptions

Moderator – Mohamadi Sarkar

Panelists – Pritika Kumar, Riccardo Polosa, Chris Russell, Carrie Wade and Jasjit Ahluwalia





1





~8,000,000 PREMATURE DEATHS from smoking-related diseases



C

What is the Magnitude of the Problem?





~8,000,000 PREMATURE DEATHS from smoking-related diseases

Misperceptions

94% Exclusive smokers

78% Dual Users (Cigarettes and E-vapor)

INCORRECTLY BELIEVE

e-vapor is equally or more harmful than cigarettes

¹Based on ALCS analysis of PATH data



Г

What is the Magnitude of the Problem?





~8,000,000 PREMATURE DEATHS from smoking-related diseases


Misperceptions

94% Exclusive smokers

78% Dual Users (Cigarettes and E-vapor)

INCORRECTLY BELIEVE

e-vapor is equally or more harmful than cigarettes



¹Based on ALCS analysis of PATH data

Hannel T, Wie L, Muhmmad-Kah RS, Largo EG and Sarkar M., Harm Reduction J, 21:145 (2024).









~8,000,000 PREMATURE DEATHS from smoking-related diseases


Misperceptions

94% Exclusive smokers

78% Dual Users (Cigarettes and E-vapor)

INCORRECTLY BELIEVE

e-vapor is equally or more harmful than cigarettes



Population Impact

Misperceptions corrected = 800,000
PREMATURE DEATHS PREVENTED

Incorrect perceptions = 300,000
PREMATURE DEATHS ADDED

Hannel T, Wie L, Muhmmad-Kah RS, Largo EG and Sarkar M., Harm Reduction J, 21:145 (2024).



¹Based on ALCS analysis of PATH data







~8,000,000 PREMATURE DEATHS from smoking-related diseases

Misperceptions

94% Exclusive smokers

78% Dual Users (Cigarettes and E-vapor)

INCORRECTLY BELIEVE

e-vapor is equally or more harmful than cigarettes

¹Based on ALCS analysis of PATH data



Hannel T, Wie L, et al., Harm Reduction J, 21:145 (2024).

Population Impact

Misperceptions corrected = 800,000
PREMATURE DEATHS PREVENTED

Incorrect perceptions = 300,000
PREMATURE DEATHS ADDED



INCORRECTLY BELIEVE that nicotine causes cancer

Steinberg, M.B., et al. J GEN INTERN MED (2020).







>1 BILLION PEOPLE smoke worldwide



~8 MILLION PREMATURE DEATHS from smoking-related diseases

Misperceptions

94%

Exclusive smokers


78%

Dual Users (Cigarettes and E-vapor)

INCORRECTLY BELIEVE

e-vapor is equally or more harmful than cigarettes

¹Based on ALCS analysis of PATH data



Hannel T, Wie L, et al., Harm Reduction J, 21:145 (2024).



INCORRECTLY BELIEVE that nicotine causes cancer

Steinberg, M.B., et al. J GEN INTERN MED (2020).

Altria Mohamadi Sarkar | Global Tobacco & Nicotine Forum | October 8, 2025

Population Impact

Misperceptions corrected =

800,000

PREMATURE DEATHS PREVENTED

Incorrect perceptions = 300,000
PREMATURE DEATHS ADDED




86%

Rely on physicians as the trusted source of product risk information

Nationwide survey conducted among n=1,000 general population adults age 21+ by Povaddo LLC for Altria Client Services LLC.

KEY QUESTION How Can We CHANGE Misperceptions?



MULTI-PRONGED APPROACH





Nicotine and Product Risk Perceptions – Potential Solutions To Correct Misperceptions

Moderator – Mohamadi Sarkar

Panelists – Pritika Kumar, Riccardo Polosa, Chris Russell, Carrie Wade and Jasjit Ahluwalia

GTNF 2025 – October 8th, 2025

