

DOSSERT®

TYPE CP

Pipe Coupler




A bolted clamp type connector for coupling standard pipe size tubular buses. Rigidly constructed to withstand high bending stresses.

Material

Copper Alloy

Hardware

Everdur bolts, nuts and lockwashers



Ordering Information

CATALOG NUMBER	SPS	DIMENSIONS IN INCHES			BOLT SIZE
		B	L	W	
CP50	1/2	2-1/2	5-1/4	2-9/16	1/2
CP75	3/4	2-3/4	5-3/4	2-3/4	1/2
CP100	1	2-3/4	5-3/4	3-1/16	1/2
CP125	1-1/4	3	6-1/4	3-7/16	1/2
CP150	1-1/2	3	6-1/4	3-11/16	1/2
CP200	2	3-1/4	6-3/4	4-1/8	1/2
CP250	2-1/2	3-1/4	6-3/4	4-5/8	1/2
CP300	3	3-3/4	7-3/4	5-5/8	5/8
CP350	3-1/2	4	8-1/4	6-1/8	5/8
CP400	4	4-1/2	9-1/4	6-5/8	5/8
CP500	5	7	14-1/4	7-11/16	5/8
CP600	6	7	14-1/4	8-3/4	5/8

DOSSERT®

TYPE RP

Copper Reducing Clamp for Tubular Bus

A clamp type reducing coupler for connecting various sizes of standard pipe size tubular buses end to end. Contact surfaces finished to provide a strong grip on the conductor and a good electrical contact.

Material

Copper Alloy

Hardware

Everdur bolts, nuts and lockwashers




FIG. 1





FIG. 2





DOSSERT®

TYPE RP

Copper Reducing Clamp for Tubular Bus

Ordering Information

CATALOG NUMBER	SPS		FIG. NO.	DIMENSIONS IN INCHES		BOLT SIZE
	IN	OUT		B	C	
RP38-25	3/8	1/4	1	1 1/2	1 1/2	3/8
RP50-25	1/2	1/4	1	1 1/2	1 1/2	3/8
RP50-38	1/2	3/8	1	1 1/2	1 1/2	3/8
RP75-25	3/4	1/4	1	1 1/2	1 1/2	3/8
RP75-38	3/4	3/8	1	1 1/2	1 1/2	3/8
RP75-50	3/4	1/2	2	2	2	3/8
RP100-38	1	3/8	2	1 1/2	1 1/2	3/8
RP100-50	1	1/2	2	2 1/8	2 1/8	3/8
RP100-75	1	3/4	2	2 1/8	2 1/8	3/8
RP125-50	1 1/4	1/2	2	2 1/8	2 1/8	3/8
RP125-75	1 1/4	3/4	2	2 1/8	2 1/8	3/8
RP125-100	1 1/4	1	2	2 1/8	2 1/8	3/8
RP150-50	1 1/2	1/2	2	2 1/8	2 1/8	3/8
RP150-75	1 1/2	3/4	2	2 1/8	2 1/8	3/8
RP150-100	1 1/2	1	2	2 1/8	2 1/8	3/8
RP150-125	1 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP200-50	2	1/2	2	2 1/8	2 1/8	3/8
RP200-75	2	3/4	2	2 1/8	2 1/8	3/8
RP200-100	2	1	2	2 1/8	2 1/8	3/8
RP200-125	2	1 1/4	2	2 1/2	2 1/2	1/2
RP200-150	2	1 1/2	2	2 5/8	2 5/8	1/2
RP200-50	2 1/2	1/2	2	2 1/8	2 1/8	3/8
RP250-75	2 1/2	3/4	2	2 1/8	2 1/8	3/8
RP250-100	2 1/2	1	2	2 1/8	2 1/8	3/8
RP250-125	2 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP250-150	2 1/2	1 1/2	2	2 5/8	2 5/8	1/2
RP250-200	2 1/2	2	2	2 3/4	2 3/4	1/2
RP300-100	3	1	2	2 1/8	2 1/8	3/8
RP300-125	3	1 1/4	2	2 1/2	2 1/2	1/2
RP300-150	3	1 1/2	2	2 5/8	2 5/8	1/2
RP300-200	3	2	2	2 3/4	2 3/4	1/2
RP300-250	3	2 1/2	2	2 3/4	2 3/4	1/2
RP350-100	3 1/2	1	2	2 1/8	2 1/8	3/8
RP350-125	3 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP350-150	3 1/2	1 1/2	2	2 5/8	2 5/8	1/2
RP350-200	3 1/2	2	2	2 3/4	2 3/4	1/2
RP350-250	3 1/2	2 1/2	2	3 1/4	2 3/4	1/2
RP350-300	3 1/2	3	2	3 1/4	3 1/4	5/8
RP400-125	4	1 1/4	2	2 1/2	2 1/2	1/2
RP400-150	4	1 1/2	2	2 5/8	2 5/8	1/2
RP400-200	4	2	2	2 3/4	2 3/4	1/2
RP400-250	4	2 1/2	2	2 3/4	2 3/4	1/2
RP400-300	4	3	2	3 1/4	3 1/4	5/8
RP400-350	4	3 1/2	2	3 1/4	3 1/4	5/8

Bronze Couplers