



STORM AND SCREEN DOORS



**MAKE AN ENTRANCE.
STYLE. FUNCTION. DURABILITY.**



WHY A STORM DOOR

A simple, relatively low-cost upgrade, storm doors provide a variety of benefits. Whether you're looking for energy efficiency, curb appeal or additional protection, an Andersen® storm door is a great addition to your home.

- Allows more natural light to stream in, brightening your home
- Increases ventilation while helping keep bugs out
- Opens up your view and offers added visibility
- Provides an additional layer of insulation for added energy efficiency
- Helps protect your home from the elements while enhancing your view to the outside



FULL VIEW INTERCHANGEABLE

Let in the maximum amount of light and air while beautifully framing your entryway.

See page 4.



FULL VIEW RETRACTABLE

Let in an abundance of light while benefiting from a convenient, built-in retractable screen without removing a glass panel.

See page 8



¾ LIGHT PARTIAL VIEW VENTILATING

Enhance your entryway with a classic look at an exceptional value with a solid, lower embossed panel.

See page 13



½ LIGHT PARTIAL VIEW VENTILATING

The ½ light panel offers traditional style with a solid, lower embossed panel.

See page 13.

ANDERSEN IS
THE NUMBER
ONE TRUSTED
WINDOW &
DOOR BRAND OF
CONTRACTORS,
BUILDERS &
ARCHITECTS**



3000 Series Full View Retractable Storm Door in White

THE ANDERSEN DIFFERENCE



QUALITY HANDLE SETS

Customize your storm door with a variety of handle set options. Select a finish and style that complements the look of your home.




REINFORCED CORNERS

Built-to-last* construction featuring reinforced metal corner brackets helps the door corners stay square over time for long-lasting smooth operation.



QUICK CHANGE SYSTEM

Change from insect screen to full glass panel in less than a minute with a simple flip of the handle.



RETRACTABLE INSECT SCREEN

Enjoy convenient any-time ventilation with a retractable insect screen that rolls into the door frame and out of view when not in use.



TIME-SAVING INSTALLATIONS

Andersen has taken the hassle out of installing a storm door. Install with confidence with our easy and convenient installation systems. See page 18 for details.



CONVENIENT SIMPLE STEP CLOSER

Hold the door open with the simple tap of your toe. To release, push the door open slightly and the door closes.

*Visit stormdoors.com for warranty details.

**2020 Andersen brand survey of U.S. contractors, builders & architects

4000 SERIES FULL VIEW INTERCHANGEABLE



4000 Series Full View Interchangeable Storm Door in Black

VENTILATION

Exclusive to Andersen, our innovative Quick Change System allows you to go from full ventilation to full glass in less than a minute with a simple flip of the handle.


EXCLUSIVE QUICK CHANGE SYSTEM



RELEASE

FLIP

SWITCH



BOTH GLASS & INSECT SCREEN PANEL INCLUDED


Full glass for protection from the elements or insect screen panel for full ventilation

Note: Doors with laminated glass panels are permanently secured to the door frame and do not feature the Quick Change System or an insect screen panel for ventilation.

Carefully store the panel when not in use.

OPERATION

For advanced operation, this door includes our new SmoothControl Plus™ Close System. The built-in dual closer system allows for more consistent latching and a smoother close motion. It also has an easy-to-use hold-open feature and simple close speed adjustment.



SECURITY

Built-in keyed deadbolt lock for added security.

Enhanced Security

Choose laminated glass for added security. Doors with laminated glass include a 3-point lock built into the top, middle and bottom of the frame and shatter-resistant laminated glass.

Note: Doors with laminated glass panels are permanently secured to the door frame and do not feature the Quick Change System or an insect screen panel for ventilation.

HANDLE SET OPTIONS*

Modern (Sold separately)




Traditional (Sold separately)



COLOR CHOICES



GLASS OPTIONS



* Handle set sold separately.

** Nickel, Metallic Stone, Matte Black and Brass handle sets feature TarnishGuard™, a protective coating that helps maintain their attractive finish for years.

† Brushed Dark Nickel, Venetian Bronze, Brushed French Gold, Oil-Rubbed Bronze, and Antique Brass are "living" finishes that can change with time and use. Printing limitations prevent exact color duplication.

PERFORMANCE

Thick aluminum frame (1 ½") with reinforced corners helps the door stay square over time for long-lasting smooth operation.

Premium double-layer weatherstrip provides added energy efficiency.

Handle side edge seal for additional weather protection.

INSTALLATION



See page 18 for details.




4000 SERIES FULL VIEW INTERCHANGEABLE



Custom Sizes

Available in standard as well as custom sizes



Carefully store the panel when not in use.


Note: Doors with laminated glass panels are permanently secured to the door frame and do not feature the Quick Change System or an insect screen panel for ventilation.

3000 SERIES FULL VIEW INTERCHANGEABLE



VENTILATION

Snap out/in retainer system allows for converting your door from weather protection to full ventilation with interchangeable glass and insect screen panels.



Carefully store the panel when not in use.

HANDLE SET OPTIONS*

Modern

(Sold separate)



in Venetian Bronze



Brushed Dark Nickel† Brushed French Gold† Venetian Bronze†



Matte Black** Metallic Stone**

Traditional


(Sold separate)



in Nickel



Nickel** Brass** Oil Rubbed Bronze†



Matte Black** Antique Brass†

COLOR CHOICES



White Almond Sandtone Terratone



Bronze Charcoal Gray Black Cinnamon Toast

GLASS OPTIONS



Clear Clear - Low-E Diamond Lights

SECURITY

Built-in keyed deadbolt lock for added security.

PERFORMANCE

Thick aluminum frame (1 1/2") with reinforced corners helps the door stay square over time for long-lasting smooth operation. Premium double-layer weatherstrip provides added energy efficiency. Handle side edge seal for additional weather protection.

OPERATION

Dual-closers for added durability. Bottom Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION



See page 18 for details.




Most Popular



Custom Sizes

Available in standard as well as custom sizes



Carefully store the panel when not in use.

3000 SERIES FULL VIEW INTERCHANGEABLE

* Handle set sold separately.
 ** Nickel, Metallic Stone, Matte Black and Brass handle sets feature TarnishGuard™, a protective coating that helps maintain their attractive finish for years.
 † Brushed Dark Nickel, Venetian Bronze, Brushed French Gold, Oil-Rubbed Bronze, and Antique Brass are "living" finishes that can change with time and use. Printing limitations prevent exact color duplication.

2000 SERIES FULL VIEW INTERCHANGEABLE




VENTILATION

Snap out/in retainer system allows for converting your door from weather protection to full ventilation with interchangeable glass and insect screen panels.



SNAP-OUT/IN



Carefully store the panel when not in use.

HANDLE SET OPTIONS*

Classic



in Nickel



Nickel



Brass

COLOR CHOICES



White



Almond



Sandtone



Bronze



Black



Forest Green

GLASS OPTIONS

- Clear Glass

SECURITY

Built-in keyed deadbolt lock for added security.

PERFORMANCE

Aluminum frame (1 1/4") with reinforced corners helps the door stay square over time.

Single-layer weatherstrip to help reduce drafts.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION




See page 18 for details.



Exceptional Value

2000 SERIES FULL VIEW INTERCHANGEABLE



Carefully store the panel when not in use.

*Handle set included in the door carton.
Printing limitations prevent exact color duplication.

4000 SERIES FULL VIEW RETRACTABLE



4000 Series Full View Retractable Storm Door in Charcoal Gray

VENTILATION

Easy one-hand retractable insect screen conveniently rolls into the frame when not in use. Vents from the top, offering multiple ventilation options.




ONE-HAND



OPERATION

For advanced operation, this door includes our new SmoothControl Plus™ Close System. The built-in dual closer system allows for more consistent latching and a smoother close motion. It also has an easy-to-use hold-open feature and simple close speed adjustment.



SECURITY

Built-in keyed deadbolt lock for added security.

HANDLE SET OPTIONS*

Modern (Sold separately)



Traditional (Sold separately)



COLOR CHOICES



GLASS OPTIONS



PERFORMANCE

Thick aluminum frame (1 ½") with reinforced corners helps the door stay square over time for long-lasting smooth operation.

Premium double-layer weatherstrip provides added energy efficiency.

Handle side edge seal for additional weather protection.

INSTALLATION



See page 18 for details.



4000 SERIES FULL VIEW
RETRACTABLE



Custom Sizes

Available in standard as well as custom sizes



* Handle set sold separately.

** Nickel, Metallic Stone, Matte Black and Brass handle sets feature TarnishGuard™, a protective coating that helps maintain their attractive finish for years.

† Brushed Dark Nickel, Venetian Bronze, Brushed French Gold, Oil-Rubbed Bronze, and Antique Brass are "living" finishes that can change with time and use. Printing limitations prevent exact color duplication.

3000 SERIES FULL VIEW RETRACTABLE




VENTILATION

Easy one-hand retractable insect screen conveniently rolls into the frame when not in use. Vents from the top, offering multiple ventilation options.



ONE-HAND



SECURITY

Built-in keyed deadbolt lock for added security.

PERFORMANCE

Thick aluminum frame (1 1/2") with reinforced corners helps the door stay square over time for long-lasting smooth operation.

Premium double-layer weatherstrip provides added energy efficiency.

Handle side edge seal for additional weather protection.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION



See page 18 for details.

HANDLE SET OPTIONS*

Modern

(Sold separately)



in Venetian Bronze




Traditional

(Sold separately)




in Nickel



COLOR CHOICES



GLASS OPTIONS



3000 SERIES FULL VIEW RETRACTABLE



Custom Sizes

Available in standard as well as custom sizes



* Handle set sold separately.

** Nickel, Metallic Stone, Matte Black and Brass handle sets feature TarnishGuard™, a protective coating that helps maintain their attractive finish for years.

† Brushed Dark Nickel, Venetian Bronze, Brushed French Gold, Oil-Rubbed Bronze, and Antique Brass are "living" finishes that can change with time and use. Printing limitations prevent exact color duplication.

2000 SERIES FULL VIEW RETRACTABLE




VENTILATION

Easy one-hand retractable insect screen conveniently rolls into the frame when not in use. Vents from the top, offering multiple ventilation options.



ONE-HAND



HANDLE SET OPTIONS*

Classic



in Nickel



Nickel



Brass

COLOR CHOICES



White



Almond



Sandtone



Bronze



Black



Forest Green

GLASS OPTIONS

- Clear Glass

SECURITY

Built-in keyed deadbolt lock for added security.

PERFORMANCE

Aluminum frame (1 1/4") with reinforced corners helps the door stay square over time.

Single-layer weatherstrip to help reduce drafts.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION



See page 18 for details.




Exceptional Value

2000 SERIES FULL VIEW RETRACTABLE



*Handle set included in door carton.
Printing limitations prevent exact color duplication.

FULL VIEW STORM DOORS



DURABLE REINFORCED CORNER BRACKETS

for long-lasting smooth operation**




HANDLE SETS WITH DEADBOLT LOCKS

for added security



CONVENIENT SIMPLE STEP CLOSER

holds the door open with a simple tap of your toe



MAKE IT YOUR OWN STYLE

with several color and handle set choices

COMPARE AND FIND THE RIGHT STORM DOOR FOR YOUR HOME

Choose from 4000 Series, 3000 Series and 2000 Series Andersen storm doors for a variety of features.

FEATURE	4000 SERIES	3000 SERIES	2000 SERIES
Reinforced Corner Brackets Built-to-last for smooth operation over time			
Weatherstripping to reduce drafts	DOUBLE	DOUBLE	SINGLE
SmoothControl™ Plus Closing System Conveniently hold the door open with an integrated advanced system			
Simple Step Closer Conveniently hold the door open with the tap of a toe			
Easy Install System	45 MINUTE	45 MINUTE	2 HOUR
Keyed Deadbolt Lock			
Thermally Tempered Glass			
Energy Efficient Low-E Glass Option 29% more efficient than standard glass.*			
Additional Handle Set Styles and Finish Options			
Energy Efficient Dual Pane Glass Option Optional Low-E glass with Argon gas blend			
Patented Quick Change System Switch from glass to insect screen in less than a minute			
Maximum Durability With SplineLoc® Insect Screen 3X stronger than standard insect screens			
Laminated Safety Glass and 3-Point Locking System Option			



400 Series 3/4 Light Partial View Ventilating Storm Door in White

VENTILATION

Easy one-hand retractable insect screen conveniently rolls into the frame when not in use. Vents from the top, offering multiple ventilation options.



ONE-HAND

SECURITY

Built-in keyed deadbolt lock for added security.

PERFORMANCE

CoreDefense™ Panel System with an easy-to-clean aluminum outer layer bonded to a moisture-resistant core for durability and weather protection.

Handle-side edge seal for additional weather protection with single-layer weatherstrip for energy efficiency.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

MORTISED LEVER HANDLE SET OPTIONS*



in Nickel



Nickel



Brass



Matte Black**

COLOR CHOICES



White



Almond



Sandtone



Charcoal Gray



Bronze



Black



Forest Green

PET DOOR OPTION



Available with an integrated 10 1/2" x 15 3/4" pet door in white with non-embossed panel



INSTALLATION



See page 18 for details.

PANEL STYLES



400 SERIES 3/4 LIGHT

400 SERIES 1/2 LIGHT



Custom Sizes

Available in standard as well as custom sizes

GLASS OPTIONS

- Clear Glass
- Clear Glass with Colonial grilles

*Handle set included in door carton. Printing limitations prevent exact color duplication.
**Matte Black handle set option available on Charcoal Gray doors only.

300 SERIES PARTIAL LIGHT VENTILATING



VENTILATION

Dual-venting design with two independently moving glass panels for venting at top, bottom or both.



SURFACE MOUNT PUSH-BUTTON HANDLE SET OPTIONS*



White

Black

COLOR CHOICES



White

Almond

Bronze

GLASS OPTION

- Clear Glass

SECURITY

Easy-to-use interior deadbolt.

PERFORMANCE

CoreDefense™ Panel System with an easy-to-clean aluminum outer layer bonded to a moisture-resistant core for durability and weather protection.

Single-layer weatherstrip for better energy efficiency.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION



See page 18 for details.

PANEL STYLES



300 SERIES
3/4 LIGHT



Custom Sizes


Available in standard as well as custom sizes

200 SERIES PARTIAL LIGHT VENTILATING



VENTILATION

Bottom glass panel that rises behind a stationary insect screen to vent in multiple positions.



SURFACE MOUNT PUSH-BUTTON HANDLE SET OPTIONS*



White

Black

COLOR CHOICES



White

Almond**

Bronze

GLASS OPTION

- Clear Glass

SECURITY

Easy-to-use night latch.

PERFORMANCE

CoreDefense™ Panel System with an easy-to-clean aluminum outer layer bonded to a moisture-resistant core for durability and weather protection.

Single-layer weatherstrip for better energy efficiency.

OPERATION

Simple Step Closer makes it easy to hold the door open with a simple tap of the toe.

INSTALLATION



See page 18 for details.

PANEL STYLES



200 SERIES
1/2 LIGHT



200 SERIES
3/4 LIGHT



Custom Sizes

Available in standard as well as custom sizes. Select 1/2 light models only.

*Handle set included in door carton.
**Almond is only available on 1/2 Light door.
Printing limitations prevent exact color duplication.



COREDEFENSE™ PANEL SYSTEM

easy-to-clean, low-maintenance aluminum outer layer bonded to a moisture-resistant wood core for durability and weather protection



CONVENIENT PET ENTRY SYSTEM

allows your pet the freedom to go in and out as they choose



CONVENIENT SIMPLE STEP CLOSER

holds the door open with a simple tap of your toe



EMBOSSED PANEL

enhances the look of your entryway

COMPARE AND FIND THE RIGHT STORM DOOR FOR YOUR HOME

Choose from 400 Series, 300 Series and 200 Series Andersen storm doors with variety of features and choices all at a great value.

FEATURE	400 SERIES	300 SERIES	200 SERIES
Thermally Tempered Glass	Yes	Yes	Yes
Weatherstripping to reduce drafts	Yes	Yes	Yes
Simple Step Closer Conveniently hold the door open with the tap of a toe	Yes	Yes	Yes
CoreDefense™ Panel System Exterior	Yes	Yes	Yes
2 Hour Easy Install System Prepped for easy assembly & installation	Yes	Yes	Yes
Embossed Panel	Yes	Yes	Yes
Color Finish Options	Yes	Yes	Yes
Handle Set Finish Options	Yes	Yes	Yes
Custom Sizes Available	Yes	Yes	Yes
Pet Entry System Option Freedom for pets to go inside or out as needed	Yes	No	No
One-Hand Retractable Insect Screen Conveniently rolls into frame of door when not in use	Yes	No	No
Keyed Deadbolt Lock	Yes	No	No

LUMINAIRE RETRACTABLE INSECT SCREEN


5yr
LIMITED
WARRANTY




VENTILATION

The LuminAire retractable screen door disappears when not in use and easily engages to allow fresh air in.

Brings in natural light and ventilation on demand



Single Door



Double Door

SECURITY

Built-in convenient locking night latch

PERFORMANCE

Features reinforced corners for long lasting durability while maintaining a sleek profile that integrates seamlessly with entryway



OPERATION

SlideAway® insect screen system designed to disappear when not in use


Quiet controlled operation for smooth, reliable performance



COLOR-MATCHED HANDLE WITH LOCKING LATCH



COLOR CHOICES



INSTALLATION*



Designed to fit single or double inswing hinged door.

*Single door is 30 minute easy install and the double door is standard installation.

PANEL STYLES



LUMINAIRE
SINGLE DOOR



LUMINAIRE
DOUBLE DOOR

INSTALLATION SYSTEMS

45
MINUTE **EASY**
Install™

Faster and easier to install
than any other storm door!

- Pre-assembled for easy installation with only basic tools in as little as 45 minutes
- Frame is cut to length and handle holes are pre-drilled
- Minimal installation steps with no tricky measurements or sawing
- Storm door is ready to secure into the door opening in minutes
- Choose left or right swing to best fit your entryway (see page 19 for details)

2
hour **EASY**
Install™

Enhanced installation system
requires only basic skills and tools!

- Prepped for easy assembly and installation with only basic skills and tools in about 2 hours
- Convenient spacer clips eliminate guesswork by ensuring door is level and aligned in the opening before securing
- Universal handing allows door to be assembled and installed as either left or right swing

**WE ARE TAKING THE HASSLE OUT OF INSTALLING A STORM DOOR,
SO THERE'S NO SECOND-GUESSING. JUST A JOB WELL-DONE THE FIRST TIME.**



MEASURING GUIDE

1



CHECK TO ENSURE DOOR OPENING AND TRIM ALLOW ENOUGH SPACE FOR A STORM DOOR

DIMENSION A: Minimum $\frac{3}{4}$ " width flat trim surface required

DIMENSION B: Minimum 1" trim (brickmould) depth required

DIMENSION C: Minimum of $2\frac{1}{2}$ " door frame (jamb) depth required*

*Depending on the depth and location of your entry door handle set, additional clearance may be needed.



2

MEASURE DOOR OPENING IN ORDER TO DETERMINE THE SIZE STORM DOOR YOU NEED

Measure the width of the door opening at the inside face of exterior trim on each side at top, center & bottom and record the shortest measurement.

(see measure points W1, W2 & W3 in the illustration)

RECORD YOUR SHORTEST WIDTH MEASUREMENT:

W:

Measure for the height from the sill to the under-side of the brickmould at the top

(see measure point H in the illustration)

RECORD YOUR HEIGHT MEASUREMENT:

H:

3

DETERMINE THE SIZE YOU NEED BASED ON THE DOOR OPENING MEASUREMENTS AND THE STORM DOOR MODEL THAT IS SELECTED

STANDARD DOOR SIZE WIDTH RANGES:	30"	32"	34"	36"	STANDARD DOOR SIZE HEIGHT RANGES:	80"
Andersen 4000 & 3000 Series Storm Doors with 45 Minute Easy Install System	29 7/8" TO 30 3/8"	31 7/8" TO 32 3/8"	33 7/8" TO 34 3/8"	35 7/8" TO 36 3/8"	X	80" TO 80 7/8"
Andersen 2000, 400, 300, and 200 Series Storm Doors	29 3/4" TO 30 3/8"	31 3/4" TO 32 3/8"	33 3/4" TO 34 3/8"	35 3/4" TO 36 3/8"	X	80" TO 80 7/8"

If your measurements are outside the standard width or height ranges shown above, you will require a custom size door.**



	CUSTOM	CUSTOM XL		CUSTOM	CUSTOM XL
Full View Custom Door Opening WIDTHS:	27 7/8" TO 38 3/8"	27 7/8" TO 42"	Partial View Custom Door Opening WIDTHS:	27 3/4" TO 38 3/8"	38 1/2" TO 42"
Full View Custom Door Opening HEIGHTS:	72" TO 84 7/8"	72" TO 96"	Partial View Custom Door Opening HEIGHTS:	75" TO 84 7/8"	79" TO 91"

** Select storm door models and select options are not available in custom sizes.

4

CHOOSE THE DOOR HANDING THAT WORKS BEST FOR YOUR ENTRYWAY

If you choose an Andersen 4000 or 3000 Series Storm Door with the 45 Minute Easy Install System, handing will need to be specified at the time of purchase.



Left Handed (LH)



Right Handed (RH)



For additional measuring and installing tips visit stormdoors.com/measure or scan the QR Code



4000 Series Full View Interchangeable Storm Door in Black

MAKE AN ENTRANCE WITH ANDERSEN.

FIND HELPFUL VIDEOS AND RESOURCES AT stormdoors.com

- Learn how to measure your opening for a storm door
- Watch how to install a storm door
- Try our "design your storm door" tool
- Find installation instructions
- Find replacement part ordering information

OR US CALL AT 1-800-933-3626



"Andersen" and all other marks where denoted are trademarks of Andersen Corporation and its subsidiary. EMCO Enterprises LLC is a wholly owned subsidiary of Andersen Corporation. EMCO manufactures and supports the limited warranties of Andersen® storm and screen doors. ©2024 Andersen Corporation. All rights reserved.