


30° CASEMENT BAY



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Flanker Unit Width	Center Unit Width	Flanker Unit Width	Wall Thickness (inches)	A Angle	B Projection (Ft.-In)	C Projection (Ft.-In)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In)
1-5 3/4	3-0	1-5 3/4	4 9/16	30°	0-9 13/32	1-1 31/32	0-10 7/8	5-9 13/16
1-5 3/4	3-4	1-5 3/4	4 9/16	30°	0-9 13/32	1-1 31/32	0-10 7/8	6-1 13/16
1-5 3/4	4-0	1-5 3/4	4 9/16	30°	0-9 13/32	1-1 31/32	0-10 7/8	6-9 13/16
1-5 3/4	5-0	1-5 3/4	4 9/16	30°	0-9 13/32	1-1 31/32	0-10 7/8	7-9 13/16
1-5 3/4	6-0	1-5 3/4	4 9/16	30°	0-9 13/32	1-1 31/32	0-10 7/8	8-9 13/16
1-8	3-0	1-8	4 9/16	30°	0-10 17/32	1-3 3/32	1-0	6-1 11/16
1-8	3-4	1-8	4 9/16	30°	0-10 17/32	1-3 3/32	1-0	6-5 11/16
1-8	4-0	1-8	4 9/16	30°	0-10 17/32	1-3 3/32	1-0	7-1 11/16
1-8	5-0	1-8	4 9/16	30°	0-10 17/32	1-3 3/32	1-0	8-1 11/16
1-8	6-0	1-8	4 9/16	30°	0-10 17/32	1-3 3/32	1-0	9-1 11/16
2-0	3-0	2-0	4 9/16	30°	1-0 17/32	1-5 3/32	1-2	6-8 5/8
2-0	3-4	2-0	4 9/16	30°	1-0 17/32	1-5 3/32	1-2	7-0 5/8
2-0	4-0	2-0	4 9/16	30°	1-0 17/32	1-5 3/32	1-2	7-8 5/8
2-0	5-0	2-0	4 9/16	30°	1-0 17/32	1-5 3/32	1-2	8-8 5/8
2-0	6-0	2-0	4 9/16	30°	1-0 17/32	1-5 3/32	1-2	9-8 5/8
2-4	3-0	2-4	4 9/16	30°	1-2 17/32	1-7 3/32	1-4	7-3 9/16
2-4	3-4	2-4	4 9/16	30°	1-2 17/32	1-7 3/32	1-4	7-7 9/16
2-4	4-0	2-4	4 9/16	30°	1-2 17/32	1-7 3/32	1-4	8-3 9/16
2-4	5-0	2-4	4 9/16	30°	1-2 17/32	1-7 3/32	1-4	9-3 9/16
2-4	6-0	2-4	4 9/16	30°	1-2 17/32	1-7 3/32	1-4	10-3 9/16
2-6	3-0	2-6	4 9/16	30°	1-3 17/32	1-8 3/32	1-5	7-7
2-6	3-4	2-6	4 9/16	30°	1-3 17/32	1-8 3/32	1-5	7-11
2-6	4-0	2-6	4 9/16	30°	1-3 17/32	1-8 3/32	1-5	8-7
2-6	5-0	2-6	4 9/16	30°	1-3 17/32	1-8 3/32	1-5	9-7
2-6	6-0	2-6	4 9/16	30°	1-3 17/32	1-8 3/32	1-5	10-7


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3049
SCALE: NONE
REVISION: 5/17/14



45° CASEMENT BAY



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Flanker Unit Width	Center Unit Width	Flanker Unit Width	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	3-0	1-5 3/4	4 9/16	45°	1-1 9/16	1-6 1/32	1-3 1/16	5-5 9/16
1-5 3/4	3-4	1-5 3/4	4 9/16	45°	1-1 9/16	1-6 1/32	1-3 1/16	5-9 9/16
1-5 3/4	4-0	1-5 3/4	4 9/16	45°	1-1 9/16	1-6 1/32	1-3 1/16	6-5 9/16
1-5 3/4	5-0	1-5 3/4	4 9/16	45°	1-1 9/16	1-6 1/32	1-3 1/16	7-5 9/16
1-5 3/4	6-0	1-5 3/4	4 9/16	45°	1-1 9/16	1-6 1/32	1-3 1/16	8-5 9/16
1-8	3-0	1-8	4 9/16	45°	1-3 5/32	1-7 29/32	1-4 21/32	5-8 3/4
1-8	3-4	1-8	4 9/16	45°	1-3 5/32	1-7 29/32	1-4 21/32	6-0 3/4
1-8	4-0	1-8	4 9/16	45°	1-3 5/32	1-7 29/32	1-4 21/32	6-8 3/4
1-8	5-0	1-8	4 9/16	45°	1-3 5/32	1-7 29/32	1-4 21/32	7-8 3/4
1-8	6-0	1-8	4 9/16	45°	1-3 5/32	1-7 29/32	1-4 21/32	8-8 3/4
2-0	3-0	2-0	4 9/16	45°	1-6	1-10 17/32	1-7 15/32	6-2 3/8
2-0	3-4	2-0	4 9/16	45°	1-6	1-10 17/32	1-7 15/32	6-6 3/8
2-0	4-0	2-0	4 9/16	45°	1-6	1-10 17/32	1-7 15/32	7-2 3/8
2-0	5-0	2-0	4 9/16	45°	1-6	1-10 17/32	1-7 15/32	8-2 3/8
2-0	6-0	2-0	4 9/16	45°	1-6	1-10 17/32	1-7 15/32	9-2 3/8
2-4	3-0	2-4	4 9/16	45°	1-8 13/16	2-1 3/8	1-10 5/16	6-8
2-4	3-4	2-4	4 9/16	45°	1-8 13/16	2-1 3/8	1-10 5/16	7-0
2-4	4-0	2-4	4 9/16	45°	1-8 13/16	2-1 3/8	1-10 5/16	7-8
2-4	5-0	2-4	4 9/16	45°	1-8 13/16	2-1 3/8	1-10 5/16	8-8
2-4	6-0	2-4	4 9/16	45°	1-8 13/16	2-1 3/8	1-10 5/16	9-8
2-6	3-0	2-6	4 9/16	45°	1-10 7/32	2-2 25/32	1-11 23/32	6-10 7/8
2-6	3-4	2-6	4 9/16	45°	1-10 7/32	2-2 25/32	1-11 23/32	7-2 7/8
2-6	4-0	2-6	4 9/16	45°	1-10 7/32	2-2 25/32	1-11 23/32	7-10 7/8
2-6	5-0	2-6	4 9/16	45°	1-10 7/32	2-2 25/32	1-11 23/32	8-10 7/8
2-6	6-0	2-6	4 9/16	45°	1-10 7/32	2-2 25/32	1-11 23/32	9-10 7/8


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3050
SCALE: NONE
REVISION: 5/17/14



CASEMENT BOX BAY



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Flanker Unit Width	Center Unit Width	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	1-5 3/4 - 2	4 9/16	90°	1-10 7/8	2-3 7/16	2-0 3/8	3-0
1-5 3/4	4-0	4 9/16	90°	1-10 7/8	2-3 7/16	2-0 3/8	4-0 1/2
1-5 3/4	1-5 3/4 - 3	4 9/16	90°	1-10 7/8	2-3 7/16	2-0 3/8	4-5 3/4
1-5 3/4	5-0	4 9/16	90°	1-10 7/8	2-3 7/16	2-0 3/8	5-0 1/2


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3051
SCALE: NONE
REVISION: 5/17/14



3 WIDE 10° CASEMENT BOW



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Unit Width	Number of Units Wide	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	3	4 9/16	10°	0-3 5/32	0-7 23/32	0-4 21/32	4-6 3/16
1-8	3	4 9/16	10°	0-3 9/16	0-8 1/8	0-5 1/16	5-0 7/8
2-0	3	4 9/16	10°	0-4 1/4	0-8 13/16	0-5 3/4	6-0 3/4
2-4	3	4 9/16	10°	0-4 15/16	0-9 1/2	0-6 13/32	7-0 5/8
2-6	3	4 9/16	10°	0-5 5/16	0-9 7/8	0-6 13/16	7-6 9/16


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3052
SCALE: NONE
REVISION: 5/17/14



4 WIDE 10° CASEMENT BOW



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Unit Width	Number of Units Wide	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	4	4 9/16	10°	0-6 1/4	0-10 13/16	0-7 3/4	5-11 5/8
1-8	4	4 9/16	10°	0-7 1/32	0-11 19/32	0-8 17/32	6-8 1/2
2-0	4	4 9/16	10°	0-8 13/32	1-1	0-9 29/32	8-0 3/16
2-4	4	4 9/16	10°	0-9 13/16	1-2 3/8	0-11 5/32	9-3 7/8
2-6	4	4 9/16	10°	0-10 1/2	1-3 1/16	1-0	9-11 11/16


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3053
SCALE: NONE
REVISION: 5/17/14



5 WIDE 10° CASEMENT BOW



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Unit Width	Number of Units Wide	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	5	4 9/16	10°	0-9 11/32	1-1 29/32	0-10 27/32	7-4 9/16
1-8	5	4 9/16	10°	0-10 1/2	1-3 1/16	1-0	8-3 7/16
2-0	5	4 9/16	10°	1-0 9/16	1-5 1/8	1-2 1/16	9-10 7/8
2-4	5	4 9/16	10°	1-2 5/8	1-7 3/16	1-4 1/8	11-6 1/4
2-6	5	4 9/16	10°	1-3 21/32	1-8 7/32	1-5 5/32	12-3 15/16


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3054
SCALE: NONE
REVISION: 5/17/14



6 WIDE 10° CASEMENT BOW



Unit Height	Rough Opening Height (Ft.-In.)
3-0	3-0 1/2
3-4	3-4 1/2
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Unit Width	Number of Units Wide	Wall Thickness (inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-5 3/4	6	4 9/16	10°	1-1 15/16	1-6 1/2	1-3 7/16	8-8 3/4
1-8	6	4 9/16	10°	1-3 21/32	1-8 7/32	1-5 5/32	9-9 11/16
2-0	6	4 9/16	10°	1-6 3/4	1-11 5/16	1-8 1/4	11-8 5/8


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3055
SCALE: NONE
REVISION: 5/17/14



30° DOUBLE HUNG BAY



Unit Height	Rough Opening Height (Ft.-In.)
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Flanker Unit Width	Center Unit width	Flanker Unit Width	Wall Thickness (Inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-8	3-0	1-8	4 9/16	30°	0-10 3/4	1-3 5/16	0-10 21/32	6-3 11/16
1-8	3-4	1-8	4 9/16	30°	0-10 3/4	1-3 5/16	0-10 21/32	6-7 11/16
1-8	4-0	1-8	4 9/16	30°	0-10 3/4	1-3 5/16	0-10 21/32	7-3 11/16
1-8	5-0	1-8	4 9/16	30°	0-10 3/4	1-3 5/16	0-10 21/32	8-3 11/16
2-0	3-0	2-0	4 9/16	30°	1-0 3/4	1-5 5/16	1-0 21/32	6-10 5/8
2-0	3-4	2-0	4 9/16	30°	1-0 3/4	1-5 5/16	1-0 21/32	7-2 5/8
2-0	4-0	2-0	4 9/16	30°	1-0 3/4	1-5 5/16	1-0 21/32	7-10 5/8
2-0	5-0	2-0	4 9/16	30°	1-0 3/4	1-5 5/16	1-0 21/32	8-10 5/8
2-4	3-0	2-4	4 9/16	30°	1-2 3/4	1-7 5/16	1-2 21/32	7-5 1/2
2-4	3-4	2-4	4 9/16	30°	1-2 3/4	1-7 5/16	1-2 21/32	7-9 1/2
2-4	4-0	2-4	4 9/16	30°	1-2 3/4	1-7 5/16	1-2 21/32	8-5 1/2
2-4	5-0	2-4	4 9/16	30°	1-2 3/4	1-7 5/16	1-2 21/32	9-5 1/2


Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3056
SCALE: NONE
REVISION: 2/1/16



45° DOUBLE HUNG BAY



Unit Height	Rough Opening Height (Ft.-In.)
4-0	4-0 1/2
4-6	4-6 1/2
5-0	5-0 1/2
5-6	5-6 1/2
6-0	6-0 1/2

Flanker Unit Width	Center Unit Width	Flanker Unit Width	Wall Thickness (Inches)	A Angle	B Projection (Ft.-In.)	C Projection (Ft.-In.)	D Seating Depth (Ft.-In.)	E Rough Opening Width (Ft.-In.)
1-8	3-0	1-8	4 9/16	45°	1-3 11/16	1-8 1/4	1-3 21/32	5-11 1/16
1-8	3-4	1-8	4 9/16	45°	1-3 11/16	1-8 1/4	1-3 21/32	6-3 1/16
1-8	4-0	1-8	4 9/16	45°	1-3 11/16	1-8 1/4	1-3 21/32	6-11 1/16
1-8	5-0	1-8	4 9/16	45°	1-3 11/16	1-8 1/4	1-3 21/32	7-11 1/16
2-0	3-0	2-0	4 9/16	45°	1-6 1/2	1-11 1/16	1-6 1/2	6-4 3/4
2-0	3-4	2-0	4 9/16	45°	1-6 1/2	1-11 1/16	1-6 1/2	6-8 3/4
2-0	4-0	2-0	4 9/16	45°	1-6 1/2	1-11 1/16	1-6 1/2	7-4 3/4
2-0	5-0	2-0	4 9/16	45°	1-6 1/2	1-11 1/16	1-6 1/2	8-4 3/4
2-4	3-0	2-4	4 9/16	45°	1-9 11/32	2-1 29/32	1-9 5/16	6-10 3/8
2-4	3-4	2-4	4 9/16	45°	1-9 11/32	2-1 29/32	1-9 5/16	7-2 3/8
2-4	4-0	2-4	4 9/16	45°	1-9 11/32	2-1 29/32	1-9 5/16	7-10 3/8
2-4	5-0	2-4	4 9/16	45°	1-9 11/32	2-1 29/32	1-9 5/16	8-10 3/8

Notes:

Dynamically configure section details to your specific needs by going to EagleWindow.com, select Wintelligence.
Eagle Window & Door reserves the right to change the specifications without notice.

DRAWING # AD3057
SCALE: NONE
REVISION: 2/1/16

