


400 SERIES





400 SERIES WINDOWS & PATIO DOORS

As our most popular and longest-standing product line, the 400 Series brings you the best overall blend of performance and style to satisfy just about any window or patio door need. With years of engineering and craftsmanship to build on, 400 Series windows and patio doors are designed to live up to your high standards. Plus, with a broad array of shapes, style and colors to choose from, you can achieve the style you've envisioned for your home while having peace of mind knowing they're backed by our renowned Owner-2-Owner® limited warranty. With Andersen® 400 Series products, have confidence knowing you will be getting the quality and performance in which Andersen built its reputation. For more information, visit andersenwindows.com/400series.







CONTEMPORARY DESIGN

Contemporary home design embraces minimalism and simplicity – clean lines, glass that stretches floor-to-ceiling and sleek, dark colors. Large windows and combinations allow you to enjoy stunning vistas and bring the outdoors in.



CASEMENT & AWNING WINDOWS

Enhance your view and create stunning combinations by grouping together casement and/or awning windows. Casement windows hinge on the side and crank open outward allowing for full top to bottom ventilation. Awning windows are hinged at the top and open outward from the bottom allowing for ventilation and protection from the rain.


- Low-maintenance Perma-Shield® exterior cladding protects the unit and offers longlasting* weathertight performance
- Smooth control hardware allows for easy operation with the simple turn of the handle
- Choose a contemporary or traditional profile to fit your design style
- Available in custom sizes for replacement projects
- Single-actuation lock secures casement windows at multiple points with a single handle and features a "reach out" action that pulls the sash in for a weathertight seal



SPECIALTY WINDOWS

Create large combinations with specialty windows to maximize light and view. Specialty windows are stationary windows that come in a variety of uncommon shapes, including elegant arches, striking angles and compelling curves to add curb appeal or enhance the character of your home. Flexiframe® windows are designed in nearly any shape made with straight lines, provided no angle is less than 14 degrees.

- Low-maintenance Perma-Shield exterior cladding protects the unit and offers long-lasting* weathertight performance
- Available in custom sizes
- Choose a contemporary or traditional profile to fit your design style



Examples of available shapes.

For contemporary patio door options, visit andersenwindows.com/doors.

^{*}Visit andersenwindows.com/warranty for details.



TRADITIONAL DESIGN

Traditional home design remains true to the history, authenticity and character of home styles that date back decades or even centuries. The classic design of Andersen® 400 Series windows and patio doors complement traditional style homes.



Double-hung windows have two operating sash (glass panels) that move up and down allowing for ventilation on the top, bottom or both.

DOUBLE-HUNG WINDOWS

Bring fresh air in while not interfering with patios or walkways. Plus, with tilt-in features, cleaning double-hung windows from inside your home is easy. Woodwright® double-hung windows are built with authentic craftsmanship to help replicate the look of classic architecture. They allow you to retain or add charm to your home with beautiful wood interiors and an array of style options. Tilt-wash double-hung windows offer classic styling with thinner profiles and the perfect balance of modern and traditional design. Their classic blend of engineering and craftsmanship, along with energy efficiency, makes them our best-selling double-hung window.

- Low-maintenance exterior cladding protects the unit while wood interiors offer beauty and warmth
- Dual layer weatherstrip helps seal out dust, wind and water
- Available in custom size insert windows for easy replacement or full-frame windows for new construction and remodeling projects



PATIO DOORS

Designed to bring nature's beauty inside while enhancing the style and personality of your home. Frenchwood® hinged inswing patio doors are designed to open into a room and save space for smaller exterior areas. Frenchwood gliding patio doors are ideal for any climate, they glide horizontally so not to interfere with your room.

- Experience smooth, long-lasting* operation with adjustable ball-bearing rollers and a durable stainless-steel capped track on gliding doors. Hinged doors feature adjustable hinges, so you can easily fine tune the position of our door panel.
- Weatherstrip is designed to seal our air and water infiltration
- Secure locking systems tighten the door against the frame for improved security and weather protection
- Optional blinds-between-the-glass offer privacy and are protected from dust and damage and never need cleaning
- Available in custom sizes for replacement projects

^{*}Visit andersenwindows.com/warranty for details.

GLASS OPTIONS

Andersen offers one of the industry's widest array of glass options, so you're sure to find the right choice for your climate and your home. Choose from these High-Performance glass options.

ENERGY

		ENE	KG1	LIGHT				
	GLASS	U-Factor How well a product prevents heat from escaping.	Solar Heat Gain Coefficient How well a product blocks heat caused by sunlight.	Visible Light Transmittance How much visible light comes through a product.	UV Protection How well a product blocks ultraviolet rays.			
SmartSun™	Thermal control similar to tinted glass, with visible light transmittance similar to Low-E glass.	• • • •	• • • •	• • • •	• • • •			
SmartSun with HeatLock® Coating	Applied to the room-side surface, it reflects heat back into the home and improves U-Factor values.	• • • •	• • • •	• • • •	• • • •			
Low-E	Outstanding overall performance for climates where both heating and cooling costs are a concern.	• • • 0	• • • •	• • • •	• • • •			
Low-E with HeatLock Coating	Applied to the room-side surface, it reflects heat back into the home and improves U-Factor values.	• • • •	• • • •	• • • •	• • • •			
Sun	Outstanding thermal control in southern climates where less solar heat gain is desired.	• • • 0	• • • •	• 0 0 0	• • • •			
PassiveSun®	Ideal for northern, passive solar construction applications where solar heat gain is desired.	• • • 0	• 0 0 0	• • • •	• • • •			
PassiveSun with HeatLock Coating	Applied to the room-side surface, it reflects heat back into the home and improves U-Factor values.	• • • •	• 0 0 0	• • • •	• • • •			
Triple-Pane*	An extra pane of glass helps keep more heat in and cold air out, making this our most energy-efficient glass option.	• • • •	• • • •	• • • •	• • • •			
Clear Dual-Pane	High visibility with basic thermal performance.	• 0 0 0	0000	• • • •	0000			
		·						

Center of glass performance only. Ratings based on glass options as of January 2024. Visit andersenwindows.com/energystar for ENERGY STAR® map and ENERGY STAR Most Efficient information. See your Andersen supplier for unit NFRC performance data. *Triple-pane glass is available on 400 Series patio doors only.

ADDITIONAL GLASS OPTIONS

Tempered safety glass, standard on patio doors and required by code for larger window sizes.**

Laminated glass for added strength, enhanced security and sound control.

Patterned glass lets in light while obscuring vision and adds a unique, decorative touch.



For more details on glass options, visit andersenwindows.com/glass.



GLASS SPACER OPTIONS

Choose from stainless steel, black or white glass spacers to create a customized look. Add full divided light grilles and the grille spacer bar between the glass will match the selected glass spacer color.



STORMWATCH® PROTECTION

Most Andersen 400 Series windows are available with impact-resistant glass and structural upgrades to meet the tough building codes of hurricane-prone coastal areas. See your local code official for specific requirements.



BLINDS-BETWEEN-THE-GLASS

LIGHT

Blinds-between-the-glass offer privacy and convenience and are available on select Frenchwood® gliding and hinged patio doors.



ART GLASS

With art glass from Andersen, you can add interest, create focal points and make your work stand out. For more information, visit andersenwindows.com/artglass.



^{**}Visit andersenwindows.com/warranty for details.



EXTERIOR & INTERIOR OPTIONS

Our Perma-Shield® exterior cladding system, a time-tested Andersen innovation, offers low maintenance and durability while also providing an attractive appearance. The interiors of all 400 Series windows and patio doors are available in unfinished staingrade pine or with a long-lasting*, low-maintenance white finish. Select windows are also available with a dark bronze or black finish. 400 Series Woodwright® windows and Frenchwood® patio doors are also available with unfinished maple or oak interiors.

EXTERIORS**



INTERIORS**





Design your window at andersenwindows.com/design-tool

^{*}Visit andersenwindows.com/warranty for details.

^{**}Some products are not available in all colors or wood species. See your Andersen supplier for details.

[†]Products with dark bronze and black interiors have matching exteriors.

Printing limitations prevent exact replication of colors and finishes. See your Andersen supplier for actual color and finish samples.

GRILLE OPTIONS

A variety of grille patterns, widths and configurations fit any architectural style and help you create your vision. When remodeling or replacing, they play an important role in preserving the style of your home which is why we also offer custom patterns.















FULL DIVIDED LIGHT



Permanent exterior and permanent interior with spacer



Permanent exterior and permanent interior with energy-saving spacer

SIMULATED DIVIDED LIGHT



Permanent exterior and permanent interior



Permanent exterior and removable interior

CONVENIENT CLEANING




Removable interior



Finelight® grillesbetween-the-glass*

Grille Bar Widths









Create the look of a double-hung window with $2\,\mbox{\em 4}''$ wide grille across the center of a casement window.

Cross section of grilles showing standard widths and profiles. Additional patterns available, see your Andersen supplier for details.

INSECT SCREENS

TruScene® and conventional insect screens are available for tilt-wash double-hung and gliding windows. For patio doors, conventional insect screens are available in the configurations shown below. TruScene screens provide 50% greater clarity than conventional Andersen insect screens.

Windows



Full insect screens for venting windows. Half insect screens for the lower sash of doublehung windows.

Gliding Patio Doors



New Andersen® exclusive retractable screen for two- and four-panel gliding doors has a premium, integrated design and offers fresh air and clear views.



Gliding roller insect screens for two- and four-panel doors.

Hinged Patio Doors



Hinged insect screen for single-panel doors. Double-hinged insect screen for two-panel active-passive doors.



Gliding insect screen for all two- and three-panel doors.



DESIGNER HARDWARE* FOR HINGED DOORS

Our designer hardware collections are carefully curated from today's leading hardware brands. They have a luxurious look and substantial feel that can match perfectly with other hardware and accessories throughout the home. Available on Andersen® hinged, entry, and folding doors.



2 plate styles 10 finish options 7 handle designs



Urban Plate

Dark Bronze**
Dark Oil Rubbed**
Flat Black
Matte Black
Natural Bronze**
Polished Chrome
Polished Nickel**
Satin Nickel
White Bronze**
White Medium**

ALESSA









Dark Bronze**
Dark Oil Rubbed**
Flat Black
Matte Black
Natural Bronze**
Polished Chrome
Polished Nickel**
Satin Nickel
White Bronze**
White Medium**

CHURCHILL





BALDWIN

1 plate style 5 finish options 6 handle designs













Bold name denotes finish shown.











ANDERSEN HARDWARE* FOR DOORS

Andersen hardware options Yuma,[®] Encino,[®] Newbury,[®] and Anvers[®] each feature solid drop-forged brass for added strength, while Albany and Tribeca[®] hardware options are made of zinc die-cast with durable powder-coated finishes.















Bold name denotes finish shown.

^{*}Hardware is sold separately and options vary by product.

^{**}Some finishes are "living finishes" that will change with time and use, see limited warranty for details.

Printing limitations prevent exact replication of finishes. See your Andersen supplier for actual finish samples.

All trademarks where denoted are marks of their respective owners.

WINDOW HARDWARE

Whether replacing, remodeling or building new, our hardware* options enhance your home's decor. Choose from a variety of styles ranging from traditional and classical to simple and contemporary.

Woodwright® Double-Hung

STANDARD



Antique Brass | **Black** | Bright Brass | Distressed Bronze Distressed Nickel | Oil Rubbed Bronze | Satin Nickel Stone | White

Tilt-Wash Double-Hung

TRADITIONAL



Standard: Stone | **White** Optional: Black

ESTATE™

Antique Brass | **Bright Brass**Distressed Bronze | Distressed Nickel
Oil Rubbed Bronze | Satin Nickel

Estate lock & keeper is available only for 400 Series tilt-wash double-hung windows.

Double-Hung Sash Lifts

TRADITIONAL



Finger Lift



Hand Lift



Antique Brass | **Black** | Bright Brass | Distressed Bronze | Distressed Nickel Oil Rubbed Bronze | Satin Nickel | Stone | White

CLASSIC™



Finger Lift



Hand Lift



d Lift Bar Lift
Stone | **White**

Classic double-hung sash lifts are only available for 400 Series Woodwright double-hung windows.

ESTATE



Finger Lift



Hand Lift



Estate double-hung sash lifts are only available for 400 Series Woodwright double-hung windows.

CONTEMPORARY



Bar Lift

Antique Brass | Black Bright Brass | Distressed Bronze **Distressed Nickel** | Oil Rubbed Bronze Satin Nickel | Stone | White

Gliding



Antique Brass | Black | Bright Brass Distressed Bronze | Distressed Nickel Oil Rubbed Bronze | Satin Nickel Stone | **White**



ESTATE

Antique Brass | Bright Brass
Distressed Bronze | Distressed Nickel
Oil Rubbed Bronze | Satin Nickel



Stone | White

Casement & Awning

CONTEMPORARY FOLDING



Black | Bright Brass | Oil Rubbed Bronze Satin Nickel | Stone | White

TRADITIONAL FOLDING



Antique Brass | Black | Bright Brass
Distressed Bronze | Distressed Nickel
Oil Rubbed Bronze | **Satin Nickel** | Stone | White

 $Folding\ handles\ avoid\ interference\ with\ window\ treatments.$

Bold name denotes finish shown.

*Hardware is sold separately, except standard lock and keeper for double-hung windows.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.

Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

COMPARISON CHART

Use the quick reference chart below to decide which Andersen® 400 Series products best fit your project needs.

			WINDOWS								PATIO DOORS	
FEATURE	:S	Woodwright* Double-Hung	Woodwright Double-Hung	Tilt-Wash Double-Hung	Tiil-Wash Double-Hung	Narroline® Double-Hung Conversion L.	Casement	Awning	G_{liding}	Frenchwood®	Frenchwood Hinged Inswing	
Low-Maint	enance Exteriors											
	White	•	•	•	•	•	•	•	•	•	•	
	Canvas	•	•	•	•		•	•	•			
	Sandtone	•	•	•	•	•	•	•	•	•	•	
	Terratone	•	•	•	•	•	•	•	•	•	•	
	Dark Bronze	•	•	•	•		•	•	•			
	Forest Green	•	•	•	•		•	•	•	•	•	
	Black	•	•	•	•		•	•	•			
Interiors												
	Pine	•	•	•	•	•	•	•	•	•	•	
	Maple	•	•							•	•	
AND THE PARTY OF T	Oak	•	•							•	•	
	White	•	•	•	•	•	•	•	•	•	•	
	Sandtone								•			
	Dark Bronze			•	•		•	•	•			
	Black			•	•		•	•	•			
Easy Clean	•											
Tilt-to-Clea		•	•	•	•	•						
Grilles & B												
Full Divided Light		•	•	•	•	•	•	•	•	•	•	
		•	•	•	•	•	•	•	•	•	•	
Simulated Divided Light Finelight™ Grilles-Between-the-Glass		•	•	•	•		•	•	•	•	•	
Removable Interior Grilles		•	•	•	•	•	•	•	•	•	•	
Blinds-Between-the-Glass										•	•	
	rmance Glass Additional glas	s options are av	ailable. See r	nage 8 for deta	ails. For patic	doors, all ala	ss options are	tempered.				
Low-E4®		•	•	•	•	•	•	•	•	•	•	
Low-E4 SmartSun™			•	•	•	•	•	•	•	•	•	
Low-E4 Sun		•	•	•	•		•	•	•	•	•	
Low-E4 PassiveSun		•	•	•	•	•	•	•	•	•	•	
Clear Dual-Pane							•	•				
Triple-Pane										•	•	
HeatLock® Coating		•	•	•	•	•	•	•	•	•	•	
Performan				_		_						
	® Protection	PG upgrade		•			•	•				
Glass Spac		19.35		_								
Stainless St		•	•	•	•	•	•	•	•	•	•	
Black or W		•	•	•	•	•	•	•	•	•	•	
Standard S										1		
Minimum V		1'-9 5/8"	1'-4 1/2"	1'-9 5/8"	1'-9 1/4"	Fits	1'-5"	2'-0 1/8"	2'-11 1/4"	4'-11 ¼"	2'-6 1/8"	
Maximum Width		3'-9 5/8"	3'-9 5/8"	3'-9 5/8"	3'-87/8"	Narroline double-hung	OL 11 15/ II	5'-11 %"	5'-11 1/4"	15'-9"	8'-11 1/8"	
Minimum Height		3'-07/8"	2'-3 3/4"	3'-07/8"	3'-03/8"	windows	2'-0 1/8"	1'-5"	1'-10 1/4"	6'-7 1/2"	6'-7 1/2"	
Maximum Height		6'-47%"	6'-5"	7'-8 %"	7'-6 ⁵ /8"	made after 1967	5'-11 %"	4'-0"	4'-11 ¼"	7'-11 ½"	7'-11 ½"	
Custom Sizes		•	•	•	•		•	•		•	•	



THE ENVIRONMENT HAS A BUSINESS PARTNER

Respect for the environment is nothing new at Andersen. For more than a century, it's been part of who we are. Our commitment to recycle and reclaim materials began simply because it was good business. Now it's part of our broader commitment to sustainability and responsible stewardship of all our resources. Andersen is committed to providing you with long-lasting, energy-efficient windows and doors. Visit andersenwindows.com/sustainability for more information.



Andersen makes windows and doors with options that make them ENERGY STAR® certified throughout the U.S.



Andersen is a charter member of the **U.S. Green Building Council** and a strong supporter of its LEED®
(Leadership in Energy and Environmental Design)
National Green Building Standard rating system.

