

## What's in This Section

<b>Single, 2-Panel and Stationary</b>	<b>Page 5</b>
<b>Parts Illustration</b>	<b>5</b>
Parts Illustration - Interior View	5
Parts Illustration - Exterior View	6
Parts Illustration - Single Panel	7
Parts Illustration - 2-Panel / Active/Passive	8
Parts Illustration - 2-Panel CPS	9
Parts Illustration - 2-Panel Commercial	10
Parts Illustration - 2-Panel Stationary	11
Colors - Exterior	12
Colors/Species/Finishes - Interior	13
<b>Unit Sizes</b>	<b>14</b>
Standard and Custom Door Sizes	14
E-Series Product Label	14
Unit Size Chart - Traditional 1-Panel (SP1)	15
Unit Size Chart - Traditional 2-Panel (SP1)	16
<b>Panels - Active</b>	<b>17</b>
Active Panel Graphic	17
Active Panel Graphic - CPS	18
Active Panel Graphic - Commercial	19
Active Panel Size Table	20
Active Panel Options	21
<b>Panels - Passive</b>	<b>22</b>
Passive Panel Graphic	22
Passive Panel Graphic - Commercial	23
Passive Panel Size Table	24
Passive Panel Options	25
Panel Astragal	26
Astragal Parts	27
<b>Panels - Stationary / Sidelight</b>	<b>29</b>
Stationary / Sidelight Panel Graphic	29
Stationary / Sidelight Panel Size Table	30
Stationary / Sidelight Panels	31
<b>Shared Panel Parts</b>	<b>32</b>
Glass Stops	32
Weatherstrip	32
Receiver Strip	33
Panel Cap	33

<b>Glass</b>	<b>34</b>
Glass	34
<b>Insect Screens</b>	<b>35</b>
Insect Screen Graphic - Concealed (Retractable)	35
<b>Grilles</b>	<b>36</b>
Grille Options	36
Interior Grille Parts	37
<b>Hardware</b>	<b>38</b>
Andersen® Half Trim Set Kits - Interior	38
Andersen® Half Trim Set Kits - Exterior	39
Construction Trim Set	40
Andersen® Hardware - Tribeca®	41
Andersen® Hardware - Anvers®	48
Andersen® Hardware - Albany	51
Andersen® Hardware - Newbury®	54
Andersen® Hardware - Covington™	58
Andersen® Hardware - Whitmore®	61
Andersen® Hardware - Encino®	65
Andersen® Hardware - Yuma®	68
Designer Hardware FSB®	71
Designer Hardware - Baldwin®	77
Designer Hardware - Ashley Norton	82
Yale® Assure Lock®	86
Andersen® Shared Trim Set Parts	89
Andersen® Shared Key Lock Parts	93
Hardware - Concealed Panic System	96
Lock Mechanism	99
Strikes	101
Latch Bolt Parts	102
Hinge Color Chart	103
Hinge Parts	104
Miscellaneous Hardware Parts	105
Fasteners	106
<b>Frames</b>	<b>107</b>
Frame Assembly Illustration / Single (Active)	107
Frame Assembly Illustration / Single (Stationary)	108
Frame Assembly Illustration / 2-Panel (CPS)	109
Frame Assembly Illustration / 2-Panel (AP)	110
Frame Assembly Illustration / 2-Panel (Stationary)	111
Frames	112
Panel Stops	113
Weatherstrip	114
Sill Parts	115



Frame Parts ..... 116



## **E-Series Hinged Outswing Doors (March 2018 to Present)**

*Single, 2-Panel and Stationary*

Single, 2-Panel and Stationary

### **Parts Illustration**

#### **Parts Illustration - Interior View**



## Parts Illustration

### Parts Illustration - Exterior View



# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Parts Illustration

### Parts Illustration - Single Panel

**Note:**

Left-hand, right-hand and stationary doors are available.



#### SECTION A-A

VIEW SHOWN WITH HI-PERFORMANCE SILL

#### SECTION B-B



### E-Series Hinged Outswing Door Unit Parts - Single Panel

## Parts Illustration

### Parts Illustration - 2-Panel / Active/Passive

**Note:**

AP/PA doors are available. Illustration shows AP door.



### E-Series Hinged Outswing Door Unit Parts - 2-Panel Active/Passive and Passive/Active

# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Parts Illustration

### Parts Illustration - 2-Panel CPS

**Note:**

CPS (Concealed Panic System).




E-Series Hinged Outswing Door Unit - CPS

## Parts Illustration

### Parts Illustration - 2-Panel Commercial

**Note:**  
Commercial.




**E-Series Hinged Outswing Door Unit - Commercial**

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Parts Illustration

### Parts Illustration - 2-Panel Stationary



E-Series Hinged Outswing Door Unit - Stationary

## Parts Illustration

### Colors - Exterior

**Note:**

(\*) Anodized Finishes

							
				Colony White	White	Abalone	Balsa White
							
				Canvas	Maple Syrup	Harvest Gold	Prairie Grass
							
Flagstone	Sandtone	Pebble Tan	Carmel	Terratone	Hot Chocolate	Bourbon	
							
Acorn	Coffee Bean	Cocoa Bean	Sierra Bronze	Dark Bronze	Clay Canyon	Red Rock	
							
Cardinal	Bling Cherry	Fire Engine Red	Cinnamon Toast	Olive	Sage	Billiard Green	
							
Moss	Forest Green	Mallard Green	Spearmint	Aquamarine	Patina	Sky Blue	
							
Country Blue	Blue Denim	Watercolor Blue	Caribbean Blue	Slate	Moody Blue	Stormy Blue	
							
Dove Gray	Harbor Mist	Yorktown Pewter	Smokey Gray	Mystic Gray	Dark Ash	Black	
							
Light Bronze*	Champagne*	Clear Anodized*	Black	Dark Bronze*	Copper*	Medium Bronze*	



# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Parts Illustration

### Colors/Species/Finishes - Interior

#### Species Interior Options



Pine




Mixed Grain  
Douglas Fir



Oak




Maple



Walnut



Alder



Hickory



Mahogany



Vertical Grain  
Douglas Fir



Cherry



White Oak

#### Stained Interior Options



Clear Coat



Wheat




Autumn Oak




Golden Hickory



Honey




Cinnamon



Russet




Mocha




Espresso


#### Painted Interior Options



White



Birch Bark



Primed



Canvas



Sandtone



Terratone



Forest Green



Dark Bronze



Dove Gray



Prairie Grass



Red Rock



Cocoa Bean



Black



Anodized Silver <sup>1</sup>

## Unit Sizes

### Standard and Custom Door Sizes

**Note:**

E-Series Outswing Doors are available in standard sizes (see standard size charts, [page 15](#)). Replacement parts for some standard doors can be ordered using the numbers listed in this catalog. Many replacement parts for standard doors are made to order. These items are ordered using the Product ID found on the identification label and a description of the part needed. See [Service Guide 9051877](#).

E-Series Outswing Doors are also available in custom sizes in 1/8" increments between the smallest and the largest standard sizes. Most replacement parts for custom-sized doors are made to order and can be ordered with the Product ID found on the identification label and a description of the part needed. See [Service Guide 9051877](#).

### E-Series Product Label

**Note:**

Every E-Series Outswing Door will have an identification label **or** glass etching containing a unique Product ID. The Product ID on E-Series Outswing Doors will be located at the top of the door frame or etched into the glass. See [Service Guide 9051877](#). The Product ID may be up to 14 digits long (excluding hyphens), depending on the age of the unit. Replacement parts will also get their own unique Product ID. When ordering replacement parts, providing the Product ID ensures that replacement parts match the specifications.

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Unit Sizes

### Unit Size Chart - Traditional 1-Panel (SP1)

#### Note:

Unit Dimension refers to overall outside-to-outside frame. See Formula Design Sheet (FS00310) for additional DLO detail. See [Size Chart](#).

#### Single Hinged Outswing Patio Door & Sidelight Sizes

		2' 1"	2' 7"	2' 9"	3' 1"	3' 3"
		2' 0 1/2"	2' 6 1/2"	2' 8 1/2"	3' 0 1/2"	3' 2 1/2"
8' 7 13/16"	8' 7 1/4"					
		AFDO 2068 S,AL,AR	AFDO 2668 S,AL,AR	AFDO 2868 S,AL,AR	AFDO 3068 S,AL,AR	AFDO 3268 S,AL,AR
6' 9 13/16"	6' 9 1/4"					
		AFDO 20610 S,AL,AR	AFDO 26610 S,AL,AR	AFDO 28610 S,AL,AR	AFDO 30610 S,AL,AR	AFDO 32610 S,AL,AR
6' 11 13/16"	6' 11 1/4"					
		AFDO 2070 S,AL,AR	AFDO 2670 S,AL,AR	AFDO 2870 S,AL,AR	AFDO 3070 S,AL,AR	AFDO 3270 S,AL,AR
7' 2 13/16"	7' 2 1/4"					
		AFDO 2073 S,AL,AR	AFDO 2673 S,AL,AR	AFDO 2873 S,AL,AR	AFDO 3073 S,AL,AR	AFDO 3273 S,AL,AR*
7' 11 13/16"	7' 11 1/4"					
		AFDO 2080 S,AL,AR	AFDO 2680 S,AL,AR	AFDO 2880 S,AL,AR	AFDO 3080 S,AL,AR	AFDO 3280 S,AL,AR
8' 2 13/16"	8' 2 1/4"					
		AFDO 2083 S,AL,AR	AFDO 2683 S,AL,AR	AFDO 2883 S,AL,AR	AFDO 3083 S,AL,AR	AFDO 3283 S,AL,AR*

#### NOTES

All doors and sidelights use safety/tempered glass.

The minimum vertical joining material width for doors and sidelights is 1/2".  
When joining a venting sidelight to a door, the minimum vertical joining material width is 2".

\* Commercial sized door panels.

See handing chart on page 132 for operation options.

Use structural joining material when necessary or required by code.

The light patterns illustrated apply to removable interior wood grilles, Full Divided Light, Simulated Divided Light, Decorelle 100, 150 and 400 and Finelight™ Grilles-Between-the-Glass. All removable interior wood grilles will be installed in the units unless otherwise specified.

FOR WINDOWS GREATER THAN 30 SQUARE FEET OR RATED HIGHER THAN PG50, ONE OF THESE THREE INSTALLATION METHODS IS REQUIRED:  
A) THROUGH THE JAMB B) ALUMINUM INSTALLATION FLANGE OR C) INSTALLATION CLIPS.  
ADDITIONAL CUSTOM SIZES ARE AVAILABLE. CONTACT YOUR LOCAL SUPPLIER FOR MORE INFORMATION. DRAWINGS ARE NOT TO SCALE.

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

**Outswing Frame Height Formula**  
(using Low Threshold Sill)  
= Standard Outswing Frame Height - 7/16"

#### FORMULA FOR COMBINATION DOORS

The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s).

The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.

Any unit within each combination can be operating or stationary except for direct-set units and transoms.

### E-Series Hinged Outswing Door Unit Sizes - Traditional Single Hinged Outswing (SP1)

Unit viewed from exterior.































## Unit Sizes

### Unit Size Chart - Traditional 2-Panel (SP1)

#### Note:

Unit Dimension refers to overall outside-to-outside frame. See Formula Design Sheet (FS00310) for additional DLO detail. See [Size Chart](#).

**Double Hinged Outswing Patio Door Sizes**

	4' 0" $\frac{3}{16}$ "	5' 0" $\frac{3}{16}$ "	5' 4" $\frac{3}{16}$ "	6' 0" $\frac{3}{16}$ "	6' 4" $\frac{3}{16}$ "
6' 7" $\frac{13}{16}$ "					
6' 9" $\frac{13}{16}$ "					
6' 11" $\frac{13}{16}$ "					
7' 2" $\frac{13}{16}$ "					
7' 11" $\frac{13}{16}$ "					
8' 2" $\frac{13}{16}$ "					

#### NOTES

All doors and sidelights use safety/tempered glass.

The minimum vertical joining material width for doors and sidelights is 1/2".

\* Commercial sized door panels.

Use structural joining material when necessary or required by code.

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

#### FORMULA FOR COMBINATION DOORS

The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s).

The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.

Any unit within each combination can be operating or stationary except for direct-set units and transoms.

#### Outswing Frame Height Formula (using Low Threshold Sill)

= Standard Outswing Frame Height - 7/16"

CUSTOM SIZES ARE AVAILABLE. CONTACT YOUR LOCAL SUPPLIER FOR MORE INFORMATION. DRAWINGS ARE NOT TO SCALE.

### E-Series Hinged Outswing Door Unit Sizes - Traditional Double Hinged Outswing (SP1)

*Unit viewed from exterior.*

# E-Series Hinged Outswing Doors (March 2018 to Present)




Single, 2-Panel and Stationary

## Panels - Active

### Active Panel Graphic


#### Note:

See [Architectural Tools](#) for additional panel detail. Hardware shown not included.





**SECTION A-A**


STANDARD SILL




**E-Series Hinged Outswing Door Active Panel - Single**



**SECTION B-B**



**DETAIL C**




2. [Panel Cap](#)
3. [Weatherstrip](#)
4. [Weatherstrip Receiver](#)
5. [Screw - Sweep](#)
6. [Sweep](#)
7. [Hinge Cup](#)
8. [Hinge Shim](#)
9. [Hinge](#)
10. [Screw - Hinge](#)
- 11A. [Screw - Lock](#)
- 11B. [Screw - Lock](#)
12. [Screw - Panel Cap](#)
13. [Lock](#)
15. [Lock Adapter](#)

## Panels - Active

### Active Panel Graphic - CPS

**Note:**

See [Architectural Tools](#) for additional panel detail. Hardware shown not included. CPS (Concealed Panic System).



2. [Panel Cap](#)
3. [Weatherstrip](#)
7. [Hinge Cup](#)
8. [Hinge Shim](#)
9. [Hinge](#)
10. [Screw - Hinge](#)
11. Screw
12. [Panic Cap - Exterior](#)
13. [Screw - Panic Cap](#)
14. [Screw - Panic Cap](#)
15. [Panic Cap - Interior](#)
16. Grommet
17. [Weatherstrip - Panic Cap](#)
19. Lock Adapter

**E-Series Hinged Outswing Door Active Panel**

# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Panels - Active

### Active Panel Graphic - Commercial

**Note:**

See [Architectural Tools](#) for additional panel detail. Hardware shown not included.



### E-Series Hinged Outswing Door Active Panel - Commercial

## Panels - Active

### Active Panel Size Table

**Note:**

Height dimension is for High Performance sill and SP1 panel.

**Overall Active Panel** is measured outside edge to outside edge of frame.

**Unobstructed Glass** is dimension from outside edge to outside edge of visible glass only.

**Actual Glass** is dimension of outside edge to outside edge of glass, including glass that is not visible.

**Guide to door types:**

**A:** active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Active Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDO2068	A	22 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO20610	A	22 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2070	A	22 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2073	A	22 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2080	A	22 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2083	A	22 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2668	A	28 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO26610	A	28 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2670	A	28 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2673	A	28 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2680	A	28 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2683	A	28 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2868	A	30 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO28610	A	30 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2870	A	30 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2873	A	30 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2880	A	30 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2883	A	30 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3068	A	34 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO30610	A	34 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3070	A	34 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3073	A	34 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3080	A	34 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3083	A	34 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3268	A	36 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO32610	A	36 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3270	A	36 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3273	A	36 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3280	A	36 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3283	A	36 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>





# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Panels - Active

### Active Panel Options

#### Panel - Active



TEMPERED  
16 CFR 1201.10  
ANSI Z97.1-2009  
SGCC XXXX  
CIG-XX Xmm MM/DD/YR  
CAN/CGSB 12.1-M90

#### Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors can be configured through iQ+.

#### Exterior color options

#### Interior species/finish/color options

Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® Heat-Lock®	Low-E4® SmartSun™ Heat-Lock®
Low-E4® SmartSun™	Low-E4® Smart-Sun™ HeatLock®	Low-E4® Triple-Pane
Low-E4® Passive Sun®	Low-E4® Sun Heat-Lock®	Low-E4® Smart-Sun™ Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock® Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun™ Enhanced Triple-Pane
Low-E4® SmartSun™ Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat-Lock®
Low-E4® Passive Sun® Tempered	Fern	Low-E4® Smart-Sun™ Enhanced Triple-Pane HeatLock®
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR


- Unit or frame size (AFDO, AFDOP XXXX or frame W x H dimensions)
- Description of part (Active Panel)
- Panel Type (Standard, CPS, Commercial)
- Panel Style (Traditional, Contemporary)
- [Panel Options](#) (Mid-Rail)
- Handing (Right, Left)
- Exterior color of panel
- Interior wood species of panel
- Interior finish/color of panel
- Glazing
- Part numbered panels with Finelight™ grilles, will have 1" wide grille bars. When ordering as configured, choose grille bar width 1" or 3/4".

## Panels - Passive

### Passive Panel Graphic

#### Note:

See [Architectural Tools](#) for additional panel detail. Hardware shown not included.



# E-Series Hinged Outswing Doors (March 2018 to Present)



Single, 2-Panel and Stationary

## Panels - Passive

### Passive Panel Graphic - Commercial

**Note:**

See [Architectural Tools](#) for additional panel detail. Hardware shown not included. CPS (Concealed Panic System).



- 2. [Panel Cap](#)
- 3. [Weatherstrip](#)
- 7. [Hinge Cup](#)
- 8. [Hinge Shim](#)
- 9. [Hinge](#)
- 10. [Screw - Hinge](#)
- 11. Screw
- 12. [Astragal](#)
- 13. [Screw - Astragal](#)

**E-Series Hinged Outswing Door Passive Panel**

## Panels - Passive

### Passive Panel Size Table

**Note:**

Height dimension is for High Performance sill and SP1 panel.

**Overall Passive Panel** is measured outside edge to outside edge of frame.

**Unobstructed Glass** is dimension from outside edge to outside edge of visible glass only.

**Actual Glass** is dimension of outside edge to outside edge of glass, including glass that is not visible.

**Guide to door types**

**A:** active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Passive Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDO2068	P	22 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO20610	P	22 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2070	P	22 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2073	P	22 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2080	P	22 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2083	P	22 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2668	P	28 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO26610	P	28 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2670	P	28 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2673	P	28 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2680	P	28 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2683	P	28 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2868	P	30 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO28610	P	30 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2870	P	30 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2873	P	30 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2880	P	30 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2883	P	30 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3068	P	34 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO30610	P	34 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3070	P	34 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3073	P	34 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3080	P	34 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3083	P	34 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3268	P	36 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO32610	P	36 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3270	P	36 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3273	P	36 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3280	P	36 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3283	P	36 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>



# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Panels - Passive

### Passive Panel Options

#### Panel - Passive / AP/PA



TEMPERED  
UA SGCC XXXX  
16 CFR 1201 II  
CIG-XX Xmm MM/DD/YR  
ANSI Z97.1 2009  
CAN/CGSB 12.1-M9 0

#### Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors can be configured through iQ+.

See [Service Guide 9069160](#) (Type 1).

See [Service Guide 9069251](#) (Type 2).

See [Service Guide 9069252](#) (Type 3).

[Exterior color options](#)

[Interior species/finish/color options](#)

Glass options (See [Logo/Etching Examples](#)):

Low-E4®	Low-E4® Heat-Lock®	Low-E4® SmartSun™ Heat-Lock®
Low-E4® SmartSun™	Low-E4® Smart-Sun™ HeatLock®	Low-E4® Triple-Pane
Low-E4® Passive Sun®	Low-E4® Sun Heat-Lock®	Low-E4® Smart-Sun™ Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock® Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun™ Enhanced Triple-Pane
Low-E4® SmartSun™ Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat-Lock®
Low-E4® Passive Sun® Tempered	Fern	Low-E4® Smart-Sun™ Enhanced Triple-Pane HeatLock®
Low-E4® Sun Tempered	Reed	

To order, state:


Product ID (from product label, see [Service Guide 9051877](#))

OR


1. Unit or frame size (AFDO XXXX or frame W x H dimensions)
2. Description of part (Passive Panel)
3. Panel Type (Standard, CPS, Commercial)
4. Panel Style (Traditional, Contemporary)
5. [Panel Options](#) (Mid-Rail)
6. Handing (Right, Left)
7. Exterior color of panel
8. Interior wood species of panel
9. Interior finish/color of panel
10. Glazing
11. Part numbered panels with Finelight™ grilles, will have 1" wide grille bars. When ordering as configured, choose grille bar width 1" or 3/4".

## Panels - Passive


### Panel Astragal



**Standard**



**Commercial**



**CPS**

**Note:**

Replacement astragal for standard and custom-sized doors is made to order. The astragal is typically applied to the passive panel. An astragal for an AP unit is different than an astragal for a PA unit.

[Exterior color options](#)

[Interior species/finish/color options](#)

*To order, state:*

1. Description of Part (Panel Astragal Assembly AP Unit or Panel Astragal Assembly PA Unit if applicable)
2. Quantity
3. Type (Standard, Commercial, CPS)
4. Exterior color of panel
5. Interior wood species of panel
6. Interior finish/color of panel
7. Frame height
8. Product ID (from product label, see [page 14](#))

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Panels - Passive

### Astragal Parts



#### Latch Strike Graphic / Astragal

##### Note:

Strike table for astragal. Dust cup (not shown in graphic) sits below strike. \*Stainless steel and black screws used for multiple finishes.



#### Strike / Latch

Finish	Center Strike Ref. No. 5	Latch Strike (Top/Bottom) Ref. No. 7	Screws Ref. No. 8	Dust Cup Latch Strike (Single) Ref. No. 6	Dust Cup Center (Double) Ref. No. 4
					
Black	9172384	9096354	*9105312	0GU2017	9172379
Gold Dust	N/A		9173135		
Stone	9172386		9173136		
White	9172387	9096353	9105791		
Distressed Nickel	9172389		*0015331		
Oil Rubbed Bronze	9172390	9096355	*9105312		
Satin Nickel	9172391		*0015331		
Brushed Chrome	N/A		*0015331		
Polished Chrome	N/A		*0015331		
Antique Brass	9172394	9096352	9105311		
Bright Brass	9172395		9105310		
Stainless Steel		9096350			
Bright Chrome		9096356			
Limited Lifetime Brass		9096357			
Brass		9096351			

## Panels - Passive

### Panic Cap - Exterior Ref. No. 12 [page 18](#)

**Note:**

Secures to side of panel with panic system.

*To order, state:*

Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame height (AFDOP XXXX or frame height dimension)
2. Description of part (Panic Cap)
3. Exterior Color

		<b>Order No.</b>
		By description

### Panic Cap - Interior Ref. No. 15 [page 18](#)

**Note:**

Secures to side of panel with panic system.

*To order, state:*

Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame height (AFDOP XXXX or frame height dimension)
2. Description of part (Panic Cap)
3. Interior Color/Finish/Species

		<b>Order No.</b>
		By description

### Panic Cap Screw Ref. No. 13 [page 18](#)

	Description	Finish	Order No.
	#8 x 2 1/2 PFHSMS Type A SS	Stainless Steel	0013398

### Panic Cap Screw Ref. No. 14 [page 18](#)


	Description	Color	Order No.	
			2604	2605
	#8 x 1 PPHWS Tek screws Zinc	Black	0011693	0K17658
		Canvas	0011694	0K18319
		Dove Gray	0011695	0K18320
		Cocoa Bean	0011696	
		Prairie Grass	0011697	
		Red Rock	0011698	0K18321
		Dark Bronze	0049454	0K20948
		Pebble Tan	0611948	
		Eagle Ch Chip	9105811	



### Stationary / Sidelight Panel Graphic

**Note:**

Right hand stationary panel shown. See [Architectural Tools](#) for additional panel detail.



**E-Series Hinged Outswing Door Stationary/Sidelight Panel**

## Panels - Stationary / Sidelight

### Stationary / Sidelight Panel Size Table

**Note:**

Height dimension is for High Performance sill and SP1 panel.

**Overall Stationary Panel** is measured outside edge to outside edge of frame.

**Unobstructed Glass** is dimension from outside edge to outside edge of visible glass only.

**Actual Glass** is dimension of outside edge to outside edge of glass, including glass that is not visible.

**Guide to door types:**

**A:** active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Stationary Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDO2068	S	22 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO20610	S	22 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2070	S	22 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2073	S	22 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2080	S	22 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2083	S	22 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	13 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	14 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2668	S	28 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO26610	S	28 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2670	S	28 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2673	S	28 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2680	S	28 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2683	S	28 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	19 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	20 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO2868	S	30 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO28610	S	30 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO2870	S	30 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO2873	S	30 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO2880	S	30 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO2883	S	30 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	21 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	22 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3068	S	34 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO30610	S	34 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3070	S	34 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3073	S	34 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3080	S	34 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3083	S	34 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	25 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>
AFDO3268	S	36 <sup>11</sup> / <sub>16</sub> × 77 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 64 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 65 <sup>1</sup> / <sub>2</sub>
AFDO32610	S	36 <sup>11</sup> / <sub>16</sub> × 79 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 66 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 67 <sup>1</sup> / <sub>2</sub>
AFDO3270	S	36 <sup>11</sup> / <sub>16</sub> × 81 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 68 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 69 <sup>1</sup> / <sub>2</sub>
AFDO3273	S	36 <sup>11</sup> / <sub>16</sub> × 84 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 71 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 72 <sup>1</sup> / <sub>2</sub>
AFDO3280	S	36 <sup>11</sup> / <sub>16</sub> × 93 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 80 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 81 <sup>1</sup> / <sub>2</sub>
AFDO3283	S	36 <sup>11</sup> / <sub>16</sub> × 96 <sup>3</sup> / <sub>16</sub>	27 <sup>5</sup> / <sub>16</sub> × 83 <sup>1</sup> / <sub>2</sub>	28 <sup>5</sup> / <sub>16</sub> × 84 <sup>1</sup> / <sub>2</sub>

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Panels - Stationary / Sidelight

### Stationary / Sidelight Panels



Low-E4®



Low-E4® Triple-Pane

Low-E4® Enhanced Triple-Pane



Low-E4® HeatLock™



Low-E4® SmartSun™ HeatLock™



Low-E4® SmartSun™

Low-E4® SmartSun™ Triple-Pane



Low-E4® Enhanced Triple Pane HeatLock™



Low-E4® SmartSun™ Enhanced Triple Pane HeatLock™



Low-E4® SmartSun™ Enhanced Triple Pane HeatLock™



TEMPERED  
UA SGCC XXXX  
16 CFR 1201.11  
ANSI Z97.1-2009  
CIG-XX Xmm MM/DD/YR  
CAN/CGSB 12.1-M90

#### Note:

Tempered safety glass is standard on patio doors.  
Replacement panel for standard and custom-sized doors can be configured through iQ+. Panel includes weatherstrip.  
See [Service Guide xxxxxxxx](#).

#### Exterior color options

#### Interior species/finish/color options

#### Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® Heat-Lock®	Low-E4® SmartSun™ Heat-Lock®
Low-E4® SmartSun™	Low-E4® Smart-Sun™ HeatLock®	Low-E4® Triple-Pane
Low-E4® Passive Sun®	Low-E4® Sun Heat-Lock®	Low-E4® Smart-Sun™ Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock® Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun™ Enhanced Triple-Pane
Low-E4® SmartSun™ Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat-Lock®
Low-E4® Passive Sun® Tempered	Fern	Low-E4® Smart-Sun™ Enhanced Triple-Pane HeatLock®
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame size (AFDO XXXX or frame W x H dimensions)
2. Description of part (Stationary/Sidelight Panel)
3. Panel Style (Traditional, Contemporary)
4. [Panel Options](#) (Mid-Rail)
5. Exterior color of panel
6. Interior wood species of panel
7. Interior finish/color of panel
8. Glazing

## Shared Panel Parts

### Glass Stops

**Note:**

 See [species/finish/color options](#).

*To order, state:*


1. Description of Part (Glass Stop)
2. Profile (Ovolo, Contemporary)
3. Species/finish/color
4. Length
5. Quantity
6. Product ID (from product label, see [page 14](#))
7. Options Desired (if different than original product)

### Weatherstrip

#### Door Sweep / 74"

**Note:**

Secures to bottom of panel.



ADA SILL OR NO SILL

**Dark Bronze**

0018164

### Weatherstrip / Bulb

**Note:**

Secures to top of active panel.


**Unit No.**
**Color**
**Length**
**Order No.**
**AFDO**

White

120"

9103912

300"

9103816

Black

120"

9103913


300"

9103817

### Weatherstrip / Panic Cap / 96" & 108" Ref. No. 17 [page 18](#)

**Note:**

Secures to side of panic system.


**Order No.**

By description

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


### Shared Panel Parts

#### Receiver Strip

##### Receiver Strip w / No Holes / 36"

**Note:**

Secures to bottom of panel.



ADA SILL OR NO SILL

**Order No.**


0018493

#### Panel Cap

##### Panel Cap

**Note:**

Secures to top of active and passive panel.



**Order No.**

By description

#### Panel Cap Screw


	Description	Finish	Order No.
	#7 x 7/8 PFHSMS Type AB	Stainless Steel	0015746

## Glass

### Glass

#### Note:

Replacement glass is made to order and can be configured through iQ+. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb. Glass ships with sealant and spacers. See [Accessory Guide 9176386](#).



TEMPERED UA  
 16 CFR 1201 II  
 ANSI Z97.1 2009  
 SCCC XXXX  
 CIG-XX Xmm MM/DD/YR  
 CAN/CGSB 12.1-M90

#### Exterior color options:

#### Interior species/finish/color options:

#### Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® Heat-Lock®	Low-E4® SmartSun™ Heat-Lock®
Low-E4® SmartSun™	Low-E4® Smart-Sun™ HeatLock®	Low-E4® Triple-Pane
Low-E4® Passive Sun®	Low-E4® Sun Heat-Lock®	Low-E4® Smart-Sun™ Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock® Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun™ Enhanced Triple-Pane
Low-E4® SmartSun™ Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat-Lock®
Low-E4® Passive Sun® Tempered	Fern	Low-E4® Smart-Sun™ Enhanced Triple-Pane HeatLock®
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame size (AFDO XXXX or frame W x H dimensions)
2. Description of part (Low-E4® Glass)
3. Glazing/Grille type
4. Glass Stop Type (Ovolo, Contemporary)
5. Manufacturing Date

## E-Series Hinged Outswing Doors (March 2018 to Present)


*Single, 2-Panel and Stationary*

### Insect Screens

#### Insect Screen Graphic - Concealed (Retractable)

**Note:**

Available as a configured item in iQ+. Charcoal fiberglass screen mesh.



Retractable

**E-Series Hinged Outswing Door Concealed (Retractable) Insect Screen**

## Grilles

### Grille Options

#### Note:

Replacement sash with permanently applied grilles and Finelight™ grilles can be configured in iQ+. Replacement removable interior grilles can be configured in iQ+. Removable grilles are only available in 7/8" profile.

### Types



#### Full Divided Light

Give any window an authentic look with full divided light grilles that are permanently applied to the interior and exterior of your window with a spacer between the glass.



#### Simulated Divided Light

An economical solution with traditional beauty, our Simulated Divided Light features fixed exterior and interior grilles without an internal spacer.



#### Removable Interior Wood Grilles


Our removable wood grilles are installed on the interior surface. They are available with an optional surround and an optional permanently applied exterior grille.



#### Finelight™ Grilles-Between-the-Glass

Aluminum grilles conveniently placed between two panes of glass make the glass easy to clean inside and out.

### Profiles




#### Interior Wood: Ovolo (Colonial)

##### Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

##### Available with:

- Full Divided Light
- Simulated Divided Light




#### Interior Wood: Contemporary

##### Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

##### Available with:

- Full Divided Light
- Simulated Divided Light




#### Exterior Aluminum: Chamfer

##### Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

##### Available with:

- Full Divided Light
- Simulated Divided Light
- Removable Interior Wood with Optional Permanently Applied Exterior Grille




#### Exterior Aluminum: Contemporary

##### Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"


##### Available with:

- Full Divided Light
- Simulated Divided Light
- Removable Interior Wood with Optional Permanently Applied Exterior Grille



#### Removable Interior Wood Grilles







Ovolo or Contemporary profiles in 7/8" width



#### Finelight Grille Profiles and Widths

Flat or Contoured profiles in 5/8" or 1" widths

### Patterns





## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*



### Grilles

#### Interior Grille Parts

##### Clip - Surround

**Note:**

Used with framed removable grilles.





**Order No.**

0004900

##### Clip - Knocked Down

**Note:**

Used with knocked down removable grilles.



**Order No.**


0004901

## Hardware

### Andersen® Half Trim Set Kits - Interior

**Note:**

Interior half trim sets are available for Newbury®, Covington®, Encino®, Yuma®, Anvers®, Whitmore®, Tribeca®, and Albany Hardware.



XXXX Style Shown

Sets include:	AR	AL	AP/PA
Handle, RH Hinged*	NA	1	1
Handle, LH Hinged*	1	NA	1
Plate, Escutcheon, Inside Active Hinged	1	1	1
Turn Knob	1	1	1
Bushing Trim Adaptor	1	1	2
Screw, 1/4-20 UNC SS, KNUURL CUP PT SET	1	1	2
Limiting Plate	1	1	1
Actuator, Lock	1	1	1
Screw, #10 Fill HD, PH, M5X.8-35MM, Zinc	2	2	2
Screw, #8-32UNC x 2, PH Oval HD, MACH	2	2	4
1/8 Allen Wrench	1	1	1
Plate, Escutcheon, Inside Passive Hinged	NA	NA	1
Strike, Plate Single	1	1	NA
Screw, #10 x 1.000 PH FH S/M/S	2	2	2
Strike, Plate Double	NA	NA	1

\*Pack has a RH handle for an active left door and a LH handle for an active right door and both for AP/PA.

## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*


### Hardware

#### Andersen® Half Trim Set Kits - Exterior

**Note:**

Exterior half trim sets are available for Newbury®, Covington®, Encino®, Yuma®, Anvers®, Whitmore®, Tribeca®, and Albany Hardware.

Tribeca® includes threaded studs.



**Albany Style Shown**

Sets include:	AR	AL	AP/PA
Handle, RH Hinged*	1	N/A	1
Handle, LH Hinged*	N/A	1	1
Plate, Outside Active	1	1	1
Gasket, Trimset	1	1	2
Straight Spindle	1	1	2
Screw, 1/4-20 UNC SS, KNUURL CUP PT SET	1	1	2
Cylinder, Dummy	1	1	1
Plate, Outside Passive	N/A	N/A	1
Bushing Trim Adapter	1	1	2
1/8 Allen Wrench	1	1	1

\*Pack has a LH handle for an active left door and a RH handle for an active right door and both for AP/PA.

## Hardware

Construction Trim Set		
Construction Trim Set - Active		
	<b>Kit Includes:</b> (1) Plate, passive outside (1) Plate, active inside (assembly) (1) Handle, exterior (assembly) (1) Handle, interior (assembly) (1) Actuator, lock (assembly) (1) Plate, limiting (2) Screws, M5 X .8-35MM PH w/#10 Fill Head Machine, Zinc (1) Retainer, bolt (2) Studs, tapped (2) Screws, #8-32 UNC X 1.625, PH W/#10 Oval Head, Machine (1) Wrench, Allen, 1/8 (1) Guide and instructions	<b>Order No.</b> 9020356
Construction Trim Set - Passive		
	<b>Kit Includes:</b> (1) Plate, passive outside (1) Handle, exterior (assembly) (1) Handle, interior (assembly) (2) Studs, tapped (2) Screws, #8-32 UNC X 1.625, PH W/#10 Oval Head, Machine (1) Wrench, Allen, 1/8 (1) Guide and instructions	<b>Order No.</b> 9020357

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Andersen® Hardware - Tribeca®

#### Note:

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



[Venting Sidelight Handle Set](#)


- |   |  |  |
|---|--|--|
| 1. <a href="#">Exterior Handle (LH Shown)</a>       | 6. <a href="#">Escutcheon Plate Mounting Studs</a> | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Interior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>      | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a>     | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>             | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>                  | 15. <a href="#">Dummy Cylinder</a>         |

### Tribeca® Hinged Patio Door Hardware - Single Trim Set & Handle Set

## Hardware

### Tribeca® Hardware - Passive Hardware Illustration

**Note: Additional parts with Double Hardware Set**



- |   |   |
|---|---|
| 1. <a href="#">Exterior Handle (LH Shown)</a>                 | 6. <a href="#">Exterior Nylon Bushing</a>           |
| 2. <a href="#">Interior Handle (RH Shown)</a>                 | 7. <a href="#">Interior Nylon Bushing</a>           |
| 3. <a href="#">Passive Exterior/Interior Escutcheon Plate</a> | 8. <a href="#">Spindle</a>                          |
| 4. <a href="#">*AP/PA Strike Plate</a>                        | 9. <a href="#">Trim Set Gasket</a>                  |
| 5. <a href="#">Escutcheon Plate Bolts</a>                     | 10. <a href="#">Escutcheon Plate Mounting Studs</a> |

### Tribeca® Hinged Patio Door Hardware - Double Trim Set

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware

### Complete Trim Set - Tribeca® / Interior and Exterior See Illustration [page 41](#) and [page 42](#)

<b>Note:</b> Venting Sidelight is a "handle set" that only includes interior handle, interior escutcheon plate and fasteners.				
Finish	Single	Double AP/PA	Venting Sidelight	
			LH	RH
Black	9184681	9184682		
Stone	2577557	2577558		
White	2577555	2577556	9172408	9172409



### Trim Set - Tribeca® / Interior See Illustration [page 38](#)

Finish	Single		Double AP/PA
	Left	Right	Order No.
Black	9184670	9184673	9184671
Stone	2572662	2572772	2572663
White	2572660	2572771	2572661




### Trim Set - Tribeca® / Exterior See Illustration [page 39](#)

Finish	Single		Double AP/PA
	Left	Right	Order No.
Black	9184668	9184672	9184669
Stone	2572603	2572750	2572604
White	2572601	2572749	2572602

### Lever Handle with Screws - Tribeca® Ref. No. 1 and 2 [page 41](#) and [page 42](#)


<div> <div>Left Hand</div>  <div>Right Hand</div>  </div>	Finish	Left	Right
	Black	9184685	9184686
	Stone	2579848	2579849
	White	2579835	2579836

### Escutcheon Plate - Tribeca® Ref. No. 3 and 4 [page 41](#) and [page 42](#)


<div>  <div>Active Interior</div>  <div>Active Exterior</div>  <div>Passive</div> </div>	Finish	Active Interior	Active Exterior	Passive Interior/ Exterior
	Black	9184687	9184689	9184688
	Stone	2579852	2579854	2579853
	White	2579839	2579841	2579840

## Hardware

### Gasket - Trim Set / Tribeca® Ref. No. 12 [page 41](#) and [page 42](#)

	<b>Note:</b> Use for Tribeca® trim set.	<b>Order No.</b>
		2962513

### Escutcheon Plate Bolt with Stud / Tribeca®


	Description	Finish	Order No.
	2 - #8 - 32 x 2 PH OH MS YZP	Stone	2579855
	2 - threaded studs	White	2579842
		Black	9184690

### Screw Package - Trim Set / Tribeca®

**Note:**

**Bushings** not included in Tribeca® Screw Packages, if needed order a different hardware screw package, All other Andersen® trim set screw packages are on [page 89](#).

Mounting stud shown as #3 not included with this kit. See escutcheon plate bolt with stud.



		Finish	Order No.
		Black	9184684
		Stone	2579767
		White	2579766

Ref. No.	Andersen Package Includes
1	2 - Screw, #8 - 32 x 2 PH OH MS YZP
2	2 - Screw, 5mm x 35 PH Pan MS YXP
3	See Note #3 is not included
4	2 - Screw, 1/4 - 20 UNC SS knurled cup point set 1 - 1/8 allen wrench
5	2 - Screw, #10 x 1 PH FH S/M/S



## E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

### Hardware

#### Bushing - Tribeca® Ref. No. 14 [page 41](#) and [page 42](#)

**Note:**

Made of Nylon. Tribeca® handles made prior to November 2020 used this bushing. N/A If replacing this vintage of bushing you will need to order the current trim set screw pack includes bushing.



Tribeca® handles made **prior to November 2020**

If replacing this vintage of bushing order one of the following replacement options..

Interior or exterior handle, matching escutcheon plate and current trim set screw package [page 89](#).

Half trim set

Complete trim set

**Clear**

N/A


Tribeca® handles made **November 2020 - present** use bushing included in current trim set screw pack [page 89](#).

#### Keyed Lock - Andersen® Tribeca®

**Note:**

See [Accessory Guide 0005155](#). Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key.

All other Andersen® Key Locks are on [page 94](#).



Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.

For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.

Finish	Keyed Assembly	Keyed Alike Assembly
Black	9184683	N/A
Stone	2579722	9056143
White	2579721	9056145

## Hardware

---

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary





### Hardware

#### Lock Cylinder with Keys / Tribeca®

**Note:**

Lock cylinders are available in two finishes: Bright Brass and Oil Rubbed Bronze. The column called Cylinder Finish shows the recommended selection for each trim set finish.


All other Andersen® Lock Cylinders are on [page 94](#).

    <p>Bright Brass   Oil Rubbed Bronze   Chrome</p>	Lock Finish	Cylinder Finish	Order No.
	Black	9184683	N/A
	Stone	2579722	9056143
	White	2579721	9056145

#### Dummy Cylinder - Lock Set / Tribeca® Ref. No. 15 [page 41](#)

**Note:**

All other Andersen® Dummy Cylinders are on [page 95](#).

	Finish	Order No.
	Black	9184691
	Stone	2579860
	White	2579847


## Hardware

### Andersen® Hardware - Anvers®

**Note:**

See [Accessory Guide 0005156](#) for Active Hardware.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- |   |  |  |
|---|--|--|
| 1. <a href="#">Interior Handle (LH Shown)</a>       | 6. <a href="#">*Strike Plate</a>               | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Exterior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>  | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a> | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>         | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>              | 15. <a href="#">Dummy Cylinder</a>         |

### Anvers® Hinged Patio Door Hardware - Single Trim Set


## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Hardware

#### Anvers® Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



1. [Exterior Handle \(LH Shown\)](#)
2. [Interior Handle \(RH Shown\)](#)
3. [Passive Exterior Escutcheon Plate](#)
4. [Passive Interior Escutcheon Plate](#)
5. [Escutcheon Plate Bolts](#)

6. [\\*AP/PA Strike Plate](#)
7. [Interior Nylon Bushing](#)
8. [Exterior Nylon Bushing](#)
9. [Trim Set Gasket](#)
10. [Spindle](#)

#### Anvers® Hinged Patio Door Hardware - Double Trim Set

## Hardware

### Complete Trim Set - Anvers® / Interior and Exterior See Illustration [page 48](#) and [page 49](#)

	Finish	Single	Double AP/PA
	Bright Brass	2578913	2578914
	Oil Rubbed Bronze	2578917	2578918
	Satin Nickel	2578915	2578916

### Trim Set - Anvers® / Interior See Illustration [page 38](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Bright Brass	2572676	2572779	2572677
	Oil Rubbed Bronze	2572686	2572784	2572687
	Satin Nickel	2572692	2572787	2572693

### Trim Set - Anvers® / Exterior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Bright Brass	2572632	2572757	2572633
	Oil Rubbed Bronze	2572642	2572762	2572643
	Satin Nickel	2572648	2572765	2572649

### Handle with Screws - Anvers® Ref. No. 1 and 2 [page 48](#) and [page 49](#)

	Finish	Left	Right
	Bright Brass	2573719	2573720
	Oil Rubbed Bronze	2573721	2573722
	Satin Nickel	2573723	2573724

### Escutcheon Plate - Anvers® / Exterior Ref. No. 3 [page 48](#) and [page 49](#)

	Finish	Active	Passive
	Bright Brass	2573741	2573742
	Oil Rubbed Bronze	2573745	2573746
	Satin Nickel	2573749	2573750

### Escutcheon Plate - Anvers® / Interior Ref. No. 4 [page 48](#) and [page 49](#)

	Finish	Active	Passive
	Bright Brass	2573739	2573740
	Oil Rubbed Bronze	2573743	2573744
	Satin Nickel	2573747	2573748

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware


### Andersen® Hardware - Albany

#### Note:

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.

### Albany Hardware - Single Trim Set Illustration




### Albany Hardware for Hinged Outswing Doors - Single Trim Set

## Hardware

### Albany Hardware - Passive Hardware Illustration

**Note:** Additional parts with Double Hardware Set



- |  |   |
|--|---|
| 1. <a href="#">Exterior Handle (LH Shown)</a>        | 6. <a href="#">*AP/PA Strike Plate</a>    |
| 2. <a href="#">Interior Handle (RH Shown)</a>        | 7. <a href="#">Interior Nylon Bushing</a> |
| 3. <a href="#">Passive Exterior Escutcheon Plate</a> | 8. <a href="#">Exterior Nylon Bushing</a> |
| 4. <a href="#">Passive Interior Escutcheon Plate</a> | 9. <a href="#">Trim Set Gasket</a>        |
| 5. <a href="#">Escutcheon Plate Bolts</a>            | 10. <a href="#">Spindle</a>               |

### Albany Hardware for Hinged Outswing Doors - Double Trim Set



# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware

Complete Trim Set - Interior/Exterior Albany See Illustration <a href="#">page 51</a> and <a href="#">page 52</a>					
	Finish	Single	Double AP/PA	Venting Sidelight	
				LH	RH
	Gold Dust	N/A	N/A		
	Black	9007549	9007553		
	White	9007546	9007550	9172410	9172411
	Stone	9007547	9007551		

Trim Set - Interior Albany See Illustration <a href="#">page 38</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Gold Dust	N/A	N/A	N/A
	Black	9007576	9007581	9007577
	White	9007570	9007578	9007571
	Stone	9007572	9007579	9007573

Trim Set - Exterior Albany See Illustration <a href="#">page 39</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Gold Dust	N/A	N/A	N/A
	Black	9007588	9007593	9007589
	White	9007582	9007590	9007583
	Stone	9007584	9007591	9007585

Lever Handle with Screws Albany Ref. No. 1 and 2 <a href="#">page 51</a> and <a href="#">page 52</a>			
	Finish	Left	Right
	Gold Dust	N/A	N/A
	Black	9018912	9018913
	White	9018906	9018907
	Stone	9018908	9018909

Escutcheon Plate - Interior Albany Ref. No. 4 <a href="#">page 51</a> and <a href="#">page 52</a>			
	Finish	Active	Passive AP/PA
	Gold Dust	N/A	N/A
	Black	9018944	9018952
	White	9018941	9018949
	Stone	9018942	9018950

Escutcheon Plate - Exterior Albany Ref. No. 3 <a href="#">page 51</a> and <a href="#">page 52</a>			
	Finish	Active	Passive AP/PA
	Gold Dust	N/A	N/A
	Black	9018940	9018948
	White	9018937	9018945
	Stone	9018938	9018946


## Hardware

### Andersen® Hardware - Newbury®

**Note:**

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.


\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



### Newbury® Hardware for Hinged Outswing Doors - Single Trim Set

### Newbury® Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



- |  |   |
|--|---|
| 1. <a href="#">Exterior Handle (LH Shown)</a>        | 6. <a href="#">*AP/PA Strike Plate</a>    |
| 2. <a href="#">Interior Handle (RH Shown)</a>        | 7. <a href="#">Interior Nylon Bushing</a> |
| 3. <a href="#">Passive Exterior Escutcheon Plate</a> | 8. <a href="#">Exterior Nylon Bushing</a> |
| 4. <a href="#">Passive Interior Escutcheon Plate</a> | 9. <a href="#">Trim Set Gasket</a>        |
| 5. <a href="#">Escutcheon Plate Bolts</a>            | 10. <a href="#">Spindle</a>               |

Newbury® Hardware for Hinged Outswing Doors - Double Trim Set

## Hardware

### Complete Trim Set - Newbury® / Interior and Exterior See Illustration [page 54](#) and [page 55](#)

**Note:**

Venting Sidelight is a "handle set" that only includes interior handle, interior escutcheon plate and fasteners.

	Finish	Single	Double AP/PA	Venting Sidelight	
				LH	RH
	Antique Brass	2577504	2577521		
	Bright Brass	2577543	2577544		
	Brushed Chrome	N/A	N/A		
	Chrome	N/A	N/A		
	Oil Rubbed Bronze	2579742	2579743	9172414	9172415
	Satin Nickel	2579443	2579455	9172412	9172413


### Trim Set - Newbury® / Interior See Illustration [page 38](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	2572666	2572774	2572667
	Brushed Chrome	N/A	N/A	NA
	Chrome	N/A	N/A	N/A
	Bright Brass	2572664	2572773	2572665
	Oil Rubbed Bronze	2572672	2572777	2572673
	Satin Nickel	2572674	2572778	2572675

### Trim Set - Newbury® / Exterior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	2572607	2572752	2572608
	Bright Brass	2572664	2572773	2572665
	Brushed Chrome	N/A	N/A	N/A
	Chrome	N/A	N/A	N/A
	Oil Rubbed Bronze	2572628	2572755	2572629
	Satin Nickel	2572630	2572756	2572631


### Handle with Screws - Newbury® Ref. No. 1 and 2 [page 54](#) and [page 55](#)


 Right Hand      Left Hand	Finish	Left	Right
	Antique Brass	2579610	2579614
	Bright Brass	2579611	2579612
	Brushed Chrome	N/A	N/A
	Chrome	N/A	N/A
	Oil Rubbed Bronze	2579901	2579903
	Satin Nickel	2579441	2579442

## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*

### Hardware

Escutcheon Plate - Newbury® / Exterior Ref. No. 3 <a href="#">page 54</a> and <a href="#">page 55</a>				
 <b>Active    Passive</b>		Finish	Active	Passive
		Antique Brass	2579606	2579680
		Bright Brass	2579605	2579601
		Brushed Chrome	N/A	N/A
		Chrome	N/A	N/A
		Oil Rubbed Bronze	2579913	2579915
		Satin Nickel	2579449	2579448

Escutcheon Plate - Newbury® / Interior <a href="#">page 54</a> and <a href="#">page 55</a>				
 <b>Active    Passive</b>		Finish	Active	Passive
		Antique Brass	2579602	2579674
		Bright Brass	2579609	2579589
		Brushed Chrome	N/A	N/A
		Chrome	N/A	N/A
		Oil Rubbed Bronze	2579911	2579909
		Satin Nickel	2579446	2579447


## Hardware

### Andersen® Hardware - Covington™

**Note:**

See [Accessory Guide 0005156](#) for Active Hardware.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- |   |  |  |
|---|--|--|
| 1. <a href="#">Exterior Handle (LH Shown)</a>       | 6. <a href="#">*Strike Plate</a>               | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Interior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>  | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a> | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>         | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>              | 15. <a href="#">Dummy Cylinder</a>         |

### Covington™ Hardware for Hinged Outswing Doors - Single Trim Set


## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Hardware

#### Covington™ Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



#### Covington™ Hardware for Hinged Outswing Doors - Double Trim Set

## Hardware

### Complete Trim Set - Covington™ / Interior and Exterior See Illustration [page 58](#) and [page 59](#)

	Finish	Single	Double AP/PA
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

### Trim Set - Covington™ / Interior See Illustration [page 38](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	NA	NA	N/A
	Oil Rubbed Bronze	NA	NA	N/A

### Trim Set - Covington™ / Exterior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	NA	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A

### Handle with Screws - Covington™ Ref. No. 1 and 2 [page 58](#) and [page 59](#)

	Finish	Left	Right
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

### Escutcheon Plate - Covington™ / Exterior Ref. No. 3 [page 58](#) and [page 59](#)

	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

### Escutcheon Plate - Covington™ / Interior Ref. No. 3 [page 58](#) and [page 59](#)

	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A



# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Andersen® Hardware - Whitmore®

#### Note:

See [Accessory Guide 0005156](#) for Active Hardware.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.




- |   |  |  |
|---|--|--|
| 1. <a href="#">Interior Handle (LH Shown)</a>       | 6. <a href="#">*Strike Plate</a>               | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Exterior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>  | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a> | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>         | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>              | 15. <a href="#">Dummy Cylinder</a>         |

### Whitmore® Hinged Patio Door Hardware - Single Trim Set

## Hardware

### Whitmore® Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



- |  |   |
|--|---|
| 1. <a href="#">Exterior Handle (LH Shown)</a>        | 6. <a href="#">*AP/PA Strike Plate</a>    |
| 2. <a href="#">Interior Handle (RH Shown)</a>        | 7. <a href="#">Interior Nylon Bushing</a> |
| 3. <a href="#">Passive Exterior Escutcheon Plate</a> | 8. <a href="#">Exterior Nylon Bushing</a> |
| 4. <a href="#">Passive Interior Escutcheon Plate</a> | 9. <a href="#">Trim Set Gasket</a>        |
| 5. <a href="#">Escutcheon Plate Bolts</a>            | 10. <a href="#">Spindle</a>               |

### Whitmore® Hinged Patio Door Hardware - Double Trim Set

## E-Series Hinged Outswing Doors (March 2018 to Present)



Single, 2-Panel and Stationary

### Hardware

Complete Trim Set - Whitmore® / Interior and Exterior See Illustration <a href="#">page 61</a> and <a href="#">page 62</a>			
	Finish	Single	Double AP/PA
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A
	Satin Nickel	N/A	N/A


Trim Set - Whitmore® / Interior See Illustration <a href="#">page 38</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	N/A	NA	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A
	Satin Nickel	N/A	N/A	N/A

Trim Set - Whitmore® / Exterior See Illustration <a href="#">page 39</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	N/A	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A
	Satin Nickel	N/A	N/A	NA

Handle with Screws - Whitmore® Ref. No. 1 and 2 <a href="#">page 61</a> and <a href="#">page 62</a>				
 <p>Left Hand</p>  <p>Right Hand</p>		Finish	Left	Right
		Antique Brass	N/A	N/A
		Bright Brass	N/A	N/A
		Oil Rubbed Bronze	N/A	N/A
		Satin Nickel	N/A	N/A

## Hardware

### Escutcheon Plate - Whitmore® / Exterior Ref. No. 3 [page 61](#) and [page 62](#)

		Finish	Active	Passive
		Antique Brass	N/A	N/A
		Bright Brass	N/A	N/A
		Oil Rubbed Bronze	N/A	N/A
		Satin Nickel	N/A	N/A

### Escutcheon Plate - Whitmore® / Interior Ref. No. 3 [page 61](#) and [page 62](#)

	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A
	Satin Nickel	N/A	N/A

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Andersen® Hardware - Encino®

**Note:**

See [Accessory Guide 0005156](#) for Active Hardware.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.




- |   |  |  |
|---|--|--|
| 1. <a href="#">Exterior Handle (LH Shown)</a>       | 6. <a href="#">*Strike Plate</a>               | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Interior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>  | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a> | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>         | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>              | 15. <a href="#">Dummy Cylinder</a>         |

### Encino® Hinged Patio Door Hardware - Single Trim Set

## Hardware

### Encino® Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



1. [Exterior Handle \(LH Shown\)](#)
2. [Interior Handle \(RH Shown\)](#)
3. [Passive Exterior Escutcheon Plate](#)
4. [Passive Interior Escutcheon Plate](#)
5. [Escutcheon Plate Bolts](#)

6. [\\*AP/PA Strike Plate](#)
7. [Interior Nylon Bushing](#)
8. [Exterior Nylon Bushing](#)
9. [Trim Set Gasket](#)
10. [Spindle](#)

### Encino® Hinged Patio Door Hardware - Double Trim Set

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware

Complete Trim Set - Encino® / Interior and Exterior See Illustration <a href="#">page 65</a> and <a href="#">page 66</a>				
	Finish	Single		Double AP/PA
	Distressed Bronze	2578927		2578928
	Distressed Nickel	2578929		2578930
Trim Set - Encino® / Interior See Illustration <a href="#">page 38</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572696	2572789	2572697
Distressed Nickel	2572701	2572791	2572702	
Trim Set - Encino® / Exterior See Illustration <a href="#">page 39</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572652	2572767	2572653
Distressed Nickel	2572656	2572769	2572657	

Handle with Screws - Encino® Ref. No. 1 and 2 <a href="#">page 65</a> and <a href="#">page 66</a>			
	Finish	Left	Right
	Distressed Bronze	2573789	2573790
	Distressed Nickel	2573791	2573792
Escutcheon Plate - Encino® / Exterior No. 3 and 4 <a href="#">page 65</a> and <a href="#">page 66</a>			
	Finish	Active	Passive
	Distressed Bronze	2573804	2573805
	Distressed Nickel	2573808	2573809
Escutcheon Plate - Encino® / Interior No. 3 and 4 <a href="#">page 65</a> and <a href="#">page 66</a>			
	Finish	Active	Passive
	Distressed Bronze	2573802	2573803
	Distressed Nickel	2573806	2573807


## Hardware

### Andersen® Hardware - Yuma®

**Note:**

See [Accessory Guide 0005156](#) for Active Hardware.

\*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- |   |  |  |
|---|--|--|
| 1. <a href="#">Exterior Handle (LH Shown)</a>       | 6. <a href="#">*Strike Plate</a>               | 11. <a href="#">Interior Nylon Bushing</a> |
| 2. <a href="#">Interior Handle (RH Shown)</a>       | 7. <a href="#">Handle Set Screw (Package)</a>  | 12. <a href="#">Trim Set Gasket</a>        |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 8. <a href="#">Key Cylinder Mounting Bolts</a> | 13. <a href="#">Spindle</a>                |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 9. <a href="#">Lock Limiting Plate</a>         | 14. <a href="#">Exterior Nylon Bushing</a> |
| 5. <a href="#">Escutcheon Plate Bolts</a>           | 10. <a href="#">Lock Actuator</a>              | 15. <a href="#">Dummy Cylinder</a>         |

### Yuma® Hinged Patio Door Hardware - Single Trim Set




## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Hardware

#### Yuma® Hardware - Passive Hardware Illustration

Note: Additional parts with Double Hardware Set



- |  |   |
|--|---|
| 1. <a href="#">Exterior Handle (LH Shown)</a>        | 6. <a href="#">*AP/PA Strike Plate</a>    |
| 2. <a href="#">Interior Handle (RH Shown)</a>        | 7. <a href="#">Interior Nylon Bushing</a> |
| 3. <a href="#">Passive Exterior Escutcheon Plate</a> | 8. <a href="#">Exterior Nylon Bushing</a> |
| 4. <a href="#">Passive Interior Escutcheon Plate</a> | 9. <a href="#">Trim Set Gasket</a>        |
| 5. <a href="#">Escutcheon Plate Bolts</a>            | 10. <a href="#">Spindle</a>               |

#### Yuma® Hinged Patio Door Hardware - Double Trim Set

## Hardware

Complete Trim Set - Yuma® / Interior and Exterior See Illustration <a href="#">page 68</a> and <a href="#">page 69</a>				
	Finish	Single		Double AP/PA
	Distressed Bronze	2578931		2578932
	Distressed Nickel	2578933		2578934
Trim Set - Yuma® / Interior See Illustration <a href="#">page 38</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572698	2572790	2572699
	Distressed Nickel	2572703	2572792	2572705
Trim Set - Yuma® / Exterior See Illustration <a href="#">page 39</a>				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572654	2572768	2572655
	Distressed Nickel	2572658	2572770	2572659

Handle with Screws - Yuma® Ref. No. 1 and 2 <a href="#">page 68</a> and <a href="#">page 69</a>			
	Finish	Left	Right
	Distressed Bronze	2573789	2573790
	Distressed Nickel	2573791	2573792
Escutcheon Plate - Yuma® / Exterior Ref. No. 3 and 4 <a href="#">page 68</a> and <a href="#">page 69</a>			
	Finish	Active	Passive
	Distressed Bronze	2573812	2573813
	Distressed Nickel	2573816	2573817
Escutcheon Plate - Yuma® / Interior Ref. No. 3 and 4 <a href="#">page 68</a> and <a href="#">page 69</a>			
	Finish	Active	Passive
	Distressed Bronze	2573810	2573811
	Distressed Nickel	2573814	2573815

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Designer Hardware FSB®

#### Note:

See [Accessory Guide 9173980](#). FSB® 1035 Style shown.

\*Strike plate "cover" shown is not used as strike is factory installed.



1. [Interior Handle](#)
2. [Exterior Handle](#)
3. [Active Exterior Escutcheon Plate](#)
4. [Active Interior Escutcheon Plate](#)
5. [Handle Set Screw](#)

6. [Lock Limiting Plate](#)
7. [Lock Actuator](#)
8. [Spindle](#)
9. [Screw Retainer](#)
10. [Base Plate](#)

11. [\\*Strike Plate \(Single\)](#)
13. [Hex Key \(3MM\)](#)
14. [Escutcheon Base Plate Screw](#)
15. [Escutcheon Base Plate Sleeve](#)
16. [Strike Plate Screw](#)


### FSB® Hinged Patio Door Hardware - Single Trim Set

## Hardware

### FSB® Hardware - Keyed Lock Illustration

**Note:**

See [Accessory Guide 9173980](#). 1035 Style shown with keyed lock version. \*Strike plate "cover" shown is not used as strike is factory installed.



- |   |   |  |
|---|---|--|
| 1. <a href="#">Interior Handle</a>                  | 7. <a href="#">Lock Actuator</a>                | 13. <a href="#">Escutcheon Base Plate Screw</a>      |
| 2. <a href="#">Exterior Handle</a>                  | 8. <a href="#">Spindle</a>                      | 14. <a href="#">Escutcheon Base Plate Sleeve</a>     |
| 3. <a href="#">Active Exterior Escutcheon Plate</a> | 9. <a href="#">Base Plate</a>                   | 15. Strike Plate Screws Not Needed on outswing doors |
| 4. <a href="#">Active Interior Escutcheon Plate</a> | 10. <a href="#">Gasket</a>                      |  |
| 5. <a href="#">Handle Set Screw</a>                 | 11. Strike Plate (Not Needed on outswing doors) |  |
| 6. <a href="#">Lock Limiting Plate</a>              |   |  |

### FSB® Hinged Patio Door Hardware - Single Trim Set

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


### Hardware

#### FSB® Hardware - Passive Hardware Illustration

**Note:**

See [Accessory Guide 9173980](#). 1035 Style shown. \*Strike plate "cover" shown is not used as strike is factory installed.

**Note: Additional parts with Double Hardware Set**



- |  |  |
|--|--|
| 1. <a href="#">Exterior Handle</a>                   | 7. <a href="#">Base Plate</a>                          |
| 2. <a href="#">Interior Handle</a>                   | 8. Strike Plate (Not Needed on outswing doors)         |
| 3. <a href="#">Passive Exterior Escutcheon Plate</a> | 10. <a href="#">Escutcheon Base Plate Screw</a>        |
| 4. <a href="#">Passive Interior Escutcheon Plate</a> | 11. <a href="#">Escutcheon Base Plate Sleeve</a>       |
| 5. <a href="#">Set Screw</a>                         | 12. Strike Plate Screws (Not Needed on outswing doors) |
| 6. <a href="#">Spindle</a>                           |  |

#### FSB® Hinged Patio Door Hardware - Double Trim Set

## Hardware

### Complete Trim Set Ref. contents shown in illustrations on [page 71](#) and [page 72](#) and [page 73](#)

**Note:**

[Keyed lock](#) sold separately.



1035



1075



1076



1102

Type	Non-Keyed				Keyed			
	Black Anodized		Satin Stainless Steel		Black Anodized		Satin Stainless Steel	
	Single	Double AP/PA	Single	Double AP/PA	Single	Double AP/PA	Single	Double AP/PA
1035	9184744	9184750	9172936	9172944	9184747	9184753	9172940	9172948
1075	9184745	9184751	9172937	9172945	9184748	9184754	9172941	9172949
1076	9184746	9184752	9172938	9172946	9184749	9184755	9172942	9172950
1102			9172939	9172947			9172943	9172951

### Handle with Screws - FSB® Ref. No. 1 and 2 [page 71](#) and [page 72](#) and [page 73](#)

Type	Black Anodized		Satin Stainless Steel	
	Left	Right	Left	Right
1035	9184760	9184759	9173722	9173721
1075	9184762	9184761	9173724	9173723
1076	9184764	9184763	9173726	9173725
1102			9173728	9173727

### Escutcheon Plate - FSB® / Exterior Ref. No. 3 and 4 [page 71](#) and [page 72](#) and [page 73](#)

**Note:**

All styles (1035, 1075, 1076 and 1102) use the same interior/exterior escutcheon plate.

Finish	Active (Non-Keyed)	Active (Keyed Lock)	Passive
SS Steel	9173719	9173720	9173719
Black Anodized	9184757	9184758	9184757

### Escutcheon Plate - FSB® / Interior Ref. No. 3 and 4 [page 71](#) and [page 72](#) and [page 73](#)

Finish	Active	Passive
SS Steel	9173718	9173719
Black Anodized	9184756	9184757

### Escutcheon Base Plate Assembly - FSB® Ref. No. 10 [page 71](#) and [page 72](#) and [page 73](#)

Finish	Order No.
Zinc	9173729

# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Hardware

### Screw Package - FSB®

**Note:**

FSB® style hardware uses a unique screw pack. See PKD 1150.



Ref. No.	Double Package Includes
1	2 - Hex Key 3MM
2	1 - Screw Retainer
3	1 - Lock Actuator
4	4 - Set Screw 3MM
5	4 - Escutcheon Base Plate Screw
6	4 - Escutcheon Base Plate Sleeve Nut
7	2 - Spindle
9	1 - Lock Limiting Plate
10	2 - Strike Plate Screws (Satin Nickel) #10 - 13 x 1" PH FL undercut wood
11	2 - Keyed Cylinder Mounting Bolt M5 x .8 - 35mm PH w/#10 fill HD mach zinc

	Finish	Single	Double
	Stainless Steel	9173735	9173736
	Black	9184911	9184912

### Screw Pack - FSB®




**Note:**

FSB style uses unique set screw.

**Order No.**

9173731

### Base Plate - FSB®




**Note:**

Use for FSB® style trim sets.

**Order No.**

9173729

### Gasket - FSB® / Keyed Lock



**Note:**

Used with keyed lock exterior escutcheon plate.

**Order No.**



9173734

## Hardware


### Spindle - FSB®

**Note:**

FSB style hardware uses unique spindle.

					
<b>Standard</b>	<b>Retrofit</b>		<b>Length</b>	<b>Standard</b>	<b>Retrofit</b>
			4 <sup>5</sup> / <sub>8</sub>	9173732	9173737

### Screw Retainer - FSB®

		<b>Order No.</b>
		9173733

### Escutcheon Plate Clip

**Note:**

Secures to back side of escutcheon plate.

		<b>Order No.</b>
		9173730


### Keyed Lock - FSB

**Note:**

See [Accessory Guide 0005155](#). Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key. Keyed alike assembly only available in quantities of two or more.

		<b>Finish</b>	<b>Keyed Assembly</b>	<b>Keyed Alike Assembly</b>
		Satin Nickel	2579457	9056141
		Black	9007623	9056134

### Lock Cylinder with Keys - FSB

	<b>Note:</b> Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.  For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.	<b>Finish</b>	<b>Order No.</b>
		Bright Brass	2579637
		Black	2579389




### Designer Hardware - Baldwin®

#### Baldwin® Designer Hardware - Active

**Note:**

See [Accessory Guide 9208753](#). 5162 handle style shown.

Escutcheon plate routed for keyed lock but does not include keyed lock. [Keyed lock](#) sold separately.



1. [Handle](#)
2. [Handle Set Screw](#)
3. [Active Escutcheon Plate](#)
4. [Escutcheon Plate Screw](#)
5. [Spindle](#)
6. [Lock Actuator](#)
7. [Lock Limiting Plate](#)
8. [Key Cylinder Mounting Bolts](#)
9. Screw Retainer used with Non-Keyed Sets
10. [Used with Keyed Lock Sets](#)
11. Strike Plate (Not Needed on Outswing doors)
12. Escutcheon Gasket (Same on Active and Passive)

#### Baldwin® Hinged Patio Door Hardware - Single Active Trim Set


## Hardware

### Baldwin® Designer Hardware - Passive

**Note:**

Additional parts with Double Hardware Set. See [Accessory Guide 9208753](#). 5162 handle style shown.

#### Baldwin® Trim Set Assembly



1. [Handle](#)
2. [Handle Set Screw](#)
3. [Passive Escutcheon Plate](#)
4. [Escutcheon Plate Screw](#)
5. [Spindle](#)
10. Strike Plate (Not Needed on Outswing Doors)
12. Escutcheon Gasket (Same on Active and Passive)

### Baldwin® Hinged Patio Door Hardware - Double Passive Trim Set

### Complete Trim Sets - Baldwin® / Interior and Exterior


**Note:**


Active and Passive Trim Sets are configured to order.


# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary


## Hardware

Handle with Screws - Baldwin® L021 Ref. No. 1 <a href="#">page 77</a>				
		Finish	Left	Right
		Non-Lacquered Brass	9208359	9208395
		Oil Rubbed Bronze	9208361	9208391
		Satin Black	9208357	9208387
		Satin Brass	9208358	9208388
		Satin Nickel	9208358	9208388

Handle with Screws - Baldwin® L023 Ref. No. 1 <a href="#">page 77</a>				
		Finish	Left	Right
		Non-Lacquered Brass	9208360	9208390
		Oil Rubbed Bronze	9208366	9208396
		Satin Black	9208362	9208392
		Satin Brass	9208364	9208394
		Satin Nickel	9208363	9208393

Handle with Screws - Baldwin® 5162 Ref. No. 1 <a href="#">page 77</a>				
		Finish	Left	Right
		Non-Lacquered Brass	9208355	9208385
		Oil Rubbed Bronze	9208356	9208388
		Satin Black	9208352	9208382
		Satin Brass	9208354	9208384
		Satin Nickel	9208353	9208383


Handle with Screws - Baldwin® 5173 Ref. No. 1 <a href="#">page 77</a>				
		Finish	Left	Right
		Non-Lacquered Brass	9208380	9208410
		Oil Rubbed Bronze	9208381	9208411
		Satin Black	9208377	9208407
		Satin Brass	9208379	9208409
		Satin Nickel	9208378	9208408


Handle with Screws - Baldwin® 455V Ref. No. 1 <a href="#">page 77</a>				
		Finish	Left	Right
		Non-Lacquered Brass	9208375	9208405
		Oil Rubbed Bronze	9208376	9208406
		Satin Black	9208372	9208402
		Satin Brass	9208374	9208404
		Satin Nickel	9208373	9208403


## Hardware


Handle with Screws - Baldwin® 5485V Ref. No. 1 <a href="#">page 77</a>			
	<b>Finish</b>	<b>Left</b>	<b>Right</b>
	Non-Lacquered Brass	9208370	9208400
	Oil Rubbed Bronze	9208371	9208401
	Satin Black	9208367	9208397
	Satin Brass	9208369	9208399
	Satin Nickel	9208368	9208398

Set Screw package w/Wrench - Handle Ref. No. 2 <a href="#">page 77</a>	
<b>Note:</b> 1 - M5 X 8MM knurl cup point set screw	<b>Order No.</b> 9207269

Plate, Escutcheon Active - Baldwin® Ref. No. 3 <a href="#">page 77</a>			
<b>Note:</b> Baldwin escutcheon plates are sold as pairs both interior and exterior.			
	<b>Finish</b>	<b>Keyed Lock</b>	<b>Non-Keyed</b>
	Non-Lacquered Brass	9208340	9208345
	Oil Rubbed Bronze	9208341	9208346
	Satin Black	9208337	9208342
	Satin Brass	9208339	9208344
	Satin Nickel	9208338	9208343

Plate, Escutcheon Passive - Baldwin® Ref. No. 3 <a href="#">page 78</a>			
	<b>Note:</b> Baldwin escutcheon plates are sold as pairs both interior and exterior.		<b>Finish</b>
			<b>Part No.</b>
			Non-Lacquered Brass
			Oil Rubbed Bronze
			Satin Black
			Satin Brass
			Satin Nickel

Screw Package - Escutcheon Screw Kits - Baldwin® Ref. No. 5 <a href="#">page 77</a>			
	<b>Note:</b> Screw pack contains:(4) Screws, #8-32 UNC		<b>Finish</b>
			<b>Order No.</b>
			Non-Lacquered Brass
			Oil Rubbed Bronze
			Satin Black
			Satin Brass
			Satin Nickel


Spindle, Baldwin Hardware Ref. No. 5 <a href="#">page 77</a>			
<b>Note:</b> Baldwin only offers one length of spindle for both 1.75" and 2.25" doors.			
			<b>Length</b>
			<b>Order No.</b>
			4 1/2"
			9207268

## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*

### Hardware

#### Keyed Lock - Baldwin® Ref. No. 10 [page 77](#)



**Note:**

Baldwin can only be keyed alike to Baldwin locks.

Finish	Order No.
Non-Lacquered Brass	9207266
Oil Rubbed Bronze	9207266
Satin Black	9207266
Satin Brass	9207266
Satin Nickel	9207267

## Hardware


### Designer Hardware - Ashley Norton

#### Ashley Norton Designer Hardware - Active

**Note:**

See [Accessory Guide 9208751](#).

Escutcheon plate routed for keyed lock but does not include keyed lock. [Keyed lock](#) sold separately.




1. [Strike Plate \(Inswing Only\)](#)
3. [Escutcheon Plate Screw](#)
4. [Spindle](#)
6. [Key Cylinder Mounting Bolts](#)
7. [Lock Limiting Plate](#)
8. [Lock Actuator](#)
9. Screw Retainer - Used on Non-Keyed Lock Sets
10. [Keyed Lock - Used on Keyed Lock Sets](#)
11. Strike Plate (Not Needed on Outswing Doors)
12. Escutcheon Gasket (Same on Active and Passive)

#### Hinged Patio Door Hardware - Single Active Trim Set

### Ashley Norton Hardware - Passive

**Note:** Additional parts with Double Hardware Set



1. [Strike Plate \(Inswing Only\)](#)
3. [Escutcheon Plate Screw](#)
4. [Spindle](#)
11. Strike Plate (Not Needed on Outswing Doors)
12. Escutcheon Gasket (Same on Active and Passive)

### Hinged Patio Door Hardware - Double Passive Trim Set

#### Complete Trim Set - Ashley Norton / Interior and Exterior

**Note:**

Active and Passive Trim Sets are configured to order.

#### Handle with Screws - Ashley Norton [page 82](#)

**Note:**

Handles and escutcheon plate are permanently attached to together. Parts are only available in the complete trim set.

#### Plate, Escutcheon Active and Passive - Ashley Norton [page 82](#)

**Note:**

Escutcheon plate and handles are permanently attached to together. Parts only available in the complete trim set.

## Hardware


### Screw Package - Escutcheon Screw Kits / Ashley-Norton Ref. No. 3 [page 82](#)

**Note:**

Ashley Norton screw pack contains:

(4) Screws, #8-32 UNC X 2.75"


(4) Screws, #8-32 UNC X 2.25"

		Finish	Order No.
		Dark Bronze	9207255
		Dark Oil Rubbed	9207255
		Flat Black	9207255
		Black	9207255
		Natural Bronze	9207252
		Polished Chrome	9207253
		Polished Nickel	9207254
		Satin Nickel	9207251
		White Bronze	9207251
		White Medium	9207256


### Keyed Lock - Ashley-Norton Ref. No. 3 [page 82](#)

**Note:**

Ashley-Norton can only be keyed alike to Ashley-Norton locks.

		Finish	Order No.
		Dark Bronze	9207257
		Dark Oil Rubbed	9207257
		Flat Black	9207257
		Black	9207257
		Natural Bronze	9207258
		Polished Chrome	9207259
		Polished Nickel	9207259
		Satin Nickel	9207259
		White Bronze	9207259
		White Medium	9207259

### Replacement Parts Kit / Ashley Norton (For "standard" 1 3/4" door) Ref. No. 4, 6, 7 and 8 [page 82](#)

	<p><b>Note:</b> Ashley style hardware uses unique spindle and available in the part kit.</p> <p><b>Kit Includes:</b></p> <ul style="list-style-type: none"> <li>(1) Spindle 95 MM</li> <li>(1) Lock Actuator</li> <li>(1) Allen Wrench</li> <li>(4) Screws M4 x 8mm Knurl Cup Pt</li> <li>(2) Screws M4 X .8-30mm PH W/19 Fill Hd Mach Zinc</li> <li>(1) Limiting Plate Thick</li> <li>(1) Limiting Plate Thin</li> </ul>	Order No.
		9207260



## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*

### Hardware

Hardware Screw Pack / Ashley Norton (for “standard” 1 3/4” door)		
	<b>Kit Includes:</b> (1) Spindle 95 MM (1) Lock Actuator (1) Allen Wrench (4) Screws M4 x 8mm Knurl Cup Pt (2) Screws M4 X .8-30mm PH W/19 Fill Hd Mach Zinc (1) Limiting Plate Thick (1) Limiting Plate Thin	Order No.
		9207260
Hardware Screw Pack / Ashley Norton - 2 1/4” thick panel		
	<b>Kit Includes:</b> (1) Spindle 108 mm (1) Lock Actuator 28mm	Order No.
		9207261


## Hardware

### Yale® Assure Lock®

#### Yale® Assure Lock® Hardware - Interior / Exterior

**Note:**

See [Accessory Guide](#) and [FAQ](#). Can be used on new doors as well as retro-fitted on installed doors, **except** for door panel(s) with System 3 blinds or Blinds between the glass..



1. [Assure Lock Trim Set Assembly](#)

Yale® Assure Lock® (YRM 476) Hinged Patio Door Hardware - Active Single Trim Set

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware

### Trim Set - Assure Lock / Anvers® See Illustration [page 86](#)

**Note:**

Replacement parts for Yale locks need to be ordered from Yale. See [Replacement Components](#) and [FAQ](#).

	Finish	Base	Z-Wave	Wi-Fi/Bluetooth
	Satin Nickel	9183848	9173096	9183851
	White	9183846	9173094	9183849
	Black	9183847	9173095	9183850

### Trim Set - Passive / Anvers® See Illustration [page 49](#)

	Finish	Order No.
	Satin Nickel	9173105
	White	9173103
	Black	9173104

### Hardware Kit See Illustration [page 86](#)

	Order No.
	9183854

### Hardware Kit - Yale Assure

**Note:**

See [Accessory Guide](#).

1

2




3

4\*

5

Ref. No.	Kit Includes
1	Door position sensor
2	Lock mounting screws
3	Sensor magnets and covers
4*	Lock actuator spacers
5	Battery cover release pin

\*A spacer may be required to correctly install lock. There are three (3) options in your lock kit. See chart to select the correct spacer for your application.

Door Type	Spacer Color	Spacer
A-Series - Outswing Only	N/A	None
A-Series Inswing. E-Series 1.75" In and Outswing E-Series 2.25" Inswing 400 Series 1.75" Inswing	Black	
200 Series 1.75" All E-Series - 2.25" Outswing Only	White	
E-Series - Architect Entrance Door and Folding Doors Sold Separately. (Provided when ordering thick door kit part number AYRM-270-TDK.)	Gray	

Order No.


9203397

### Radio - Module See Illustration [page 86](#)

	Z-Wave	Wi-Fi/Bluetooth
	9183852	9183853

Hardware

**Assure Lock Handle Set - Single / Anvers®**



Ref. No.	Package Includes
1	Handle (RH shown)
2	Handle (LH shown)
3	Strike Plate - Single
4	Strike Plate Screws
5	Handle Set Screw
6	Escutcheon Plate Screw
7	Bushing
8	Allen Wrench
9	Lock Actuator
10	Spindle

	Finish	Order No.
	Satin Nickel	9173108
	White	9173106
	Black	9173107

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

## Hardware


### Andersen® Shared Trim Set Parts

#### Screw Package - Trim Set / Andersen Hardware (2009 to Present)

##### Note:

- Replace the old style gold bushing used prior to 1999 with this bushing.
- Chrome used for Brushed Chrome and Polished Chrome finishes.
- To receive a white bushing order a Satin Nickel trim set screw pack.
- To receive a black bushing order an Oil Rubbed Bronze trim set screw pack.
- Albany style introduced in 2009.
- For Tribeca® screw packages (without busings) go to [page 45](#).

#### Screw Package Trim Set / All Other Andersen® Hardware Styles



Ref. No.	Andersen Package Includes
6	2 - screw, #10 - 13 x 1" PH FL undercut wood
7	4 - screw, #8 - 32 UNC x 2 PH oval head mach
2	2 - screw, M5 x .8 - 35mm PH w/#10 fill HD mach zinc
8	4 - bushing, trim adaptor
4	4 - screw, 1/4 - 20 UNC SS knurled cup point set
5	1 - 1/8 allen wrench

Finish	Andersen
Antique Brass	2579757
Black (Albany)	9019320
Bright Brass	2579756
Chrome	N/A
Distressed Bronze	2579760
Distressed Nickel	2573819
Gold Dust (Albany)	N/A
Oil Rubbed Bronze	2579760
Satin Nickel	2579390
Stone (Albany)	9056230
White (Albany)	9056231

## Hardware


### Bushing

**Note:**


White and black bushings available as part of the trim set screw package [page 89](#).

White to use Bright Chrome trim set screw pack,

Black to use Oil Rubbed Bronze trim set screw pack.

		Color	Order No.
		White	N/A
		Black	N/A


### Set Screw Package w/wrench - Handle

	<b>Andersen Package Includes:</b> 4 - 1/4-20 UNC knurled cup point set screws 1 - 1/8 Allen wrench  <b>Note:</b> Replacement set screw finish may not match original. <a href="#">page 89</a> Set Screw Package is included in trim set hardware pack <a href="#">page 89</a> .	Andersen
		2579829

### Bolt - Escutcheon Plate

**Note:**





Escutcheon plate bolts shown as N/A available as part of the trim set screw package, [page 90](#)

	Description	Finish	Order No.
	2 - #8-32 UNC x 2 panhead oval	Antique Brass	N/A
		Bright Brass	N/A
		Polished Chrome	N/A
		Brushed Chrome	N/A
		Satin Nickel	N/A
		Oil Rubbed Bronze	N/A
		Distressed Bronze	N/A
		Distressed Nickel	N/A

### Lock Actuator

**Note:**


See [Lock Actuator Replacement Video](#). Unique depending on panel thickness. Lock actuator used as standard is 1 <sup>5</sup>/<sub>32</sub> long and lock actuator used for thick panel (2 <sup>1</sup>/<sub>4</sub>) is 1 <sup>21</sup>/<sub>32</sub> long.

 		Standard	Thick (2 <sup>1</sup> / <sub>4</sub> )
		2579542	9050896
			
Standard	Thick (2 <sup>1</sup> / <sub>4</sub> )		


## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*


### Hardware

Lock Limiting Plate			
			Order No.
			2579540


  

Key Cylinder Mounting Bolt			
	Description		Order No.
	Qty 2 - M5 x .8-35mm, PH with #10 fill HD, mach, zinc <b>Note:</b> Key cylinder mounting bolt is included in trim set hardware pack <a href="#">page 89</a> .		2579824

Spindle			
	<b>Note:</b> The standard spindle is 3 3/4.	Length	Order No.
		3 3/4	2579830
		4 3/4	2579831
		5 3/4	2579832

Gasket - Trim Set / Other Hardware Styles (1999 to Present)			
	<b>Note:</b> Use for all trim set styles except Tribeca® <a href="#">page 44</a> .		Order No.
			2962512


## Hardware

### Handle Extender - 1" (1999 to Present)

**Note:**

Each extender adds one inch to the distance between the door handle and the door panel. Extenders are often used when space is needed for window treatments.

A longer spindle [page 91](#) is necessary to accommodate the extender. The standard spindle length is 3 3/4". If using one extender a 4 3/4" spindle is necessary. If using two extenders a 5 3/4" spindle is necessary. Review the installation video, [Installing Handle Extenders on Frenchwood Hinged Doors](#).



Finish	Order No.
Antique Brass	2579820
Bright Brass	2579821
Brushed Chrome	N/A
Distressed Bronze	2573787
Distressed Nickel	2573788
Gold Dust	N/A
Black	9007633
Oil Rubbed Bronze	2579907
Polished Chrome	N/A
Satin Nickel	2579440
Stone	2579851
White	2579838




## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Hardware

#### Andersen® Shared Key Lock Parts

##### Keyed Lock - Andersen®



##### Note:

See [Accessory Guide 0005155](#). Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key.

Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.


For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.

All other Tribeca® Keyed Locks are on [page 45](#).

Finish	Keyed Assembly	Keyed Alike Assembly
Antique Brass	2579519	9056133
Bright Brass	2579499	9056135
Brushed Chrome	N/A	N/A
Distressed Bronze	2579752	9056139
Distressed Nickel	2573827	9056137
Gold Dust	N/A	N/A
Black (Albany)	9007623	9056134
Oil Rubbed Bronze	2579752	9056139
Polished Chrome	N/A	N/A
Satin Nickel/FSB®	2579457	9056141
Stone (Albany)	9007621	9056142
White (Albany)	9007620	9056144

## Hardware

### Lock Cylinder with Keys



Brushed Brass



Brushed Chrome



Oil Rubbed Bronze

**Note:**

Lock cylinders are available in three finishes: Brushed Brass, Brushed Chrome and Oil Rubbed Bronze. The column called Cylinder Finish shows the recommended selection for each trim set finish. Replacement Lock Cylinders have 6 pins.

All other Tribeca® Cylinders are on [page 44](#).

Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.

For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.

See [Accessory Guide 0005155](#).

Finish	Cylinder Finish	Single Key	Keyed Alike
Antique Brass	Brushed Brass	2579637	9213876
Black	Oil Rubbed Bronze	2579389	9213877
Bright Brass	Brushed Brass	2579637	9213876
Brushed Chrome	Brushed Chrome	2579641	9213878
Distressed Bronze	Oil Rubbed Bronze	2579389	9213877
Distressed Nickel	Brushed Chrome	2579641	9213878
Gold Dust	Brushed Chrome	2579641	9213878
Oil Rubbed Bronze	Oil Rubbed Bronze	2579389	9213877
Polished Chrome	Brushed Chrome	2579641	9213878
Satin Nickel	Brushed Brass	2579641	9213878
Stone (Albany)	Brushed Chrome	2579641	9213878
White (Albany)	Brushed Chrome	2579641	9213878

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Hardware


#### Lock Set Dummy Cylinder

**Note:**

For Tribeca® Dummy Cylinders [page 47](#).

Old style and current vintage cylinders are interchangeable.

\* 060 Antique Brass finish was offered from 1/99 to 7/99. The finish is commonly referred to as "chocolate brown."



Finish	Order No.
*060 Antique Brass	2579741
Antique Brass	2579581
Black (Albany)	9056229
Bright Brass	2579621
Brushed Chrome	N/A
Distressed Bronze	2573781
Distressed Nickel	2573782
Gold Dust	N/A
Oil Rubbed Bronze	2579963
Polished Chrome	N/A
Satin Nickel	2579438
Stone (Albany)	9056226
White (Albany)	9056227

#### Blank Key - Reachout Lock



**Note:**

Six pin key blank

**Order No.**

2573561

## Hardware

### Hardware - Concealed Panic System

Note:



**Concealed Panic System Hardware**

## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*

### Hardware

Handle Kit				
<b>Note:</b> Double Kit receives one left hand and one right hand.				
Single		Double		
Finish	Single			
	30		40	
	LH	RH	LH	RH
Bright Chrome	0040700	0040701	0040702	0040703
Satin Chrome	0040712	0040713	0040714	0040715
Oil Rubbed Bronze	0040708	0040709	0040710	0040711
Brass	0040704	0040705	0040706	0040707
Finish	Double			
	30		40	
Bright Chrome	0040689		0040690	
Satin Chrome	0040695		0040696	
Oil Rubbed Bronze	0040693		0040694	
Brass	0040691		0040692	

Strike			
<b>Note:</b>			
		<b>Bottom (Gray)</b>	<b>Jamb (Black)</b>
		0040528	0040529

Closer			
		<b>Finish</b>	<b>Order No.</b>
		Aluminum	0040530
		Dark Bronze	0040531
		Brass	0040532
		Aluminum (4041)	0231064

Screw Pack		
		<b>Order No.</b>
		0010534

## Hardware

Kick Plate									
<b>Note:</b> Length in inches.									
Length	Bright Chrome	Satin Chrome	Oil Rubbed Bronze	Brass	Length	Bright Chrome	Satin Chrome	Oil Rubbed Bronze	Brass
<b>28</b>	0040541	0040652	0040615	0040578	<b>37</b>	0040559	0040670	0040633	0040596
<b>28 1/2</b>	0040542	0040653	0040616	0040579	<b>37 1/2</b>	0040560	0040671	0040634	0040597
<b>29</b>	0040543	0040654	0040617	0040580	<b>38</b>	0040561	0040672	0040635	0040598
<b>29 1/2</b>	0040544	0040655	0040618	0040581	<b>38 1/2</b>	0040562	0040673	0040636	0040599
<b>30</b>	0040545	0040656	0040619	0040582	<b>39</b>	0040563	0040674	0040637	0040600
<b>30 1/2</b>	0040546	0040657	0040620	0040583	<b>39 1/2</b>	0040564	0040675	0040638	0040601
<b>31</b>	0040547	0040658	0040621	0040584	<b>40</b>	0040565	0040676	0040639	0040602
<b>31 1/2</b>	0040548	0040659	0040622	0040585	<b>40 1/2</b>	0040566	0040677	0040640	0040603
<b>32</b>	0040549	0040660	0040623	0040586	<b>41</b>	0040567	0040678	0040641	0040604
<b>32 1/2</b>	0040550	0040661	0040624	0040587	<b>41 1/2</b>	0040568	0040679	0040642	0040605
<b>33</b>	0040551	0040662	0040625	0040588	<b>42</b>	0040569	0040680	0040643	0040606
<b>33 1/2</b>	0040552	0040663	0040626	0040589	<b>42 1/2</b>	0040570	0040681	0040644	0040607
<b>34</b>	0040553	0040664	0040627	0040590	<b>43</b>	0040571	0040682	0040645	0040608
<b>34 1/2</b>	0040554	0040665	0040628	0040591	<b>43 1/2</b>	0040572	0040683	0040646	0040609
<b>35</b>	0040555	0040666	0040629	0040592	<b>44</b>	0040573	0040684	0040647	0040610
<b>35 1/2</b>	0040556	0040667	0040630	0040593	<b>44 1/2</b>	0040574	0040685	0040648	0040611
<b>36</b>	0040557	0040668	0040631	0040594	<b>45</b>	0040575	0040686	0040649	0040612
<b>36 1/2</b>	0040558	0040669	0040632	0040595	<b>45 1/2</b>	0040576	0040687	0040650	0040613
					<b>46</b>	0040577	0040688	0040651	0040614

Sweep				
		Finish	Length	Order No.
		Dark Bronze Anodized	38"	0233546
			48"	0233547
		Clear Anodized	38"	0010265
			48"	0010266

# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Lock Mechanism

#### Active Lock Mechanism

##### Note:

7-0 base lock shown below.




Panel Height	Unit Height	Base Lock	Extension	Base Lock		Extension		
				Left	Right	0117160-A38M	0117150-A784	0117151-A71F
$\leq 81 \frac{3}{16}$	6-8 and $\leq 7-0$	7-0	-	9170322	9170323	-	-	-
$> 81 \frac{3}{16}$ and $< 90 \frac{3}{16}$	$> 7-0$ and $< 7-9$	7-0	12	9170322	9170323	0GU1019	-	-
$\geq 90 \frac{3}{16}$ and $< 93 \frac{3}{16}$	$7-9$ and $\leq 8-0$	8-0	-	9170324	9170325	-	-	-
$> 93 \frac{3}{16}$ and $\leq 99 \frac{3}{16}$	$> 8-0$ and $< 8-6$	8-0	12	9170324	9170325	0GU1019	-	-
$> 99 \frac{3}{16}$ and $\leq 113 \frac{3}{16}$	$> 8-6$ and $\leq 9-8$	7-0	9-8	9170322	9170323	-	0GU1046	-
$> 113 \frac{3}{16}$ and $\leq 117 \frac{3}{16}$	$> 9-8$ and $\leq 10-0$	7-0	10-0	9170322	9170323	-	-	0GU1045

#### Passive Lock Mechanism



##### Note:


Base lock and extension shown below.



Panel Height	Unit Height	Base Lock	Extension	Extension
$69 \frac{3}{16}$ and $\leq 77 \frac{3}{16}$	6-0 and $\leq 6-8$	9170326	6-8	9170372
$> 77 \frac{3}{16}$ and $\leq 79 \frac{3}{16}$	$> 6-0$ and $\leq 6-10$	9170326	6-10	9170373
$> 79 \frac{3}{16}$ and $\leq 81 \frac{3}{16}$	$> 6-10$ and $\leq 7-0$	9170326	7-0	9170374
$> 81 \frac{3}{16}$ and $\leq 81 \frac{57}{64}$	$> 7-0$ and $\leq 7-0 \frac{11}{16}$	9170326	32.5	9170327
$> 81 \frac{57}{64}$ and $< 83 \frac{3}{16}$	$> 7-0 \frac{11}{16}$ and $\leq 7-2$	9170326	42.5	9170328
$\geq 83 \frac{3}{16}$ and $\leq 93 \frac{3}{16}$	$> 7-2$ and $\leq 8-0$	9170326	8-0	9170375
$> 93 \frac{3}{16}$ and $\leq 101 \frac{57}{64}$	$> 8-0$ and $\leq 8-8 \frac{11}{16}$	9170326	52.5	9170329
$> 101 \frac{57}{64}$ and $\leq 111 \frac{57}{64}$	$> 8-8 \frac{11}{16}$ and $\leq 9-6 \frac{11}{16}$	9170326	62.5	9170330
$> 111 \frac{57}{64}$ and $\leq 117 \frac{57}{64}$	$> 9-6 \frac{11}{16}$ and $\leq 10-6 \frac{11}{16}$	9170326	10-0	9170331

## Hardware

Lock Adapter			
 Exterior  Interior	<b>Note:</b> Required (1) interior and (1) exterior lock adapter per panel.	<b>Interior (Black)</b>	<b>Exterior (White)</b>
		9172377	9172378

Shoot Bolt Guide		
		
		<b>Order No.</b>
		9172374

Screw			
<b>Note:</b> Used to secure lock mechanisms.			
	<b>Active Lock Mechanism</b>		
	<b>Description</b>		<b>Standard</b>
	#8 x 7/16" PFHSMS #6 HEAD SS SCREW		9105316
	<b>Description</b>		<b>Stormwatch</b>
	#8 x 2" PFHSMS TYPE A.S. 18-8 STAINLESS STEEL		0039939
	<b>Passive Lock Mechanism</b>		
	<b>Description</b>		<b>Order No.</b>
	#8 x 2" PFHSMS TYPE A.S. 18-8 STAINLESS STEEL	<b>Finish</b>	
		Stainless Steel	
		Colony White	
		Gold	
		Antique Brass	
		Black	
		Bright Brass	0039950
	<b>Description</b>		<b>Standard</b>
	#7 x 1 1/4" PFHSMS TYPE AB 18-8 SS		0027959



# E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


## Hardware

### Strikes

#### Latch Strike Graphic

**Note:**

Dust cup (not shown in graphic) sits below strike. \*Stainless steel and black screws used for multiple finishes.




#### Strike / Latch

				Dust Cup Latch Strike (Single)	Dust Cup Center (Double)	Dust Cup Center (Single)
Finish	Center Strike Ref. No. 3	Latch Strike (Top/Bottom) Ref. No. 2	Screws Ref. No. 1			
Black	9172384	9172396	*9105312	0GU2017	9172379	9172380
Gold Dust	N/A	N/A	9173135			
Stone	9172386	9172398	9173136			
White	9172387	9172399	9105791			
Distressed Nickel	9172389	9172401	*0015331			
Oil Rubbed Bronze	9172390	9172402	*9105312			
Satin Nickel	9172391	9172403	*0015331			
Brushed Chrome	N/A	N/A	*0015331			
Polished Chrome	N/A	N/A	*0015331			
Antique Brass	9172394	9172406	9105311			
Bright Brass	9172395	9172407	9105310			


#### Head and Sill Strike Graphic

**Note:**


Used on double active (AP/PA) doors.



Head



Sill



Dust Cup Head

#### Strike / Head and Sill

		Head	Sill	Dust Cup Head
		9172935	9172375	9172381

#### Screw - Strike


	Order No.
	0015331

## Hardware

### Strike - Panic (CPS) Ref. No. 3 [page 109](#)

**Note:**

Used on head jamb of double active CPS doors.




Head

**Head**

0040527

### Screw - Panic Strike (CPS) Ref. No. 4 [page 109](#)




**Order No.**

0015331

### Latch Bolt Parts

#### Blocker Kit / Passive



**Kit Includes**

- (1) Upper Deadbolt Blocker
- (1) Lower Deadbolt Blocker
- (2) Cylinder Head Screws

**Order No.**

9170377

# E-Series Hinged Outswing Doors (March 2018 to Present)




Single, 2-Panel and Stationary

## Hardware

### Hinge Color Chart

#### Hinge Chart




Hardware Finish	Hinge Color Used	Screw Color Used	Hinge With Hardware Pack	Hinge Screw Pack (Qty 11)	Panel Hinge Screw (Each)	Frame Hinge Machine Screw (Each)
			(1) Hinge (4) #12 x 1 1/2" (2) #12 x 2 1/2" (2) #10 x 5/8 (2) Hinge Shim Cup (2) Hinge Frame Shim-030 (2) Hinge Frame Shim-060	 #12 x 2 1/2"	 #12 x 1 1/2"	 #10-24 x 5/8
Antique Brass	Antique Brass	Antique Brass	9138859	9139541	0002362	9105803
AW White	AW White	AW White	9138858	9139540	0002361	9105807
Black	Black	Black	9138862	9139539	0002360	0006437
Distressed Bronze	Oil Rubbed Bronze	Black	9138863	9139539	0002360	0006437
Oil Rubbed Bronze	Oil Rubbed Bronze	Black	9138863	9139539	0002360	0006437
Bright Brass	Bright Brass	Brass	9138860	9139542	0002363	0006263
Gold Dust	Gold Dust	Gold Dust		9173141	9173143	9173145
Stone	Gold Dust	Gold Dust		9173141	9173143	9173145
Brushed Chrome	Satin Chrome	Stainless	9138867	9139543	0002364	0006286
Distressed Nickel	Pewter	Stainless	9138866	9139543	0002364	0006286
Polished Chrome	Bright Chrome	Stainless	9138865	9139543	0002364	0006286
Satin Nickel	Stainless Steel	Stainless	9138864	9139543	0002364	0006286

## Hardware

### Hinge Parts

#### Hinge Kits w/screws

	Finish	Order No.
	Antique Brass	9138859
	AW White	9138858
	Black	9138862
	Oil Rubbed Bronze	9138863
	Bright Brass	9138860
	Gold Dust	N/A
	Satin Chrome	9138867
	Pewter	9138866
	Bright Chrome	9138865
	Stainless Steel	9138864

#### Hinge Screw - Jamb

**Note:**


5/8" ships as individual screw. 2 1/2" ships as a quantity of 11.

Description		Description	
#10-24 X 5/8 PFHMS		#12 X 2 1/2 PFHMS	
Finish	Order No.	Finish	Order No.
Antique Brass	9105803	Antique Brass	9139541
Black	0006437	Black	9139539
Brass	0006263	Brass	9139542
Gold Dust	9173145	Gold Dust	9173141
Stainless Steel	0006286	Stainless Steel	9139543
AW White	9105807	AW White	9139540
Gold	9105806		

#### Hinge Screw - Panel

Description	Finish	Order No.
#12 x 1 1/2 PFHWS	Antique Brass	0002362
	Black	0002360
	Brass	0002363
	Gold Dust	9173143
	Stainless Steel	0002364
	AW White	0002361

#### Hinge Shim/Cup

 CUP SHIM	Finish	Size/Type	Order No.
	Black	1/32	0096006
		1/16	0096007
		Cup	0096003

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary


### Hardware

#### Miscellaneous Hardware Parts

##### Strike Plate - Top / Bottom

**Note:**

Includes top and bottom strike plate. See screw [color chart](#). Used on both left and right hand lock jambs and/or astragal.

		Finish	Order No.
		Black	9172396
		Gold Dust	N/A
		Stone	9172398
		White	9172399
		Distressed Nickel	9172401
		Oil Rubbed Bronze	9172402
		Satin Nickel	9172403
		Brushed Chrome	N/A
		Polished Chrome	N/A
		Antique Brass	9172406
		Bright Brass	9172407

##### Screw Pack - Door Lock Jamb Installation

**Note:**

Includes 9 screws. See screw [color chart](#).

	Description	Finish	Order No.
	#8 x 2 1/2 PH FL	White	By description
		Antique Brass	0078024
		Polished Brass	0078025
		Stainless Steel	0078026
		Black	0078022

##### Screw Pack - Door

**Note:**

Includes 6 screws. See screw [color chart](#).

	Description	Finish	Order No.
	#10 x 2 1/2 PH FL	White	0008743
		Antique Brass	0008736
		Brass	0008744
		Stainless Steel	0008746
		Black	0008747
		Bright Chrome	0008737
		Dark Bronze	0008739
		Oil Rubbed Bronze	0008745

##### Screw Pack - Nail Fin

	Description	Order No.
	#8 x 1/2 PPHWS	0054301

## Hardware

### Fasteners

**Note:**

Look for additional screws listed with the part where the screw is used.

When ordering fasteners by description, provide the following details:

Product line (example: AFDO)

Complete size (example: #8 Round Head)

Description and color (example: Stainless Steel)

What it is used for: (example: Screen latch to astragal)


### Screw - Strike Plate / Head

	Description	Order No.
	#7 x 5/8" PFHSMS Type 17 Z & Y	0013420

### Screw - Sweep

	Description	Order No.
	#8 x 3/4" PPH #2 TEKS SCREW ZINC	0013443

### Threaded Insert

	Description	Order No.
	#10-24 Threaded Insert	0002649

### Screw - Door Bolt to Astragal

	Description	Finish	Order No.
	#8 X 3/4 TEKS PT, WS, PH, 410 SS	Stainless Steel	0020302

### Screw - Sill Strike to Sill

	Description	Finish	Order No.
	#8-32 x 1/2 PH, FH, MACHINE SCREW, SS	Steel	0047576

### Screw - Screen Track to Sill


	Description	Finish	Order No.
	#6 x 1/2 PH, FH, TEKS PT, WOOD, 410 SS	Steel	0069449
		Dark Bronze	0K17657

## Frames

### Frame Assembly Illustration / Single (Active)

#### Note:

Single active 4 9/16 with standard (High Performance) sill shown. See [Architectural Tools](#) for additional door configurations.




**E-Series Hinged Outswing Door Frame Assembly**

## Frames

### Frame Assembly Illustration / Single (Stationary)

**Note:**

See [Architectural Tools](#) for additional door configurations.



**E-Series Hinged Outswing Door Frame Assembly Stationary**



# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Frames

### Frame Assembly Illustration / 2-Panel (CPS)

#### Note:

Double active 4 9/16 shown. See [Architectural Tools](#) for additional door configurations.




E-Series Hinged Outswing Door Frame Assembly Double CPS

## Frames


### Frame Assembly Illustration / 2-Panel (AP)

**Note:**


Double active 4 9/16 shown. See [Architectural Tools](#) for additional door configurations.



**SECTION A-A**  
PRO SILL SHOWN



**SILL SHOWING BUMPER**



**SECTION B-B**

1. [Weatherstrip](#)
2. [Foam Pad](#)
3. [Sill Threshold](#)
4. [Screw - Sill Threshold](#)
5. [Weatherstrip - Sill](#)
6. [Screw](#)
7. [Bumper](#)

### E-Series Hinged Outswing Door Frame Assembly Double

# E-Series Hinged Outswing Doors (March 2018 to Present)


Single, 2-Panel and Stationary

## Frames

### Frame Assembly Illustration / 2-Panel (Stationary)


**Note:**

See [Architectural Tools](#) for additional door configurations.




**SECTION B-B**

1. [Sash Clip](#)
2. [Screw - Sash Clip](#)
3. [Sill Threshold](#)
4. [Shim](#)



**SECTION A-A**  
STANDARD SILL SETUP SHOWN



**E-Series Hinged Outswing Door Frame Assembly Double**

## Frames

### Frames

**Note:**

Replacement frame for standard and custom-sized doors can be configured through iQ+.

**Panel Options**

Single, 2-panel (double), Commercial, CPS

**Handling Options**

Single: Left, right, stationary

Double: AP, PA, SS

[Exterior color options](#)

[Interior species/finish/color options](#)

[Glazing options](#)

*To order, state:*

1. Description of Part (Frame Assembly)
2. Quantity
3. Panel Style
4. Handling
5. Color/species/finish/color
6. Product ID (from product label, see [page 14](#))
7. Options Desired (if different than original product)

## E-Series Hinged Outswing Doors (March 2018 to Present)

*Single, 2-Panel and Stationary*

### Frames

#### Panel Stops

##### Panel Stop

**Note:**

See [species/finish/color options](#).

*To order, state:*

1. Description of Part (Panel Stop)
2. Profile (Ovolo, Contemporary)
3. Species/finish/color
4. Frame Width/Height
5. Length
6. Quantity
7. Product ID (from product label, see [page 14](#))
8. Options Desired (if different than original product)

## Frames

### Weatherstrip

**Weatherstrip / Frame** Ref. No. 1 [page 107](#) & No. 1 [page 110](#) & No. 2 [page 109](#)

**Note:**


Secures to the frame.

		Unit No.	Length	Dark Bronze
		AFDO	37"	0007220
			74"	0007222
			81"	0007223
			85"	0007224
			97"	0007225
			120"	0007226

**Weatherstrip / High Performance Sill** Ref. No. 7 [page 107](#) & No. 5 [page 110](#)

**Note:**


Secures to standard (High Performance) sill.

		Unit No.	Length	Dark Bronze
		AFDO	-	9096432
			102"	0520088
			147"	0069294

### Weatherstrip / Bulb

**Note:**

Secures to stationary panel.

		Unit No.	Color	Length	Order No.
		AFDO	White	120"	9103912
				300"	9103816
			Black	120"	9103913
				300"	9103817

**Weatherstrip / Fuzz Pad** Ref. No. 9 [page 27](#)

**Note:**

Secures to astragal.

		Unit No.	Length	Order No.
		AFDO	-	0070533

**Weatherstrip / Jamb Pad** Ref. No. 16 [page 22](#)

**Note:**

Secures to astragal.

		Unit No.	Length	Order No.
		AFDO	-	9149606

## E-Series Hinged Outswing Doors (March 2018 to Present)

Single, 2-Panel and Stationary

### Frames

#### Sill Parts

##### Oak Threshold Ref. No. 5 [page 107](#) No. 9 [page 108](#)

**Note:**

Specify unit width.

		<b>Order No.</b>
		By description

##### Screw - Oak Threshold Ref. No. 6 [page 107](#) No. 4 [page 108](#)

		<b>Order No.</b>
		9105313

##### Foam Pad Ref. No. 2 [page 107](#)

		<b>Length</b>	<b>Order No.</b>
		600"	0004668

##### Bumper - Rubber Ref. No. 7 [page 110](#)

**Note:**

Two per sill.

		<b>Order No.</b>
		016765E

##### Screw - Bumper Ref. No. 6 [page 110](#)

**Note:**

Two per sill.

		<b>Order No.</b>
		0013443

## Frames

### Frame Parts

#### Jamb Riser Block Ref. No. 3 [page 107](#)

		<b>Order No.</b>
		0020324


#### Screw - Jamb Riser Block Ref. No. 4 [page 107](#)

		<b>Order No.</b>
		0033463


#### Shim Ref. No. 7 [page 108](#)

**Note:**

Secures to the frame.

		<b>Unit No.</b>	<b>Size</b>	<b>Order No.</b>
		AFDO	6-8	0069273
			6-10	0069274
			7-0	0069275
			8-0	0069276
			2-0	0069292
			3-0	0069293
			144"	0069272

#### Clip Ref. No. 8 [page 108](#)

		<b>Order No.</b>
		0059015

#### Screw - Clip Ref. No. 10 [page 108](#)

		<b>Order No.</b>
		0020302