

What's in This Section

Single, 2-Panel and Stationary	Page 3
Parts Illustration	3
Parts Illustration - Interior View	3
Parts Illustration - Exterior View	4
Parts Illustration - Single Panel	5
Parts Illustration - 2-Panel / Center-Hinged	6
Parts Illustration - 2-Panel / Active/Passive and Passive/Active	7
Colors - Exterior	8
Colors/Species/Finishes - Interior	9
Unit Sizes	10
Standard and Custom Door Sizes	10
E-Series Product Label	10
Unit Size Chart - Traditional 1-Panel (SP1)	11
Unit Size Chart - Traditional 2-Panel (SP1)	12
Unit Size Chart - Sidelight (Sash & Direct-Set)	13
Panels - Active	14
Active Panel Graphic	14
Active Panel Size Table	15
Active Panel Options	16
Panels - Passive	17
Passive Panel Graphic	17
Passive Panel Size Table	18
Passive Panel Options	19
Panel Astragal - Passive	20
Astragal Parts	21
Panels - Stationary / Sidelight	24
Stationary / Sidelight Panel Graphic	24
Stationary / Sidelight Panel Size Table	25
Stationary / Sidelight Panels	26
Shared Panel Parts	27
Glass Stops	27
Weatherstrip	27
Receiver Strip	27
Panel Cap	28
Glass	29
Glass	29
Insect Screens	30


Insect Screen Graphic - Top Hung Gliding	30
Insect Screen Graphic - Hinged	31
Hinge Insect Screen Parts	31
Insect Screen Graphic - Concealed (Retractable)	34
Grilles	36
Grille Options	36
Hardware	37
Andersen® Half Trim Set Kits - Interior	37
Andersen® Half Trim Set Kits - Exterior	38
Construction Trim Set	39
Andersen® Hardware - Tribeca®	40
Andersen® Hardware - Anvers®	46
Andersen® Hardware - Albany	49
Andersen® Hardware - Newbury®	52
Andersen® Hardware - Covington™	56
Andersen® Hardware - Whitmore®	59
Andersen® Hardware - Encino®	63
Andersen® Hardware - Yuma®	66
Designer Hardware - FSB®	69
Designer Hardware - Baldwin®	75
Designer Hardware - Ashley Norton	80
Yale® Assure Lock®	84
Andersen® Shared Trim Set Parts	87
Andersen® Shared Andersen® Key Lock Parts	90
Lock Mechanism	93
Strikes	95
Latch Bolt Parts	96
Hinge Color Chart	97
Hinge Parts	98
Miscellaneous Hardware Parts	99
Fasteners	100
Frames	101
Frame Assembly Illustration / Single (Active)	101
Frame Assembly Illustration / Single (Stationary)	102
Frame Assembly Illustration / Double (AP)	103
Frames	104
Installation Flange	105
Weatherstrip	106
Sill Parts	107

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Parts Illustration

Parts Illustration - Interior View



Parts Illustration

Parts Illustration - Exterior View



E-Series Hinged Doors (March 2018 to Present)


Single, 2-Panel and Stationary

Parts Illustration


Parts Illustration - Single Panel

Note:

Left-hand, right-hand, and stationary doors are available.




SECTION B-B



SECTION A-A

VIEW SHOWN WITH HI-PERFORMANCE SILL



E-Series Hinged Door Unit Parts - Single Panel


Unit viewed from exterior.

Parts Illustration


Parts Illustration - 2-Panel / Center-Hinged

Note:



Left-hand, right-hand and stationary doors are available. Illustration shows ASL door.



SECTION C-C
ASL HANDING SHOWN



SECTION A-A



SECTION B-B

E-Series Hinged Door Unit Parts - 2-Panel, Center-Hinged

Unit viewed from exterior.

E-Series Hinged Doors (March 2018 to Present)



Single, 2-Panel and Stationary

Parts Illustration



Parts Illustration - 2-Panel / Active/Passive and Passive/Active

Note:

Left-hand, right-hand, and stationary doors are available. Illustration shows AP door.



Side Jamb



4. Threaded Insert
5. Screw

E-Series Hinged Door Unit Parts - 2-Panel Active/Passive and Passive/Active

Unit viewed from exterior.

Parts Illustration

Colors - Exterior

Note:

(*) Anodized Finishes

							
				Colony White	White	Abalone	Balsa White
							
				Canvas	Maple Syrup	Harvest Gold	Prairie Grass
							
Flagstone	Sandtone	Pebble Tan	Carmel	Terratone	Hot Chocolate	Bourbon	
							
Acorn	Coffee Bean	Cocoa Bean	Sierra Bronze	Dark Bronze	Clay Canyon	Red Rock	
							
Cardinal	Bling Cherry	Fire Engine Red	Cinnamon Toast	Olive	Sage	Billiard Green	
							
Moss	Forest Green	Mallard Green	Spearmint	Aquamarine	Patina	Sky Blue	
							
Country Blue	Blue Denim	Watercolor Blue	Caribbean Blue	Slate	Moody Blue	Stormy Blue	
							
Dove Gray	Harbor Mist	Yorktown Pewter	Smokey Gray	Mystic Gray	Dark Ash	Black	
							
Light Bronze*	Champagne*	Clear Anodized*	Black	Dark Bronze*	Copper*	Medium Bronze*	

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Parts Illustration

Colors/Species/Finishes - Interior

Species Interior Options



Pine




Mixed Grain
Douglas Fir



Oak




Maple



Walnut



Alder



Hickory



Mahogany



Vertical Grain
Douglas Fir



Cherry



White Oak

Stained Interior Options



Clear Coat



Wheat




Autumn Oak




Golden Hickory



Honey




Cinnamon



Russet




Mocha




Espresso


Painted Interior Options



White



Birch Bark



Primed



Canvas



Sandtone



Terratone



Forest Green



Dark Bronze



Dove Gray



Prairie Grass



Red Rock



Cocoa Bean



Black



Anodized Silver ¹

Unit Sizes

Standard and Custom Door Sizes

Note:

E-Series Inswing Doors are available in standard sizes (see standard size charts, [page 11](#)). Replacement parts for some standard doors can be ordered using the numbers listed in this catalog. Many replacement parts for standard doors are made to order. These items are ordered using the Product ID found on the identification label and a description of the part needed. See [Service Guide 9051877](#).

E-Series Inswing Doors are also available in custom sizes in 1/8" increments between the smallest and the largest standard sizes. Most replacement parts for custom-sized doors are made to order and can be ordered with the Product ID found on the identification label and a description of the part needed. See [Service Guide 9051877](#).

E-Series Product Label

Note:

Every E-Series Inswing Door will have an identification label **or** glass etching containing a unique Product ID. The Product ID on E-Series Inswing Doors will be located at the top of the door frame or etched into the glass. See [Service Guide 9051877](#). The Product ID may be up to 14 digits long (excluding hyphens), depending on the age of the unit. Replacement parts will also get their own unique Product ID. When ordering replacement parts, providing the Product ID ensures that replacement parts match the specifications.

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Unit Sizes

Unit Size Chart - Traditional 1-Panel (SP1)

Note:

Unit Dimension refers to overall outside-to-outside frame. Visible glass (V.G) dimensions refers to unobstructed glass (High Performance Sill - 8" Bottom Rail). See Formula Design Sheet (FS00308) for additional DLO detail. See [Size Chart](#).

Single Hinged Inswing Patio Door & Sidelight Sizes

	2' 1"	2' 7"	2' 9"	3' 1"	3' 3"
	2' 0 1/2"	2' 6 1/2"	2' 8 1/2"	3' 0 1/2"	3' 2 1/2"
	13 5/16"	19 5/16"	21 5/16"	25 5/16"	27 5/16"
6' 8 1/2"					
6' 10 1/2"					
7' 0 1/2"					
7' 3 1/2"					
8' 0 1/2"					
8' 3 1/2"					

NOTES

All doors and sidelights use safety/tempered glass.

The minimum vertical joining material width for doors and sidelights is 1/2".

Use structural joining material when necessary or required by code.

The light patterns illustrated apply to removable interior wood grilles, Full Divided Light, Simulated Divided Light, Decorelle 100, 150 and 400 and Finelight™ Grille-Between-the-Glass. All removable interior wood grilles will be installed in the units unless otherwise specified.

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

Inswing Frame Height (using Low Threshold Sill)

= Standard Inswing Frame Height - 15/16"

FORMULA FOR COMBINATION DOORS

The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s).

The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.

Any unit within each combination can be operating or stationary except for direct-set units and transoms.

E-Series Hinged Door Unit Sizes - Traditional Single Hinged Inswing (SP1)

Unit viewed from exterior.

Unit Size Chart - Traditional 2-Panel (SP1)

Unit Dimension refers to overall outside-to-outside frame. Visible glass (V.G) dimensions refers to unobstructed glass (High Performance Sill - 8" Bottom Rail). See Formula Design Sheet (FS00308) for additional DLO detail. See **Size Chart**.

	4' 0 1/2"	5' 0 1/2"	5' 4 1/2"	6' 0 1/2"	6' 4 1/2"
6' 8 1/2"					
6' 8"					
6' 10 1/2"					
6' 10"					
7' 0 1/2"					
7' 0"					
7' 3 1/2"					
7' 3"					
8' 0 1/2"					
8' 0"					
8' 3 1/2"					
8' 3"					

ALSO AVAILABLE AS:
Stationary Doors SS
Center Post Doors SAR, ASL, SAL, ASR

12 - E-Series Hinged Doors (March 2018 to Present)

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

























Unit Sizes

Unit Size Chart - Sidelight (Sash & Direct-Set)

























Note:

Unit Dimension refers to overall outside-to-outside frame. Visible glass (V.G) dimensions refers to unobstructed glass (High Performance Sill - 8" Bottom Rail). See Formula Design Sheet (FS00319) for additional DLO detail. See [Size Chart](#).

Inswing Sash-Set Sidelight Sizes

	1' 3"	1' 5"	1' 7"	1' 9"
	1' 2 1/2"	1' 4 1/2"	1' 6 1/2"	1' 8 1/2"
	7 3/16"	9 3/16"	11 3/16"	13 3/16"
6' 8 1/2"				
HPI 1268 S				
HPI 1468 S				
HPI 1668 S				
HPI 1868 S				
6' 10 1/2"				
HPI 12610 S				
HPI 14610 S				
HPI 16610 S				
HPI 18610 S				
7' 0"				
HPI 1270 S				
HPI 1470 S				
HPI 1670 S				
HPI 1870 S				
7' 3 1/2"				
HPI 1273 S				
HPI 1473 S				
HPI 1673 S				
HPI 1873 S				
8' 0 1/2"				
HPI 1280 S				
HPI 1480 S				
HPI 1680 S				
HPI 1880 S				
8' 3 1/2"				
HPI 1283 S				
HPI 1483 S				
HPI 1683 S				
HPI 1883 S				

Inswing Direct-Set Sidelight Sizes

	1' 3"	1' 5"	1' 7"	1' 9"
	1' 2 1/2"	1' 4 1/2"	1' 6 1/2"	1' 8 1/2"
	11 3/4"	13 3/4"	15 3/4"	17 3/4"
6' 8 1/2"				
HPIDG 1268 S				
HPIDG 1468 S				
HPIDG 1668 S				
HPIDG 1868 S				
6' 10 1/2"				
HPIDG 12610 S				
HPIDG 14610 S				
HPIDG 16610 S				
HPIDG 18610 S				
7' 0"				
HPIDG 1270 S				
HPIDG 1470 S				
HPIDG 1670 S				
HPIDG 1870 S				
7' 3 1/2"				
HPIDG 1273 S				
HPIDG 1473 S				
HPIDG 1673 S				
HPIDG 1873 S				
8' 0 1/2"				
HPIDG 1280 S				
HPIDG 1480 S				
HPIDG 1680 S				
HPIDG 1880 S				
8' 3 1/2"				
HPIDG 1283 S				
HPIDG 1483 S				
HPIDG 1683 S				
HPIDG 1883 S				

NOTES

All doors and sidelights use safety/tempered glass.

The minimum vertical joining material width for doors and sidelights is 1/2". When joining a venting sidelight to a door, the minimum vertical joining material width is 2".

Use structural joining material when necessary or required by code.

The light patterns illustrated apply to removable interior wood grilles, Full Divided Light, Simulated Divided Light, Decorelle 100, 150 and 400 and Finelight™ Grilles-Between-the-Glass. All removable interior wood grilles will be installed in the units unless otherwise specified.

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

Inswing Frame Height (using Low Threshold Sill)

= Standard Inswing Frame Height - 15/16"

FORMULA FOR COMBINATION DOORS

The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s).

The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.


Any unit within each combination can be operating or stationary except for direct-set units and transoms.

Panels - Active

Active Panel Graphic

Note:

See [Architectural Tools](#) for additional panel detail. Hardware shown not included.



E-Series Hinged Door Active Panel

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Panels - Active

Active Panel Size Table

Note:

Height dimension is for High Performance sill and SP1 panel.

Overall Active Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.

Guide to door types:


A: active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Active Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDI2068	A	22 ¹¹ / ₁₆ × 77 ³ / ₁₆	13 ⁵ / ₁₆ × 64 ¹ / ₂	14 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI20610	A	22 ¹¹ / ₁₆ × 79 ³ / ₁₆	13 ⁵ / ₁₆ × 66 ¹ / ₂	14 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2070	A	22 ¹¹ / ₁₆ × 81 ³ / ₁₆	13 ⁵ / ₁₆ × 68 ¹ / ₂	14 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2073	A	22 ¹¹ / ₁₆ × 84 ³ / ₁₆	13 ⁵ / ₁₆ × 71 ¹ / ₂	14 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2080	A	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 80 ¹ / ₂	14 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2083	A	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 83 ¹ / ₂	14 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2668	A	28 ¹¹ / ₁₆ × 77 ³ / ₁₆	19 ⁵ / ₁₆ × 64 ¹ / ₂	20 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI26610	A	28 ¹¹ / ₁₆ × 79 ³ / ₁₆	19 ⁵ / ₁₆ × 66 ¹ / ₂	20 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2670	A	28 ¹¹ / ₁₆ × 81 ³ / ₁₆	19 ⁵ / ₁₆ × 68 ¹ / ₂	20 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2673	A	28 ¹¹ / ₁₆ × 84 ³ / ₁₆	19 ⁵ / ₁₆ × 71 ¹ / ₂	20 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2680	A	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 80 ¹ / ₂	20 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2683	A	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 83 ¹ / ₂	20 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2868	A	30 ¹¹ / ₁₆ × 77 ³ / ₁₆	21 ⁵ / ₁₆ × 64 ¹ / ₂	22 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI28610	A	30 ¹¹ / ₁₆ × 79 ³ / ₁₆	21 ⁵ / ₁₆ × 66 ¹ / ₂	22 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2870	A	30 ¹¹ / ₁₆ × 81 ³ / ₁₆	21 ⁵ / ₁₆ × 68 ¹ / ₂	22 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2873	A	30 ¹¹ / ₁₆ × 84 ³ / ₁₆	21 ⁵ / ₁₆ × 71 ¹ / ₂	22 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2880	A	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 80 ¹ / ₂	22 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2883	A	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 83 ¹ / ₂	22 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3068	A	34 ¹¹ / ₁₆ × 77 ³ / ₁₆	25 ⁵ / ₁₆ × 64 ¹ / ₂	26 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI30610	A	34 ¹¹ / ₁₆ × 79 ³ / ₁₆	25 ⁵ / ₁₆ × 66 ¹ / ₂	26 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3070	A	34 ¹¹ / ₁₆ × 81 ³ / ₁₆	25 ⁵ / ₁₆ × 68 ¹ / ₂	26 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3073	A	34 ¹¹ / ₁₆ × 84 ³ / ₁₆	25 ⁵ / ₁₆ × 71 ¹ / ₂	26 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3080	A	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 80 ¹ / ₂	26 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3083	A	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 83 ¹ / ₂	26 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3268	A	36 ¹¹ / ₁₆ × 77 ³ / ₁₆	27 ⁵ / ₁₆ × 64 ¹ / ₂	28 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI32610	A	36 ¹¹ / ₁₆ × 79 ³ / ₁₆	27 ⁵ / ₁₆ × 66 ¹ / ₂	28 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3270	A	36 ¹¹ / ₁₆ × 81 ³ / ₁₆	27 ⁵ / ₁₆ × 68 ¹ / ₂	28 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3273	A	36 ¹¹ / ₁₆ × 84 ³ / ₁₆	27 ⁵ / ₁₆ × 71 ¹ / ₂	28 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3280	A	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 80 ¹ / ₂	28 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3283	A	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 83 ¹ / ₂	28 ⁵ / ₁₆ × 84 ¹ / ₂

Panels - Active

Active Panel Options

Panel - Active



TEMPERED
 16 CFR 1201.11
 ANSI Z97.1-2009
 SGGC XXXX
 CIG-XX Xmm MM/DD/YR
 CAN/CGSB 12.1-M90

Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors is made to order.

[Exterior color options](#)

[Interior species/finish/color options](#)

Glass options (See [Logo/Etching Examples](#)):

Low-E4®	Low-E4® HeatLock	Low-E4® Triple-Pane
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat-Lock	Low-E4® Enhanced Triple-Pane
Low-E4® Sun	Low-E4® HeatLock Tempered	Low-E4® Smart-Sun Enhanced Triple-Pane
Low-E4® Tempered	Obscure	Low-E4® Enhanced Triple-Pane Heat-Lock
Low-E4® SmartSun Tempered	Cascade	Low-E4® Smart-Sun Enhanced Triple-Pane HeatLock
Low-E4® Passive Sun Tempered	Fern	
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR





1. Unit or frame size (AFDI XXXX or frame W x H dimensions)
2. Description of part (Active Panel)
3. Panel Style (Traditional, Contemporary)
4. [Panel Options](#) (Mid-Rail)
5. Handing (Right, Left)
6. Exterior color of panel
7. Interior wood species of panel
8. Interior finish/color of panel
9. Glazing
10. Part numbered panels with Finelight™ grilles, will have 1" wide grille bars. When ordering as configured, choose grille bar width 1" or 3/4".

Panels - Passive


Passive Panel Graphic

Note:


See [Architectural Tools](#) for additional panel detail. Hardware shown not included.




2. Panel Cap
3. Weatherstrip
4. [Weatherstrip Receiver](#)
5. [Screw - Sweep](#)
6. [Sweep](#)
7. [Hinge Cup](#)
8. [Hinge Shim](#)
9. [Hinge](#)
10. [Screw - Hinge](#)
- 11A. [Screw - Lock](#)
- 11B. [Screw - Lock](#)
12. [Screw - Panel Cap](#)
13. [Lock](#)
15. [Lock Adapter](#)
16. [Weatherstrip Jamb Pad](#)
18. [Passive Lock](#)
19. [Passive Lock Extension](#)
20. [Screw - Passive Lock](#)



HI - PERFORMANCE SILL



ADA SILL



E-Series Hinged Door AP/PA Passive Panel

Panels - Passive

Passive Panel Size Table

Note:

Height dimension is for High Performance sill and SP1 panel.

Overall Passive Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.

Guide to door types

A: active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Passive Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDI2068	P	22 ¹¹ / ₁₆ × 77 ³ / ₁₆	13 ⁵ / ₁₆ × 64 ¹ / ₂	14 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI20610	P	22 ¹¹ / ₁₆ × 79 ³ / ₁₆	13 ⁵ / ₁₆ × 66 ¹ / ₂	14 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2070	P	22 ¹¹ / ₁₆ × 81 ³ / ₁₆	13 ⁵ / ₁₆ × 68 ¹ / ₂	14 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2073	P	22 ¹¹ / ₁₆ × 84 ³ / ₁₆	13 ⁵ / ₁₆ × 71 ¹ / ₂	14 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2080	P	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 80 ¹ / ₂	14 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2083	P	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 83 ¹ / ₂	14 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2668	P	28 ¹¹ / ₁₆ × 77 ³ / ₁₆	19 ⁵ / ₁₆ × 64 ¹ / ₂	20 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI26610	P	28 ¹¹ / ₁₆ × 79 ³ / ₁₆	19 ⁵ / ₁₆ × 66 ¹ / ₂	20 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2670	P	28 ¹¹ / ₁₆ × 81 ³ / ₁₆	19 ⁵ / ₁₆ × 68 ¹ / ₂	20 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2673	P	28 ¹¹ / ₁₆ × 84 ³ / ₁₆	19 ⁵ / ₁₆ × 71 ¹ / ₂	20 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2680	P	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 80 ¹ / ₂	20 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2683	P	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 83 ¹ / ₂	20 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2868	P	30 ¹¹ / ₁₆ × 77 ³ / ₁₆	21 ⁵ / ₁₆ × 64 ¹ / ₂	22 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI28610	P	30 ¹¹ / ₁₆ × 79 ³ / ₁₆	21 ⁵ / ₁₆ × 66 ¹ / ₂	22 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2870	P	30 ¹¹ / ₁₆ × 81 ³ / ₁₆	21 ⁵ / ₁₆ × 68 ¹ / ₂	22 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2873	P	30 ¹¹ / ₁₆ × 84 ³ / ₁₆	21 ⁵ / ₁₆ × 71 ¹ / ₂	22 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2880	P	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 80 ¹ / ₂	22 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2883	P	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 83 ¹ / ₂	22 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3068	P	34 ¹¹ / ₁₆ × 77 ³ / ₁₆	25 ⁵ / ₁₆ × 64 ¹ / ₂	26 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI30610	P	34 ¹¹ / ₁₆ × 79 ³ / ₁₆	25 ⁵ / ₁₆ × 66 ¹ / ₂	26 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3070	P	34 ¹¹ / ₁₆ × 81 ³ / ₁₆	25 ⁵ / ₁₆ × 68 ¹ / ₂	26 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3073	P	34 ¹¹ / ₁₆ × 84 ³ / ₁₆	25 ⁵ / ₁₆ × 71 ¹ / ₂	26 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3080	P	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 80 ¹ / ₂	26 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3083	P	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 83 ¹ / ₂	26 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3268	P	36 ¹¹ / ₁₆ × 77 ³ / ₁₆	27 ⁵ / ₁₆ × 64 ¹ / ₂	28 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI32610	P	36 ¹¹ / ₁₆ × 79 ³ / ₁₆	27 ⁵ / ₁₆ × 66 ¹ / ₂	28 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3270	P	36 ¹¹ / ₁₆ × 81 ³ / ₁₆	27 ⁵ / ₁₆ × 68 ¹ / ₂	28 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3273	P	36 ¹¹ / ₁₆ × 84 ³ / ₁₆	27 ⁵ / ₁₆ × 71 ¹ / ₂	28 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3280	P	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 80 ¹ / ₂	28 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3283	P	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 83 ¹ / ₂	28 ⁵ / ₁₆ × 84 ¹ / ₂

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Panels - Passive

Passive Panel Options

Panel - Passive / AP/PA



Low-E4®



Low-E4® Triple-Pane



Low-E4® Enhanced Triple-Pane



Low-E4® HeatLock™



Low-E4® SmartSun™ HeatLock™



Low-E4® SmartSun™

Low-E4® SmartSun™ Triple-Pane



Low-E4® SmartSun™ Triple-Pane



Low-E4® Enhanced Triple Pane HeatLock™



Low-E4® SmartSun™ Enhanced Triple Pane HeatLock™



Low-E4® SmartSun™ Enhanced Triple Pane HeatLock™

TEMPERED
16 CFR 1201 II
ANSI Z97.1 2009
SGCC XXXX
CIG-XX Xmm MM/DD/YR
CAN/CGSB 12.1-M90

Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors is made to order.

[Exterior color options](#)

[Interior species/finish/color options](#)

Glass options (See [Logo/Etching Examples](#)):

Low-E4®	Low-E4® HeatLock	Low-E4® Triple-Pane
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat-Lock	Low-E4® Enhanced Triple-Pane
Low-E4® Sun	Low-E4® HeatLock Tempered	Low-E4® Smart-Sun Enhanced Triple-Pane
Low-E4® Tempered	Obscure	Low-E4® Enhanced Triple-Pane Heat-Lock
Low-E4® SmartSun Tempered	Cascade	Low-E4® Smart-Sun Enhanced Triple-Pane HeatLock
Low-E4® Passive Sun Tempered	Fern	
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR

- Unit or frame size (AFDI XXXX or frame W x H dimensions)
- Description of part (Passive Panel)
- Panel Style (Traditional, Contemporary)
- [Panel Options](#) (Mid-Rail)
- Handing (Right, Left)
- Exterior color of panel
- Interior wood species of panel
- Interior finish/color of panel
- Glazing
- Part numbered panels with Finelight™ grilles, will have 1" wide grille bars. When ordering as configured, choose grille bar width 1" or 3/4".

Panels - Passive

Panel Astragal - Passive

Note:


Replacement astragal for standard and custom-sized doors is made to order. The astragal is applied to the passive panel. An astragal for an AP unit is different than an astragal for a PA unit. AP astragal shown.

Exterior color options

Interior species/finish/color options

To order, state:



1. Description of Part (Panel Astragal Assembly AP Unit or Panel Astragal Assembly PA Unit)
2. Quantity
3. Exterior color of panel
4. Interior wood species of panel
5. Interior finish/color of panel
6. Product ID (from product label, see [page 10](#))




E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Panels - Passive

Astragal Parts				
Jamb Seal				
			Length	Dark Bronze
			37	0007220
			74	0007222
			81	0007223
			85	0007224
			97	0007225
			120	0007226
End Cap - Astragal				
		Color	LH	RH
		Black	9183917	9183918


Panels - Passive

Screw / Astragal					
Note: (*) Anodized finishes.					
Description					
8 x 1/2" PH Pan Tek's Point SHT MTL ZINC					
					
Color	2604	2605	Color	2604	2605
Colony White	0013440	0K12250	Moss	0073386	0K12290
White	0047477	0K14405	Forest Green	0047474	0K14402
Eagle Abalone	0073381	0K12274	Mallard Green	0073375	0K12260
Balsa White	0073372	0K12255	Spearmint	0093969	0K12283
Canvas	0010019	0K17659	Aquamarine	0093968	0K12282
Maple Syrup	0073382	0K12276	Patina	0093972	0K12289
Harvest Gold	0093966	0K12272	Sky Blue	0093961	0K12262
Prairie Grass	0010022		Country Blue	0013450	0K12258
Flagstone	0013449	0K12257	Blue Denim	0073383	0K12277
Sandtone	0047475	0K14403	Watercolor Blue	0093963	0K12267
Pebble Tan	0013446	0K12252	Caribbean Blue	0093967	0K12280
Carmel	0073378	0K12266	Slate	0013453	0K12278
Terratone	0047476	0K14404	Moody Blue	0093962	0K12263
Hot Chocolate	0073384	0K12279	Stormy Blue	0073373	0K12256
Bourbon	0093973	0K12293	Dove Gray	0010020	0K17660
Acorn	0073388	0K12292	Harbor Mist	0013452	0K12271
Coffee Bean	0073390	0K12295	Yorktown Pewter	0093965	0K12270
Cocoa Bean	0010021	0K17659	Smokey Gray	0073387	0K12291
Dark Bronze	0049367	0K20863	Mystic Gray	0073393	0K12298
Clay Canyon	0073379	0K12268	Dark Ash	0073392	0K12297
Cardinal Red		0K12287	Black	0010018	0K14402
Bing Cherry		0K12286	Clear Anodized*	By description	
Fire Engine Red		0K12288	Champagne*	0074524	
Cinnamon Toast	0013451	0K12261	Light Bronze*	0074525	
Red Rock	0010023	0K17661	Medium Bronze*	0074526	
Olive	0073374	0K12259	Copper*	0074536	
Sage	0073391	0K12296	Dark Bronze*	0049367	
Billiard Green	0093964	0K12269	Black*	By description	

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Panels - Passive


Screw / Astragal					
Note: (*) Anodized finishes.					
Description 8 x 1/2" PH Pan Teks Point SHT MTL ZINC					
					
Color	2604	2605	Color	2604	2605
Eagle Black	0073371	0K12275			
Eagle Cappuccino	0073389	0K12294			
Bronze	0013445	0K12251			
Eagle Linen	0073394	0K12299			
Eagle Blue Mist	0093970	0K12284			
Eagle Pink Chablis	0093971	0K12285			
Eagle Butterscotch	0073376	0K12264			
Eagle Elephant	0073385	0K12281			
Eagle Chocolate Chip	0073377	0K12265			
Eagle Forest Green	0013447	0K12253			
Antique White	0013448	0K12254			
Eagle Gray Flannel	0073380	0K12273			

Panels - Stationary / Sidelight


Stationary / Sidelight Panel Graphic

Note:

Right hand stationary panel shown. See [Architectural Tools](#) for additional panel detail.



2. [Weatherstrip](#)



INSWING HI-PERFORMANCE SILL
LH PANEL

E-Series Hinged Door Stationary/Sidelight Panel

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Panels - Stationary / Sidelight

Stationary / Sidelight Panel Size Table

Note:

Height dimension is for High Performance sill and SP1 panel.

Overall Stationary Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.




Guide to door types:

A: active panel; **P:** passive panel; **S:** stationary panel

Unit No.	Type	Overall Stationary Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
AFDI2068	S	22 ¹¹ / ₁₆ × 77 ³ / ₁₆	13 ⁵ / ₁₆ × 64 ¹ / ₂	14 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI20610	S	22 ¹¹ / ₁₆ × 79 ³ / ₁₆	13 ⁵ / ₁₆ × 66 ¹ / ₂	14 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2070	S	22 ¹¹ / ₁₆ × 81 ³ / ₁₆	13 ⁵ / ₁₆ × 68 ¹ / ₂	14 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2073	S	22 ¹¹ / ₁₆ × 84 ³ / ₁₆	13 ⁵ / ₁₆ × 71 ¹ / ₂	14 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2080	S	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 80 ¹ / ₂	14 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2083	S	22 ¹¹ / ₁₆ × 93 ³ / ₁₆	13 ⁵ / ₁₆ × 83 ¹ / ₂	14 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2668	S	28 ¹¹ / ₁₆ × 77 ³ / ₁₆	19 ⁵ / ₁₆ × 64 ¹ / ₂	20 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI26610	S	28 ¹¹ / ₁₆ × 79 ³ / ₁₆	19 ⁵ / ₁₆ × 66 ¹ / ₂	20 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2670	S	28 ¹¹ / ₁₆ × 81 ³ / ₁₆	19 ⁵ / ₁₆ × 68 ¹ / ₂	20 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2673	S	28 ¹¹ / ₁₆ × 84 ³ / ₁₆	19 ⁵ / ₁₆ × 71 ¹ / ₂	20 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2680	S	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 80 ¹ / ₂	20 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2683	S	28 ¹¹ / ₁₆ × 93 ³ / ₁₆	19 ⁵ / ₁₆ × 83 ¹ / ₂	20 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI2868	S	30 ¹¹ / ₁₆ × 77 ³ / ₁₆	21 ⁵ / ₁₆ × 64 ¹ / ₂	22 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI28610	S	30 ¹¹ / ₁₆ × 79 ³ / ₁₆	21 ⁵ / ₁₆ × 66 ¹ / ₂	22 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI2870	S	30 ¹¹ / ₁₆ × 81 ³ / ₁₆	21 ⁵ / ₁₆ × 68 ¹ / ₂	22 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI2873	S	30 ¹¹ / ₁₆ × 84 ³ / ₁₆	21 ⁵ / ₁₆ × 71 ¹ / ₂	22 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI2880	S	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 80 ¹ / ₂	22 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI2883	S	30 ¹¹ / ₁₆ × 93 ³ / ₁₆	21 ⁵ / ₁₆ × 83 ¹ / ₂	22 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3068	S	34 ¹¹ / ₁₆ × 77 ³ / ₁₆	25 ⁵ / ₁₆ × 64 ¹ / ₂	26 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI30610	S	34 ¹¹ / ₁₆ × 79 ³ / ₁₆	25 ⁵ / ₁₆ × 66 ¹ / ₂	26 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3070	S	34 ¹¹ / ₁₆ × 81 ³ / ₁₆	25 ⁵ / ₁₆ × 68 ¹ / ₂	26 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3073	S	34 ¹¹ / ₁₆ × 84 ³ / ₁₆	25 ⁵ / ₁₆ × 71 ¹ / ₂	26 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3080	S	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 80 ¹ / ₂	26 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3083	S	34 ¹¹ / ₁₆ × 93 ³ / ₁₆	25 ⁵ / ₁₆ × 83 ¹ / ₂	26 ⁵ / ₁₆ × 84 ¹ / ₂
AFDI3268	S	36 ¹¹ / ₁₆ × 77 ³ / ₁₆	27 ⁵ / ₁₆ × 64 ¹ / ₂	28 ⁵ / ₁₆ × 65 ¹ / ₂
AFDI32610	S	36 ¹¹ / ₁₆ × 79 ³ / ₁₆	27 ⁵ / ₁₆ × 66 ¹ / ₂	28 ⁵ / ₁₆ × 67 ¹ / ₂
AFDI3270	S	36 ¹¹ / ₁₆ × 81 ³ / ₁₆	27 ⁵ / ₁₆ × 68 ¹ / ₂	28 ⁵ / ₁₆ × 69 ¹ / ₂
AFDI3273	S	36 ¹¹ / ₁₆ × 84 ³ / ₁₆	27 ⁵ / ₁₆ × 71 ¹ / ₂	28 ⁵ / ₁₆ × 72 ¹ / ₂
AFDI3280	S	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 80 ¹ / ₂	28 ⁵ / ₁₆ × 81 ¹ / ₂
AFDI3283	S	36 ¹¹ / ₁₆ × 93 ³ / ₁₆	27 ⁵ / ₁₆ × 83 ¹ / ₂	28 ⁵ / ₁₆ × 84 ¹ / ₂

Panels - Stationary / Sidelight

Stationary / Sidelight Panels



TEMPERED
 16 CFR 1201.11
 ANSI Z97.1-2009
 SGGC XXXX
 CIG-XX Xmm MM/DD/YR
 CAN/CSB 12.1-M90

Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors is made to order. Panel includes watershed and weatherstrip. See [Service Guide xxxxxxxx](#).

Exterior color options

Interior species/finish/color options

Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® Triple-Pane
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat-Lock	Low-E4® Enhanced Triple-Pane
Low-E4® Sun	Low-E4® HeatLock Tempered	Low-E4® Smart-Sun Enhanced Triple-Pane
Low-E4® Tempered	Obscure	Low-E4® Enhanced Triple-Pane Heat-Lock
Low-E4® SmartSun Tempered	Cascade	Low-E4® Smart-Sun Enhanced Triple-Pane HeatLock
Low-E4® Passive Sun Tempered	Fern	
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame size (AFDI XXXX or frame W x H dimensions)
2. Description of part (Stationary/Sidelight Panel)
3. Panel Style (Traditional, Contemporary)
4. [Panel Options](#) (Mid-Rail)
5. Exterior color of panel
6. Interior wood species of panel
7. Interior finish/color of panel
8. Glazing

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Shared Panel Parts

Glass Stops

Note:

See [species/finish/color options](#).

To order, state:


1. Description of Part (Glass Stop)
2. Profile (Ovolo, Contemporary)
3. Species/finish/color
4. Length
5. Quantity
6. Product ID (from product label, see [page 10](#))
7. Options Desired (if different than original product)

Weatherstrip

Door Sweep / 74"

Note:

Secures to bottom of panel.



ADA SILL OR NO SILL

Dark Bronze

0018164

Weatherstrip / Bulb

Note:

Secures to the bottom of the panel on all Inswing doors that use the high performance sill



Unit No.

Color

Length

Order No.

AFDI

White

120"

9103912

300"

9103816

Black

120"

9103913

300"


9103817

Receiver Strip

Receiver Strip w / No Holes / 36"

Note:

Secures to bottom of panel.



ADA SILL OR NO SILL

Order No.

0018493


Shared Panel Parts

Panel Cap

Panel Cap

Note:

Secures to top of active/passive panel.

**Order No.**Configured by
Product ID

Panel Cap Screw

Description**Finish****Order No.**

#7 x 7/8 PFHSMS Type AB

Stainless Steel

0015746

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary



Glass

Glass

Glass

Note:

Replacement glass is made to order and can be configured through iQ. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb. Glass ships with sealant and spacers. See [Accessory Guide 9176386](#).



TEMPERED
16 CFR 1201 II
ANSI Z97.1 2009
SGCC XXXX
CIG-XX Xmm MM/DD/YR
CAN/CGSB 12.1-M9 0

Exterior color options:

Interior species/finish/color options:

Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® SmartSun HeatLock
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat-Lock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun Enhanced Triple-Pane
Low-E4® SmartSun Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat-Lock
Low-E4® Passive Sun Tempered	Fern	Low-E4® Smart-Sun Enhanced Triple-Pane HeatLock
Low-E4® Sun Tempered	Reed	

To order, state:



Product ID (from product label, see [Service Guide 9051877](#))

OR

1. Unit or frame size (AFDI XXXX or frame W x H dimensions)
2. Description of part (Low-E4® Glass)
3. Glazing/Grille type
4. Glass Stop Type (Ovolo, Contemporary)
5. Manufacturing Date

Insect Screens

Insect Screen Graphic - Top Hung Gliding



E-Series Hinged Door Top-Hung Gliding Insect Screen

Top Hung Gliding Insect Screens

Note:

Available as a configured item for post units. Charcoal fiberglass screen mesh or aluminum screen mesh. Gliding screens are top hung.

Top Hung Gliding Insect Screen Parts

Note:

No replacement parts available, order complete insect screen.


E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Insect Screen Graphic - Hinged screen


Note:

Limited replacement parts available,



Hinge Insect Screen Parts

Panel Retainer




Note:

Used to swap a screen insert for a storm panel insert in the hinged screen door - it holds that panel.


Order No.

9191321


Hinged Screen Door Astragal

	Note: .	Order No.
		OBD1

Hinged Screen Door Astragal W/S


	Note: .	Order No.
		OBD1

Hinged Screen Door Z Bar

	Note: The same profile is used for Head and LH jamb, RH jamb..	Order No.
		OBD1


Insect Screen Graphic - Hinged Screen Hardware


Note: Replacement Hardware Kits Only



42


E-Series Hinged Door Hinged Insect Screen Handleset Hardware View


Hinged Screen Door Hardware Kit (Entry)		
	Note: Ref part # HS504924	Order No.
		OBD1

Hinged Screen Door Hardware Kit (French)		
	Note: Ref part # HS504925 plus #9191886 and #9191859.	Order No.
		OBD1

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary




Slide Bolt		
	Note: Ref part# 9191886	Order No.
		OBD




Strike Plate		
	Note: Ref part# 9191859	Order No.
		OBD

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary





Insect Screens

Hinged Screen Door Screen Panel Insert		
  	Note: ..Reference Drawing #0123757 and requires a Special Product Request.	Order No.
		OBD1

Hinged Screen Door Storm Panel Insert		
  	Note: ..Reference Drawing #0123746 and requires a Special Product Request.	Order No.
		OBD1

Insect Screens

Insect Screen Graphic - Concealed (Retractable)



E-Series Hinged Door Concealed (Retractable) Insect Screen

Retractable Insect Screens

Note:

Available as a configured item. Charcoal fiberglass screen mesh or aluminum screen mesh.

Insect Screens

Retractable Insect Screen Parts

Note:

No replacement parts available, order complete insect screen.

Grilles

Grilles

Grille Options

Note:

Replacement sash with permanently applied grilles and finelight grilles can be configured in iQ. Replacement removable interior grilles can be configured in iQ. Removable grilles are only available in 7/8" profile.

Types



Full Divided Light

Give any window an authentic look with full divided light grilles that are permanently applied to the interior and exterior of your window with a spacer between the glass.



Simulated Divided Light

An economical solution with traditional beauty, our Simulated Divided Light features fixed exterior and interior grilles without an internal spacer.



Removable Interior Wood Grilles


Our removable wood grilles are installed on the interior surface. They are available with an optional surround and an optional permanently applied exterior grille.



Finelight™ Grilles-Between-the-Glass

Aluminum grilles conveniently placed between two panes of glass make the glass easy to clean inside and out.

Profiles




Interior Wood: Ovolo (Colonial)

Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

Available with:

- Full Divided Light
- Simulated Divided Light




Interior Wood: Contemporary

Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

Available with:

- Full Divided Light
- Simulated Divided Light




Exterior Aluminum: Chamfer

Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"

Available with:

- Full Divided Light
- Simulated Divided Light
- Removable Interior Wood with Optional Permanently Applied Exterior Grille




Exterior Aluminum: Contemporary

Widths:

- 5/8"
- 7/8"
- 1 1/8"
- 1 1/2"
- 2 1/4"


Available with:

- Full Divided Light
- Simulated Divided Light
- Removable Interior Wood with Optional Permanently Applied Exterior Grille



Removable Interior Wood Grilles


Ovolo or Contemporary profiles in 7/8" width




Finelight Grille Profiles and Widths

Flat or Contoured profiles in 5/8" or 1" widths


Patterns




Colonial




Specified Equal Light




Prairie A



Specified Equal Light Fractional



Queen Anne



Custom

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Hardware

Andersen® Half Trim Set Kits - Interior

Note:

Interior half trim sets are available for Newbury®, Covington, Encino®, Yuma®, Anvers®, Whitmore®, Tribeca®, and Albany Hardware.



XXXX Style Shown

Sets include:	AR	AL	AP/PA
Handle, RH Hinged*	NA	1	1
Handle, LH Hinged*	1	NA	1
Plate, Escutcheon, Inside Active Hinged	1	1	1
Turn Knob	1	1	1
Bushing Trim Adaptor	1	1	2
Screw, 1/4-20 UNC SS, KNURL CUP PT SET	1	1	2
Limiting Plate	1	1	1
Actuator, Lock	1	1	1
Screw, #10 Fill HD, PH, M5X.8-35MM, Zinc	2	2	2
Screw, #8-32UNC x 2, PH Oval HD, MACH	2	2	4
1/8 Allen Wrench	1	1	1
Plate, Escutcheon, Inside Passive Hinged	NA	NA	1
Strike, Plate Single	1	1	NA
Screw, #10 x 1.000 PH FH S/M/S	2	2	2
Strike, Plate Double	NA	NA	1

*Pack has a RH handle for an active left door and a LH handle for an active right door and both for AP/PA.


Hardware

Andersen® Half Trim Set Kits - Exterior

Note:

Exterior half trim sets are available for Newbury®, Covington, Encino®, Yuma®, Anvers®, Whitmore®, Tribeca®, and Albany Hardware.

Tribeca® includes threaded studs.



Albany Style Shown

Sets include:	AR	AL	AP/PA
Handle, RH Hinged*	1	N/A	1
Handle, LH Hinged*	N/A	1	1
Plate, Outside Active	1	1	1
Gasket, Trimset	1	1	2
Straight Spindle	1	1	2
Screw, 1/4-20 UNC SS, KNUURL CUP PT SET	1	1	2
Cylinder, Dummy	1	1	1
Plate, Outside Passive	N/A	N/A	1
Bushing Trim Adapter	1	1	2
1/8 Allen Wrench	1	1	1

*Pack has a LH handle for an active left door and a RH handle for an active right door and both for AP/PA.

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Construction Trim Set		
Construction Trim Set - Active		
	Kit Includes: (1) Plate, passive outside (1) Plate, active inside (assembly) (1) Handle, exterior (assembly) (1) Handle, interior (assembly) (1) Actuator, lock (assembly) (1) Plate, limiting (2) Screws, M5 X .8-35MM PH w/#10 Fill Head Machine, Zinc (1) Retainer, bolt (2) Studs, tapped (2) Screws, #8-32 UNC X 1.625, PH W/#10 Oval Head, Machine (1) Wrench, Allen, 1/8 (1) Guide and instructions	Order No. 9020356
Construction Trim Set - Passive		
	Kit Includes: (1) Plate, passive outside (1) Handle, exterior (assembly) (1) Handle, interior (assembly) (2) Studs, tapped (2) Screws, #8-32 UNC X 1.625, PH W/#10 Oval Head, Machine (1) Wrench, Allen, 1/8 (1) Guide and instructions	Order No. 9020357


Hardware

Andersen® Hardware - Tribeca®

Note:

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



Venting Sidelight Handle Set

- | | | |
|---|--|--|
| 1. Exterior Handle (LH Shown) | 6. Escutcheon Plate Mounting Studs | 11. Interior Nylon Bushing |
| 2. Interior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |


Tribeca® Hinged Patio Door Hardware - Single Trim Set & Handle Set

Tribeca® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|---|---|
| 1. Exterior Handle (LH Shown) | 6. Exterior Nylon Bushing |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior/Interior Escutcheon Plate | 8. Spindle |
| 4. AP/PA Strike Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Escutcheon Plate Mounting Studs |

Tribeca® Hinged Patio Door Hardware - Double Trim Set

Hardware

Complete Trim Set - Tribeca® / Interior and Exterior See Illustration [page 42](#) and [page 43](#)

Note:

Venting Sidelight is a "handle set" that only includes interior handle, interior escutcheon plate and fasteners.

	Finish	Single	Double AP/PA	Venting Sidelight	
				LH	RH
	Black	9184681	9184682		
	Stone	2577557	2577558		
	White	2577555	2577556	9172408	9172409



Trim Set - Tribeca® / Interior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Black	9184670	9184673	9184671
	Stone	2572662	2572772	2572663
	White	2572660	2572771	2572661



Trim Set - Tribeca® / Exterior See Illustration [page 40](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Black	9184668	9184672	9184669
	Stone	2572603	2572750	2572604
	White	2572601	2572749	2572602

Lever Handle with Screws - Tribeca® Ref. No. 1 and 2 [page 42](#) and [page 43](#)

 Left Hand	 Right Hand	Finish	Left	Right
		Black	9184685	9184686
		Stone	2579848	2579849
		White	2579835	2579836


Escutcheon Plate - Tribeca® Ref. No. 3 and 4 [page 42](#) and [page 43](#)


 Active Interior	Finish	Active Interior	Active Exterior	Passive Interior/Exterior	
		Black	9184687	9184689	9184688
		Stone	2579852	2579854	2579853
		White	2579839	2579841	2579840
		 Passive			

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Gasket - Trim Set / Tribeca® Ref. No. 12 & 12 page 42 and page 43		
	Note: Use for Tribeca® trim set.	Order No.
		2962513

Escutcheon Plate Bolt with Stud / Tribeca®			
	Description	Finish	Order No.
	2 - #8 - 32 x 2 PH OH MS YZP 2 - threaded studs	Black	9184690
		Stone	2579855
		White	2579842


Hardware

Screw Package - Trim Set / Tribeca®

Note:

Bushings not included in Tribeca® Screw Packages, if needed order a different hardware screw package, All other Andersen® trim set screw packages are on [page 89](#).


Mounting stud shown as #3 not included with this kit. See escutcheon plate bolt with stud.



Ref. No.	Andersen Package Includes
1	2 - Screw, #8 - 32 x 2 PH OH MS YZP
2	2 - Screw, 5mm x 35 PH Pan MS YXP
3	See note #3 is not included
4	2 - Screw, 1/4 - 20 UNC SS knurled cup point set 1 - 1/8 allen wrench
5	2 - Screw, #10 x 1 PH FH S/M/S

Finish	Order No.
Black	9184684
Stone	2579767
White	2579766

Bushing - Tribeca® Ref. No. 14 [page 42](#) and [page 43](#)



Note:

Made of Nylon.

Tribeca® handles made **prior to November 2020** used this bushing. N/A.

Replacement Options:

Interior or exterior handle, matching escutcheon plate and current trim set screw package [page 89](#)

Half trim set

Complete trim set

Tribeca® handles made **November 2020 - present** uses bushing included in current trim set screw pack [page 89](#)

Clear

N/A

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Keyed Lock - Andersen® / Tribeca®

Note:

See [Accessory Guide 0005155](#). Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key.

All other Andersen® Keyed Locks are on [page 89](#)



Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.

For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.

Finish	Keyed Assembly	Keyed Alike Assembly
Black	9184683	N/A
Stone	2579722	9056143
White	2579721	9056145

Lock Cylinder with Keys / Tribeca®

Note:

Lock cylinders are available in two finishes: Bright Brass and Oil Rubbed Bronze. The column called Cylinder Finish shows the recommended selection for each trim set finish.

All other Andersen® Lock Cylinders are on page 89.




Lock Finish	Cylinder Finish	Order No.
Black	Oil Rubbed Bronze	2579389
Stone	Chrome	2579641
White	Chrome	2579641

Dummy Cylinder - Lock Set / Tribeca® Ref. No. 15 [page 42](#)

Note:

All other Andersen® Dummy Cylinders are on [page 90](#).



Finish	Order No.
Black	9184691
Stone	2579860
White	2579847


Hardware

Andersen® Hardware - Anvers®

Note:

See [Accessory Guide 0005156](#) for Active Hardware.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- | | | |
|---|--|--|
| 1. Interior Handle (LH Shown) | 6. Strike Plate | 11. Interior Nylon Bushing |
| 2. Exterior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |


Anvers® Hinged Patio Door Hardware - Single Trim Set

Anvers® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 4.* AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Anvers® Hinged Patio Door Hardware - Double Trim Set

Hardware

Complete Trim Set - Anvers® / Interior and Exterior See Illustration [page 48](#) and [page 49](#)

	Finish	Single	Double AP/PA
	Bright Brass	2578913	2578914
	Oil Rubbed Bronze	2578917	2578918
	Satin Nickel	2578915	2578916

Trim Set - Anvers® / Interior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Bright Brass	2572676	2572779	2572677
	Oil Rubbed Bronze	2572686	2572784	2572687
	Satin Nickel	2572692	2572787	2572693

Trim Set - Anvers® / Exterior See Illustration [page 40](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Bright Brass	2572632	2572757	2572633
	Oil Rubbed Bronze	2572642	2572762	2572643
	Satin Nickel	2572648	2572765	2572649

Handle with Screws - Anvers® Ref. No. 1 and 2 [page 48](#) and [page 49](#)

	Finish	Left	Right
	Bright Brass	2573719	2573720
	Oil Rubbed Bronze	2573721	2573722
	Satin Nickel	2573723	2573724

Escutcheon Plate - Anvers® / Exterior Ref. No. 3 [page 48](#) and [page 49](#)

	Finish	Active	Passive
	Bright Brass	2573741	2573742
	Oil Rubbed Bronze	2573745	2573746
	Satin Nickel	2573749	2573750

Escutcheon Plate - Anvers® / Interior Ref. No. 4 [page 48](#) and [page 49](#)

	Finish	Active	Passive
	Bright Brass	2573739	2573740
	Oil Rubbed Bronze	2573743	2573744
	Satin Nickel	2573747	2573748

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware


Andersen® Hardware - Albany

Note:

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.

Albany Hardware - Single Trim Set Illustration



- | | | |
|--|--|--|
| 1. Interior Handle (LH Shown) | 6. Strike Plate | 11. Interior Nylon Bushing |
| 2. Exterior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Passive Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Passive Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |

Albany Hardware for Hinged Doors - Single Trim Set


Hardware

Albany Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 6. AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Albany Hardware for Hinged Doors - Double Trim Set

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Complete Trim Set - Interior/Exterior Albany See Illustration [page 51](#) and [page 52](#)

	Finish	Single	Double AP/PA	Venting Sidelight	
				LH	RH
	Black	9007549	9007553		
	Gold Dust	N/A	N/A		
	Stone	9007547	9007551		9172411
	White	9007546	9007550		

Trim Set - Interior Albany See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Black	9007576	99007581	9007577
	Gold Dust	N/A	N/A	N/A
	Stone	9007572	9007579	9007573
	White	9007570	9007578	9007571

Trim Set - Exterior Albany See Illustration [page 40](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Black	9007588	9007593	9007589
	Gold Dust	N/A	N/A	N/A
	Stone	9007584	9007591	9007585
	White	9007582	9007590	9007583

Lever Handle with Screws Albany Ref. No. 1 and 2 [page 51](#) and [page 52](#)

	Finish	Left	Right
	Black	9018912	9018913
	Gold Dust	N/A	N/A
	Stone	9018908	9018909
	White	9018906	9018907

Escutcheon Plate - Interior Albany Ref. No. 4 [page 51](#) and [page 52](#)

	Finish	Active	Passive AP/PA
	Black	9018944	9018952
	Gold Dust	N/A	N/A
	Stone	9018942	9018950
	White	9018941	9018949

Escutcheon Plate - Exterior Albany Ref. No. 3 [page 51](#) and [page 52](#)

	Finish	Active	Passive AP/PA
	Black	9018940	9018948
	Gold Dust	N/A	N/A
	Stone	9018938	9018946
	White	9018937	9018945


Hardware

Andersen® Hardware - Newbury®

Note:

See [Accessory Guide 0005156](#) for Active Hardware. See [Accessory Guide 9172158](#) for venting sidelight handle set.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.




Newbury® Hardware for Hinged Doors - Single Trim Set

Newbury® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 6. *AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Newbury® Hardware for Hinged Doors - Double Trim Set

Hardware

Complete Trim Set - Newbury® / Interior and Exterior See Illustration [page 54](#) and [page 55](#)

Note:

Venting Sidelight is a "handle set" that only includes interior handle, interior escutcheon plate and fasteners.

	Finish	Single	Double AP/PA	Venting Sidelight	
				LH	RH
	Antique Brass	2577504	2577521		
	Bright Brass	2577543	2577544		
	Brushed Chrome	N/A	N/A		
	Chrome	N/A	N/A		
	Oil Rubbed Bronze	2579742	2579743	9172414	9172415
	Satin Nickel	2579443	2579455	9172412	9172413


Trim Set - Newbury® / Interior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	2572666	2572774	2572667
	Bright Brass	2572664	2572773	2572665
	Brushed Chrome	N/A	N/A	N/A
	Chrome	N/A	N/A	N/A
	Oil Rubbed Bronze	2572672	2572777	2572673
	Satin Nickel	2572674	2572778	2572675

Trim Set - Newbury® / Exterior See Illustration [page 40](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	2572607	2572752	2572608
	Bright Brass	2572605	2572751	2572606
	Brushed Chrome	N/A	N/A	N/A
	Chrome	N/A	N/A	N/A
	Oil Rubbed Bronze	2572628	2572755	2572629
	Satin Nickel	2572630	2572756	2572631



Handle with Screws - Newbury® Ref. No. 1 and 2 [page 54](#) and [page 55](#)

	Finish	Left	Right
 Right Hand Left Hand	Antique Brass	2579610	2579614
	Bright Brass	2579611	2579612
	Brushed Chrome	N/A	N/A
	Chrome	N/A	N/A
	Oil Rubbed Bronze	2579901	2579903
	Satin Nickel	2579441	2579442

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Escutcheon Plate - Newbury® / Exterior Ref. No. 3 page 54 and page 55				
 Active Passive		Finish	Active	Passive
		Antique Brass	2579606	2579680
		Bright Brass	2579605	2579601
		Brushed Chrome	N/A	N/A
		Chrome	N/A	N/A
		Oil Rubbed Bronze	2579913	2579915
		Satin Nickel	2579449	2579448
Escutcheon Plate - Newbury® / Interior page 54 and page 55				
 Active Passive		Finish	Active	Passive
		Antique Brass	2579602	2579674
		Bright Brass	2579609	2579589
		Brushed Chrome	N/A	N/A
		Chrome	N/A	N/A
		Oil Rubbed Bronze	2579911	2579909
		Satin Nickel	2579446	2579447


Hardware

Andersen® Hardware - Covington™

Note:

See [Accessory Guide 0005156](#) for Active Hardware.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- | | | |
|---|--|--|
| 1. Exterior Handle (LH Shown) | 6. *Strike Plate | 11. Interior Nylon Bushing |
| 2. Interior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |

Covington™ Hardware for Hinged Doors - Single Trim Set

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Covington™ Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



Covington™ Hardware for Hinged Doors - Double Trim Set

Hardware

Complete Trim Set - Covington™ / Interior and Exterior See Illustration [page 58](#) and [page 59](#)

	Finish	Single	Double AP/PA
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

Trim Set - Covington™ / Interior See Illustration [page 39](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	NA	NA	N/A
	Oil Rubbed Bronze	NA	NA	N/A

Trim Set - Covington™ / Exterior See Illustration [page 40](#)

	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	NA	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A

Handle with Screws - Covington™ Ref. No. 1 and 2 [page 58](#) and [page 59](#)

	Finish	Left	Right
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

Escutcheon Plate - Covington™ / Exterior Ref. No. 3 [page 58](#) and [page 59](#)

	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

Escutcheon Plate - Covington™ / Interior Ref. No. 3 [page 58](#) and [page 59](#)


	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A

Andersen® Hardware - Whitmore®

Note:

See [Accessory Guide 0005156](#) for Active Hardware.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- | | | |
|---|--|--|
| 1. Interior Handle (LH Shown) | 6. *Strike Plate | 11. Interior Nylon Bushing |
| 2. Exterior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |

Whitmore® Hinged Patio Door Hardware - Single Trim Set


Hardware

Whitmore® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 6. *AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Whitmore® Hinged Patio Door Hardware - Double Trim Set

E-Series Hinged Doors (March 2018 to Present)



Single, 2-Panel and Stationary

Hardware

Complete Trim Set - Whitmore® / Interior and Exterior See Illustration page 61 and page 62			
	Finish	Single	Double AP/PA
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A
	Satin Nickel	N/A	N/A


Trim Set - Whitmore® / Interior See Illustration page 39				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	N/A	NA	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A
	Satin Nickel	N/A	N/A	NA

Trim Set - Whitmore® / Exterior See Illustration page 40				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Antique Brass	N/A	N/A	N/A
	Bright Brass	N/A	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A	N/A
	Satin Nickel	N/A	N/A	NA

Handle with Screws - Whitmore® Ref. No. 1 and 2 page 61 and page 62				
 		Finish	Left	Right
		Antique Brass	N/A	N/A
		Bright Brass	N/A	N/A
		Oil Rubbed Bronze	N/A	N/A
		Satin Nickel	N/A	N/A

Hardware

Escutcheon Plate - Whitmore® / Exterior Ref. No. 3 [page 61](#) and [page 62](#)

		Finish	Active	Passive
		Antique Brass	N/A	N/A
		Bright Brass	N/A	N/A
		Oil Rubbed Bronze	N/A	N/A
		Satin Nickel	N/A	N/A

Escutcheon Plate - Whitmore® / Interior Ref. No. 3 [page 61](#) and [page 62](#)


	Finish	Active	Passive
	Antique Brass	N/A	N/A
	Bright Brass	N/A	N/A
	Oil Rubbed Bronze	N/A	N/A
	Satin Nickel	N/A	N/A

Andersen® Hardware - Encino®

Note:

See [Accessory Guide 0005156](#) for Active Hardware.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- | | | |
|---|--|--|
| 1. Exterior Handle (LH Shown) | 6. *Strike Plate | 11. Interior Nylon Bushing |
| 2. Interior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |

Encino® Hinged Patio Door Hardware - Single Trim Set


Hardware

Encino® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 6. *AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Encino® Hinged Patio Door Hardware - Double Trim Set

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Complete Trim Set - Encino® / Interior and Exterior See Illustration page 65 and page 66				
	Finish	Single		Double AP/PA
	Distressed Bronze	2578927		2578928
	Distressed Nickel	2578929		2578930
Trim Set - Encino® / Interior See Illustration page 39				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572696	2572789	2572697
	Distressed Nickel	2572701	2572791	2572702
Trim Set - Encino® / Exterior See Illustration page 40				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572652	2572767	2572653
	Distressed Nickel	2572656	2572769	2572657

Handle with Screws - Encino® Ref. No. 1 and 2 page 65 and page 66			
	Finish	Left	Right
	Distressed Bronze	2573789	2573790
	Distressed Nickel	2573791	2573792

Escutcheon Plate - Encino® / Exterior No. 3 and 4 page 65 and page 66			
	Finish	Active	Passive
	Distressed Bronze	2573804	2573805
	Distressed Nickel	2573808	2573809

Escutcheon Plate - Encino® / Interior No. 3 and 4 page 65 and page 66			
	Finish	Active	Passive
	Distressed Bronze	2573802	2573803
	Distressed Nickel	2573806	2573807


Hardware

Andersen® Hardware - Yuma®

Note:

See [Accessory Guide 0005156](#) for Active Hardware.

*Strike plate "cover" shown is not used (page six from Accessory Guide 0005156) as strike is factory installed.



- | | | |
|---|--|--|
| 1. Exterior Handle (LH Shown) | 6. Strike Plate | 11. Interior Nylon Bushing |
| 2. Interior Handle (RH Shown) | 7. Handle Set Screw (Package) | 12. Trim Set Gasket |
| 3. Active Exterior Escutcheon Plate | 8. Key Cylinder Mounting Bolts | 13. Spindle |
| 4. Active Interior Escutcheon Plate | 9. Lock Limiting Plate | 14. Exterior Nylon Bushing |
| 5. Escutcheon Plate Bolts | 10. Lock Actuator | 15. Dummy Cylinder |

Yuma® Hinged Patio Door Hardware - Single Trim Set

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Yuma® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 0004286](#).

Note: Additional parts with Double Hardware Set



- | | |
|--|---|
| 1. Exterior Handle (LH Shown) | 6. AP/PA Strike Plate |
| 2. Interior Handle (RH Shown) | 7. Interior Nylon Bushing |
| 3. Passive Exterior Escutcheon Plate | 8. Exterior Nylon Bushing |
| 4. Passive Interior Escutcheon Plate | 9. Trim Set Gasket |
| 5. Escutcheon Plate Bolts | 10. Spindle |

Yuma® Hinged Patio Door Hardware - Double Trim Set

Hardware

Complete Trim Set - Yuma® / Interior and Exterior See Illustration page 68 and page 69				
	Finish	Single		Double AP/PA
	Distressed Bronze	2578931		2578932
	Distressed Nickel	2578933		2578934
Trim Set - Yuma® / Interior See Illustration page 39				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572698	2572790	2572699
	Distressed Nickel	2572703	2572792	2572705
Trim Set - Yuma® / Exterior See Illustration page 40				
	Finish	Single		Double AP/PA
		Left	Right	Order No.
	Distressed Bronze	2572654	2572768	2572655
	Distressed Nickel	2572658	2572770	2572659


Handle with Screws - Yuma® Ref. No. 1 and 2 page 68 and page 69			
	Finish	Left	Right
	Distressed Bronze	2573789	2573790
	Distressed Nickel	2573791	2573792
Escutcheon Plate - Yuma® / Exterior Ref. No. 3 and 4 page 68 and page 69			
	Finish	Active	Passive
	Distressed Bronze	2573812	2573813
	Distressed Nickel	2573816	2573817
Escutcheon Plate - Yuma® / Interior Ref. No. 3 and 4 page 68 and page 69			
	Finish	Active	Passive
	Distressed Bronze	2573810	2573811
	Distressed Nickel	2573814	2573815

Designer Hardware - FSB®

Note:

See [Accessory Guide 9173980](#). FSB® 1035 Style shown.

*Strike plate "cover" shown is not used as strike is factory installed.



1. [Interior Handle](#)
2. [Exterior Handle](#)
3. [Active Exterior Escutcheon Plate](#)
4. [Active Interior Escutcheon Plate](#)
5. [Handle Set Screw](#)

6. [Lock Limiting Plate](#)
7. [Lock Actuator](#)
8. [Spindle](#)
9. [Screw Retainer](#)
10. [Base Plate](#)

11. [*Strike Plate \(Single\)](#)
13. [Hex Key \(3MM\)](#)
14. [Escutcheon Base Plate Screw](#)
15. [Escutcheon Base Plate Sleeve](#)
16. [Strike Plate Screw](#)


FSB® Hinged Patio Door Hardware - Single Trim Set

Hardware

FSB® Hardware - Keyed Lock Illustration

Note:

See [Accessory Guide 9173980](#). 1035 Style shown with keyed lock version. *Strike plate "cover" shown is not used as strike is factory installed.



- | | | |
|---|--|--|
| 1. Interior Handle | 7. Lock Actuator | 13. Escutcheon Base Plate Screw |
| 2. Exterior Handle | 8. Spindle | 14. Escutcheon Base Plate Sleeve |
| 3. Active Exterior Escutcheon Plate | 9. Base Plate | 15. Strike Plate Screw |
| 4. Active Interior Escutcheon Plate | 10. Gasket | |
| 5. Handle Set Screw | 11. *Strike Plate (Single) | |
| 6. Lock Limiting Plate | | |


FSB Hinged Patio Door Hardware - Single Trim Set

FSB® Hardware - Passive Hardware Illustration

Note:

See [Accessory Guide 9173980](#). FSB® 1035 Style shown. *Strike plate “cover” shown is not used as strike is factory installed.

Note: Additional parts with Double Hardware Set



1. [Exterior Handle](#)
2. [Interior Handle](#)
3. [Passive Exterior Escutcheon Plate](#)
4. [Passive Interior Escutcheon Plate](#)
5. [Set Screw](#)
6. [Spindle](#)

7. [Base Plate](#)
8. [*Strike Plate \(AP/PA\)](#)
10. [Escutcheon Base Plate Screw](#)
11. [Escutcheon Base Plate Sleeve](#)
12. [Strike Plate Screw](#)

FSB Hinged Patio Door Hardware - Double Trim Set

Hardware

Complete Trim Set Ref. contents shown in illustrations on [page 71](#) and [page 72](#) and [page 73](#)

Note:

[Keyed lock](#) sold separately.



1035



1075



1076



1102

Type	Non-Keyed				Keyed			
	Black Anodized		Satin Stainless Steel		Black Anodized		Satin Stainless Steel	
	Single	Double AP/PA	Single	Double AP/PA	Single	Double AP/PA	Single	Double AP/PA
1035	9184744	9184750	9172936	9172944	9184747	9184753	9172940	9172948
1075	9184745	9184751	9172937	9172945	9184748	9184754	9172941	9172949
1076	9184746	9184752	9172938	9172946	9184749	9184755	9172942	9172950
1102			9172939	9172947			9172943	9172951

Handle with Screws - FSB® Ref. No. 1 and 2 [page 71](#) and [page 72](#) and [page 73](#)

Type	Black Anodized		Satin Stainless Steel	
	Left	Right	Left	Right
1035	9184760	9184759	9173722	9173721
1075	9184762	9184761	9173724	9173723
1076	9184764	9184763	9173726	9173725
1102			9173728	9173727

Escutcheon Plate - FSB® / Exterior Ref. No. 3 and 4 [page 71](#) and [page 72](#) and [page 73](#)

Note:

All styles (1035, 1075, 1076 and 1102) use the same interior/exterior escutcheon plate.

Finish	Active (Non-Keyed)	Active (Keyed Lock)	Passive
SS Steel	9173719	9173720	9173719
Black Anodized	9184757	9184758	9184757

Escutcheon Plate - FSB® / Interior Ref. No. 3 and 4 [page 71](#) and [page 72](#) and [page 73](#)

Finish	Active	Passive
SS Steel	9173718	9173719
Black Anodized	9184756	9184757

Escutcheon Base Plate Assembly - FSB® Ref. No. 10 [page 71](#) and [page 72](#) and [page 73](#)

Finish	Order No.
Zinc	9173729

E-Series Hinged Doors (March 2018 to Present)


Single, 2-Panel and Stationary

Hardware

Screw Package - FSB®

Note:

FSB style hardware uses a unique screw pack. See PKD 1150.



Ref. No.	Double Package Includes
1	2 - Hex Key 3MM
2	1 - Screw Retainer
3	1 - Lock Actuator
4	4 - Set Screw 3MM
5	4 - Escutcheon Base Plate Screw
6	4 - Escutcheon Base Plate Sleeve Nut
7	2 - Spindle
9	1 - Lock Limiting Plate
10	2 - Strike Plate Screws (Satin Nickel) #10 - 13 x 1" PH FL undercut wood
11	2 - Keyed Cylinder Mounting Bolt M5 x .8 - 35mm PH w/#10 fill HD mach zinc

	Finish	Single	Double
	Stainless Steel	9173735	9173736
	Black	9184911	9184912

Screw Pack - FSB®


Note:

FSB style uses unique set screw.



Order No.
9173731

Base Plate - FSB®




Note:

Use for FSB style trim sets.

Order No.
9173729

Gasket - FSB® / Keyed Lock






Note:


Used with keyed lock exterior escutcheon plate


Order No.
9173734


Hardware

Spindle - FSB®					
		Note: FSB style hardware uses unique spindle.			
			Length	Standard	Retrofit
Standard	Retrofit		4 ⁵ / ₈	9173732	9173737

Screw Retainer - FSB®		
		Order No.
		9173733

Escutcheon Plate Clip FSB®		
Note: Secures to back side of escutcheon plate.		
		Order No.
		9173730

Keyed Lock - FSB				
Note: See Accessory Guide 0005155 . Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key. Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies. For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.				
		Finish	Keyed Assembly	Keyed Alike Assembly
		Satin Nickel	2579457	9056141
		Matte Black	9007623	9056134

Lock Cylinder with Keys - FSB			
		Finish	Order No.
		Bright Brass	2579637
		Black	2579389


Designer Hardware - Baldwin®

Baldwin® Designer Hardware - Active

Note:

See [Accessory Guide 9208753](#). 5162 handle style shown.

Escutcheon plate routed for keyed lock but does not include keyed lock. [Keyed lock](#) sold separately.



1. [Handle](#)
2. [Handle Set Screw](#)
3. [Active Escutcheon Plate](#)
4. [Escutcheon Plate Screw](#)
5. [Spindle](#)
6. [Lock Actuator](#)
7. [Lock Limiting Plate](#)
8. [Key Cylinder Mounting Bolts](#)
9. Screw Retainer used with Non-Keyed Sets
10. [Used with Keyed Lock Sets](#)
11. [Strike Plate \(Inswing Only\)](#)
12. Escutcheon Gasket (Same on Active and Passive)

Baldwin® Hinged Patio Door Hardware - Single Active Trim Set


Hardware

Baldwin® Designer Hardware - Passive

Note:

Additional parts with Double Hardware Set. See [Accessory Guide 9208753](#). 5162 handle style shown.

Baldwin® Trim Set Assembly



Baldwin® Hinged Patio Door Hardware - Double Passive Trim Set

Complete Trim Sets - Baldwin® / Interior and Exterior






Note:

Active and Passive Trim Sets are configured to order.

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware


Handle with Screws - Baldwin® L021 Ref. No. 1 page 77				
		Finish	Left	Right
		Non-Lacquered Brass	9208359	9208395
		Oil Rubbed Bronze	9208361	9208391
		Satin Black	9208357	9208387
		Satin Brass	9208358	9208388
		Satin Nickel	9208358	9208388
Handle with Screws - Baldwin® L023 Ref. No. 1 page 77				
		Finish	Left	Right
		Non-Lacquered Brass	9208360	9208390
		Oil Rubbed Bronze	9208366	9208396
		Satin Black	9208362	9208392
		Satin Brass	9208364	9208394
		Satin Nickel	9208363	9208393
Handle with Screws - Baldwin® 5162 Ref. No. 1 page 77				
		Finish	Left	Right
		Non-Lacquered Brass	9208355	9208385
		Oil Rubbed Bronze	9208356	920838
		Satin Black	9208352	9208382
		Satin Brass	9208354	9208384
		Satin Nickel	9208353	9208383
Handle with Screws - Baldwin® 5173 Ref. No. 1 page 77				
		Finish	Left	Right
		Non-Lacquered Brass	9208380	9208410
		Oil Rubbed Bronze	9208381	9208411
		Satin Black	9208377	9208407
		Satin Brass	9208379	9208409
		Satin Nickel	9208378	9208408
Handle with Screws - Baldwin® 455V Ref. No. 1 page 77				
		Finish	Left	Right
		Non-Lacquered Brass	9208375	9208405
		Oil Rubbed Bronze	9208376	9208406
		Satin Black	9208372	9208402
		Satin Brass	9208374	9208404
		Satin Nickel	9208373	9208403


Hardware


Handle with Screws - Baldwin® 5485V Ref. No. 1 page 77			
	Finish	Left	Right
	Non-Lacquered Brass	9208370	9208400
	Oil Rubbed Bronze	9208371	9208401
	Satin Black	9208367	9208397
	Satin Brass	9208369	9208399
	Satin Nickel	9208368	9208398

Set Screw package w/Wrench - Handle Ref. No. 2 page 77	
Note: 1 - M5 X 8MM knurl cup point set screw	Order No. 9207269

Plate, Escutcheon Active - Baldwin® Ref. No. 3 page 77			
Note: Baldwin escutcheon plates are sold as pairs both interior and exterior.			
	Finish	Keyed Lock	Non-Keyed
	Non-Lacquered Brass	9208340	9208345
	Oil Rubbed Bronze	9208341	9208346
	Satin Black	9208337	9208342
	Satin Brass	9208339	9208344
	Satin Nickel	9208338	9208343

Plate, Escutcheon Passive - Baldwin® Ref. No. 3 page 78			
	Note: Baldwin escutcheon plates are sold as pairs both interior and exterior.		Finish
			Part No.
			Non-Lacquered Brass
			9208350
			Oil Rubbed Bronze
			9208351
			Satin Black
			9208347
			Satin Brass
			9208349
			Satin Nickel
			9208348

Screw Package - Escutcheon Screw Kits - Baldwin® Ref. No. 5 page 77			
	Note: Screw pack contains:(4) Screws, #8-32 UNC		Finish
			Order No.
			Non-Lacquered Brass
			9207265
			Oil Rubbed Bronze
			9207264
			Satin Black
			9207264
			Satin Brass
			9207262
			Satin Nickel
			9207263


Spindle, Baldwin Hardware Ref. No. 5 page 77			
Note: Baldwin only offers one length of spindle for both 1.75" and 2.25" doors.			
		Length	Order No.
		4 1/2"	9207268

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Keyed Lock - Baldwin® Ref. No. 10 [page 77](#)



Note:

Baldwin can only be keyed alike to Baldwin locks.

Finish	Order No.
Non-Lacquered Brass	9207266
Oil Rubbed Bronze	9207266
Satin Black	9207266
Satin Brass	9207266
Satin Nickel	9207267

Hardware


Designer Hardware - Ashley Norton

Ashley Norton Designer Hardware - Active

Note:

See [Accessory Guide 9208751](#).

Escutcheon plate routed for keyed lock but does not include keyed lock. [Keyed lock](#) sold separately.




1. [Strike Plate \(Inswing Only\)](#)
3. [Escutcheon Plate Screw](#)
4. [Spindle](#)
6. [Key Cylinder Mounting Bolts](#)
7. [Lock Limiting Plate](#)
8. [Lock Actuator](#)
9. Screw Retainer - Used on Non-Keyed Lock Sets
10. [Keyed Lock - Used on Keyed Lock Sets](#)
11. [Strike Plate \(Inswing Only\)](#)
12. Escutcheon Gasket (Same on Active and Passive)

Hinged Patio Door Hardware - Single Active Trim Set

Ashley Norton Hardware - Passive

Note: Additional parts with Double Hardware Set



Hinged Patio Door Hardware - Double Passive Trim Set

Complete Trim Set - Ashley Norton / Interior and Exterior

Note:

Active and Passive Trim Sets are configured to order.

Handle with Screws - Ashley Norton [page 82](#)

Note:

Handles and escutcheon plate are permanently attached to together. Parts are only available in the complete trim set.

Plate, Escutcheon Active and Passive - Ashley Norton [page 82](#)

Note:

Escutcheon plate and handles are permanently attached to together. Parts only available in the complete trim set.

Hardware


Screw Package - Escutcheon Screw Kits / Ashley-Norton Ref. No. 3 [page 82](#)

Note:

Ashley Norton screw pack contains:

(4) Screws, #8-32 UNC X 2.75"


(4) Screws, #8-32 UNC X 2.25"

		Finish	Order No.
		Dark Bronze	9207255
		Dark Oil Rubbed	9207255
		Flat Black	9207255
		Matte Black	9207255
		Natural Bronze	9207252
		Polished Chrome	9207253
		Polished Nickel	9207254
		Satin Nickel	9207251
		White Bronze	9207251
		White Medium	9207256


Keyed Lock - Ashley-Norton Ref. No. 3 [page 82](#)

Note:

Ashley-Norton can only be keyed alike to Ashley-Norton locks.

		Finish	Order No.
		Dark Bronze	9207257
		Dark Oil Rubbed	9207257
		Flat Black	9207257
		Matte Black	9207257
		Natural Bronze	9207258
		Polished Chrome	9207259
		Polished Nickel	9207259
		Satin Nickel	9207259
		White Bronze	9207259
		White Medium	9207259

Replacement Parts Kit / Ashley Norton (For "standard" 1 3/4" door) Ref. No. 4, 6, 7 and 8 [page 82](#)

	<p>Note: Ashley style hardware uses unique spindle and available in the part kit.</p> <p>Kit Includes:</p> <ul style="list-style-type: none"> (1) Spindle 95 MM (1) Lock Actuator (1) Allen Wrench (4) Screws M4 x 8mm Knurl Cup Pt (2) Screws M4 X .8-30mm PH W/19 Fill Hd Mach Zinc (1) Limiting Plate Thick (1) Limiting Plate Thin 	Order No.
		9207260

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Hardware Screw Pack / Ashley Norton (for “standard” 1 3/4” door)		
	Kit Includes: (1) Spindle 95 MM (1) Lock Actuator (1) Allen Wrench (4) Screws M4 x 8mm Knurl Cup Pt (2) Screws M4 X .8-30mm PH W/19 Fill Hd Mach Zinc (1) Limiting Plate Thick (1) Limiting Plate Thin	Order No.
		9207260

Hardware Screw Pack / Ashley Norton - 2 1/4” thick panel		
	Kit Includes: (1) Spindle 108 mm (1) Lock Actuator 28mm	Order No.
		9207261


Hardware

Yale® Assure Lock®

Yale® Assure Lock® Hardware - Interior / Exterior

Note:

See [Accessory Guide](#) and [FAQ](#). Can be used on new doors as well as retro-fitted on installed doors, **except** for door panel(s) with System 3 blinds or Blinds between the glass..



1. [Assure Lock Trim Set Assembly](#)

Yale® Assure Lock® (YRM 476) Hinged Patio Door Hardware - Active Single Trim Set

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware

Trim Set - Assure Lock / Anvers® See Illustration [page 86](#)

Note:

Replacement parts for Yale locks need to be ordered from Yale. See [Replacement Components](#) and [FAQ](#).

	Finish	Base	Z-Wave	Wi-Fi/Bluetooth
	Satin Nickel	9183848	9173096	9183851
	White	9183846	9173094	9183849
	Black	9183847	9173095	9183850

Trim Set - Passive / Anvers® See Illustration [page 49](#)

	Finish	Order No.
	Satin Nickel	9173105
	White	9173103
	Black	9173104


Hardware Kit See Illustration [page 86](#)

	Order No.
	9183854


Hardware Kit - Yale Assure®

Note:


See [Accessory Guide](#).




①




②



③






④*



⑤

Ref. No.	Kit Includes
1	Door position sensor
2	Lock mounting screws
3	Sensor magnets and covers
4*	Lock actuator spacers
5	Battery cover release pin

*A spacer may be required to correctly install lock. There are three (3) options in your lock kit. See chart to select the correct spacer for your application.

Door Type	Spacer Color	Spacer
A-Series - Outswing Only	N/A	None
A-Series Inswing. E-Series 1.75" In and Outswing E-Series 2.25" Inswing 400 Series 1.75" Inswing	Black	
200 Series 1.75" All E-Series - 2.25" Outswing Only	White	
E-Series - Architect Entrance Door and Folding Doors Sold Separately. (Provided when ordering thick door kit part number AYRM-270-TDK.)	Gray	

Order No.


9203397

Hardware

Radio - Module See Illustration [page 86](#)

	Z-Wave	Wi-Fi/Bluetooth
	9183852	9183853

Assure Lock Handle Set - Single / Anvers®



Ref. No.	Package Includes
1	Handle (RH shown)
2	Handle (LH shown)
3	Strike Plate - Single
4	Strike Plate Screws
5	Handle Set Screw
6	Escutcheon Plate Screw
7	Bushing
8	Allen Wrench
9	Lock Actuator
10	Spindle

	Finish	Order No.
	Satin Nickel	9173108
	White	9173106
	Black	9173107

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Andersen® Shared Trim Set Parts

Screw Package - Trim Set / Other Hardware Styles (2009 to Present)

Note:

- Chrome used for Brushed Chrome and Polished Chrome finishes.
- To receive a white bushing order a Satin Nickel trim set screw pack.
- To receive a black bushing order an Oil Rubbed Bronze trim set screw pack.
- For Tribeca® screw packages (without busings) go to [page 46](#).



Ref. No.	Andersen Package Includes
6	2 - screw, #10 - 13 x 1" PH FL undercut wood
7	4 - screw, #8 - 32 UNC x 2 PH oval head mach
2	2 - screw, M5 x .8 - 35mm PH w/#10 fill HD mach zinc
8	4 - bushing, trim adaptor
4	4 - screw, 1/4 - 20 UNC SS knurled cup point set
5	1 - 1/8 allen wrench

Finish	Andersen
Antique Brass	2579757
Black (Albany)	9019320
Bright Brass	2579756
Chrome	N/A
Distressed Bronze	2579760
Distressed Nickel	2573819
Gold Dust (Albany)	N/A
Oil Rubbed Bronze	2579760
Satin Nickel	2579390
Stone (Albany)	9056230
White (Albany)	9056231

Set Screw Package w/wrench - Handle



Andersen Package Includes:

- 4 - 1/4-20 UNC knurled cup point set screws
- 1 - 1/8 Allen wrench


Note:


Replacement set screw finish may not match original.
Set Screw Package is included in trim set hardware pack [page 89](#).


Order No.


2579829





Hardware

Lock Limiting Plate		
		Order No.
		2579540

Key Cylinder Mounting Bolt		
	Description	Order No.
	Qty 2 - M5 x .8-35mm, PH with #10 fill HD, mach, zinc Note: Key cylinder mounting bolt is included in trim set hardware pack page 89 ..	2579824

Spindle			
		Length	Order No.
		3 ³ / ₄	2579830
		4 ³ / ₄	2579831
		5 ³ / ₄	2579832

Gasket - Trim Set / Other Hardware Styles (2018 to Present)		
	Note: Use for all trim set styles except Tribeca® page 45 .	Order No.
		2962512

Lock Actuator			
Note: See Lock Actuator Replacement Video . Unique depending on panel thickness. Lock actuator used as standard is 1 ⁵ / ₃₂ long and lock actuator used for thick panel (2 ¹ / ₄) is 1 ²¹ / ₃₂ long.			
 		Standard	Thick (2 ¹ / ₄)
		2579542	9050896
			
Standard	Thick (2 ¹ / ₄)		

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Handle Extender - 1" (1999 to Present)

Note:

Each extender adds one inch to the distance between the door handle and the door panel. Extenders are often used when space is needed for window treatments.

A longer spindle [page 90](#) is necessary to accommodate the extender. The standard spindle length is 3 3/4". If using one extender a 4 3/4" spindle is necessary. If using two extenders a 5 3/4" spindle is necessary. Review the installation video, [Installing Handle Extenders on Frenchwood Hinged Doors](#).




Finish	Order No.
Antique Brass	2579820
Black	9007633
Bright Brass	2579821
Brushed Chrome	N/A
Distressed Bronze	2573787
Distressed Nickel	2573788
Gold Dust	N/A
Oil Rubbed Bronze	2579907
Polished Chrome	N/A
Satin Nickel	2579440
Stone	2579851
White	2579838

Hardware

Andersen® Shared Andersen® Key Lock Parts

Keyed Lock - Andersen®


Note:

See [Accessory Guide 0005155](#). Parts included: lock spacer, tail piece seal, spacer gasket, seal, key cylinder, housing, and key.

All other Tribeca® Keyed Locks are on [page 47](#).

Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.

For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.


Finish	Keyed Assembly	Keyed Alike Assembly
Antique Brass	2579519	9056133
Black (Albany)	9007623	9056134
Bright Brass	2579499	9056135
Brushed Chrome	N/A	N/A
Distressed Bronze	2579752	9056139
Distressed Nickel	2573827	9056137
Gold Dust	N/A	N/A
Oil Rubbed Bronze/	2579752	9056139
Polished Chrome	N/A	N/A
Satin Nickel/FSB®	2579457	9056141
Stone (Albany)	9007621	9056142
White (Albany)	9007620	9056144

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Hardware


Lock Cylinder with Keys



Brushed Brass



Brushed Chrome



Oil Rubbed Bronze

Note:

Lock cylinders are available in three finishes: Brushed Brass, Brushed Chrome and Oil Rubbed Bronze. The column called Cylinder Finish shows the recommended selection for each trim set finish. Replacement Lock Cylinders have 6 pins.

All other Tribeca® Cylinders are on [page 43](#).

Keyed alike assembly only available in quantities of two or more. We cannot match existing keyed alike assemblies.

For multiple doors if adding an additional keyed alike assemblies, all locks must be ordered as keyed alike.

See [Accessory Guide 0005155](#).


Finish	Cylinder Finish	Single Key	Keyed Alike
Antique Brass	Brushed Brass	2579637	9213876
Black	Oil Rubbed Bronze	2579389	9213877
Bright Brass	Brushed Brass	2579637	9213876
Brushed Chrome	Brushed Chrome	2579641	9213878
Distressed Bronze	Oil Rubbed Bronze	2579389	9213877
Distressed Nickel	Brushed Chrome	2579641	9213878
Gold Dust	Brushed Chrome	2579641	9213878
Oil Rubbed Bronze	Oil Rubbed Bronze	2579389	9213877
Polished Chrome	Brushed Chrome	2579641	9213878
Satin Nickel	Brushed Brass	2579641	9213878
Stone (Albany)	Brushed Chrome	2579641	9213878
White (Albany)	Brushed Chrome	2579641	9213878

Hardware

Lock Set Dummy Cylinder

Note:

For Tribeca® Dummy Cylinders [page 47](#).



Finish	Order No.
Antique Brass	2579581
Black (Albany)	9056229
Bright Brass	2579621
Brushed Chrome	N/A
Distressed Bronze	2573781
Distressed Nickel	2573782
Gold Dust	N/A
Oil Rubbed Bronze	2579963
Polished Chrome	N/A
Satin Nickel	2579438
Stone (Albany)	9056226
White (Albany)	9056227

Blank Reachout Lock Key


Note:

Six pin key blank

Order No.

2573561

E-Series Hinged Doors (March 2018 to Present)



Single, 2-Panel and Stationary

Lock Mechanism

Active Lock Mechanism

Note:

7-0 base lock shown below. The lock handing can be changed if needed. See guide [9069263](#)





Panel Height	Unit Height	Base Lock	Extension	Base Lock		Extension		
				Left	Right	0117160-A38M	0117150-A784	0117151-A71F
$\leq 81 \frac{3}{16}$	6-8 and $\leq 7-0$	7-0	-	9170322	9170323	-	-	-
$> 81 \frac{3}{16}$ and $< 90 \frac{3}{16}$	$> 7-0$ and $< 7-9$	7-0	12	9170322	9170323	0GU1019	-	-
$\geq 90 \frac{3}{16}$ and $< 93 \frac{3}{16}$	7-9 and $\leq 8-0$	8-0	-	9170324	9170325	-	-	-
$> 93 \frac{3}{16}$ and $\leq 99 \frac{3}{16}$	$> 8-0$ and $< 8-6$	8-0	12	9170324	9170325	0GU1019	-	-
$> 99 \frac{3}{16}$ and $\leq 113 \frac{3}{16}$	$> 8-6$ and $\leq 9-8$	7-0	9-8	9170322	9170323	-	0GU1046	-
$> 113 \frac{3}{16}$ and $\leq 117 \frac{3}{16}$	$> 9-8$ and $\leq 10-0$	7-0	10-0	9170322	9170323	-	-	0GU1045

Passive Lock Mechanism



Note:


Base lock and extension shown below.



Panel Height	Unit Height	Base Lock	Extension	Extension
$69 \frac{3}{16}$ and $\leq 77 \frac{3}{16}$	6-0 and $\leq 6-8$	9170326	6-8	9170372
$> 77 \frac{3}{16}$ and $\leq 79 \frac{3}{16}$	$> 6-0$ and $\leq 6-10$	9170326	6-10	9170373
$> 79 \frac{3}{16}$ and $\leq 81 \frac{3}{16}$	$> 6-10$ and $\leq 7-0$	9170326	7-0	9170374
$> 81 \frac{3}{16}$ and $\leq 81 \frac{57}{64}$	$> 7-0$ and $\leq 7-0 \frac{11}{16}$	9170326	32.5	9170327
$> 81 \frac{57}{64}$ and $< 83 \frac{3}{16}$	$> 7-0 \frac{11}{16}$ and $\leq 7-2$	9170326	42.5	9170328
$\geq 83 \frac{3}{16}$ and $\leq 93 \frac{3}{16}$	$> 7-2$ and $\leq 8-0$	9170326	8-0	9170375
$> 93 \frac{3}{16}$ and $\leq 101 \frac{57}{64}$	$> 8-0$ and $\leq 8-8 \frac{11}{16}$	9170326	52.5	9170329
$> 101 \frac{57}{64}$ and $\leq 111 \frac{57}{64}$	$> 8-8 \frac{11}{16}$ and $\leq 9-6 \frac{11}{16}$	9170326	62.5	9170330
$> 111 \frac{57}{64}$ and $\leq 117 \frac{57}{64}$	$> 9-6 \frac{11}{16}$ and $\leq 10-6 \frac{11}{16}$	9170326	10-0	9170331

Hardware

Lock Adapter			
 Interior  Exterior	Note: Required (1) interior and (1) exterior lock adapter per panel.	Interior (Black)	Exterior (White)
		9172377	9172378

Shoot Bolt Guide		
		
		Order No.
		9172374

Screw			
Note: Used to secure lock mechanisms.			
	Active Lock Mechanism		
	Description		Standard
	#8 x 7/16" PFHSMS #6 HEAD SS SCREW		9105316
	Description		Stormwatch
	#8 x 2" PFHSMS TYPE A.S. 18-8 STAINLESS STEEL		0039939
	Passive Lock Mechanism		
	Description		Order No.
	#8 x 2" PFHSMS TYPE A.S. 18-8 STAINLESS STEEL	Finish	
		Stainless Steel	
		Colony White	
		Gold	
		Antique Brass	
		Black	
		Bright Brass	0039950
	Description		Standard
	#7 x 1 1/4" PFHSMS TYPE AB 18-8 SS		0027959

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Strikes

Latch Strike Graphic

Note:

4 ⁹/₁₆ high performance shown. Dust cup (not shown in graphic) sits below strike.




*Stainless steel and black screws used for multiple finishes.






Strike / Latch

Finish	Center Strike Ref. No. 3	Latch Strike (Top/Bottom) Ref No. 2	Screws Ref. No. 1	Dust Cup Latch Strike (Single)	Dust Cup Center (Double)	Dust Cup Center (Single)
Black	9172384	9172396	*9105312	GU2017	9172379	9172380
Gold Dust	N/A	N/A	9173135			
Stone	9172386	9172398	9173136			
White	9172387	9172399	9105791			
Distressed Nickel	9172389	9172401	*0015331			
Oil Rubbed Bronze	9172390	9172402	*9105312			
Satin Nickel	9172391	9172403	*0015331			
Brushed Chrome	N/A	N/A	*0015331			
Polished Chrome	N/A	N/A	*0015331			
Antique Brass	9172394	9172406	9105311			
Bright Brass	9172395	9172407	9105310			

Hardware

Head and Sill Strike Graphic				
<div><div><p>Head</p></div><div><p>Sill</p></div><div><p>Dust Cup Head</p></div></div>				
Strike / Head and Sill				
		Head	Sill	Dust Cup Head
		9172935	9172375	9172381

Latch Bolt Parts		
Blocker Kit / Passive		
  	Kit Includes	Order No.
	(1) Upper Deadbolt Blocker (1) Lower Deadbolt Blocker (2) Cylinder Head Screws	9170377

E-Series Hinged Doors (March 2018 to Present)




Single, 2-Panel and Stationary

Hardware

Hinge Color Chart

Hinge Chart




Hardware Color	Hinge Color Used	Screw Color Used	Hinge With Hardware Pack	Hinge Screw Pack (Qty 11)	Panel Hinge Screw (Each)	Frame Hinge Machine Screw (Each)
			(1) Hinge (4) #12 x 1 1/2" (2) #12 x 2 1/2" (2) #10 x 5/8 (2) Hinge Shim Cup (2) Hinge Frame Shim-030 (2) Hinge Frame Shim-060	 #12 x 2 1/2"	 #12 x 1 1/2"	 #10-24 x 5/8
Antique Brass	Antique Brass	Antique Brass	9138859	9139541	0002362	9105803
AW White	AW White	AW White	9138858	9139540	0002361	9105807
Black	Black	Black	9138862	9139539	0002360	0006437
Distressed Bronze	Oil Rubbed Bronze	Black	9138863	9139539	0002360	0006437
Oil Rubbed Bronze	Oil Rubbed Bronze	Black	9138863	9139539	0002360	0006437
Bright Brass	Bright Brass	Brass	9138860	9139542	0002363	0006263
Gold Dust	Gold Dust	Gold Dust	N/A	9173141	9173143	9173145
Stone	Gold Dust	Gold Dust	N/A	9173141	9173143	9173145
Brushed Chrome	Satin Chrome	Stainless	9138867	9139543	0002364	0006286
Distressed Nickel	Pewter	Stainless	9138866	9139543	0002364	0006286
Polished Chrome	Bright Chrome	Stainless	9138865	9139543	0002364	0006286
Satin Nickel	Stainless Steel	Stainless	9138864	9139543	0002364	0006286

Hardware

Hinge Parts

Hinge Kits w/screws

	Finish		Order No.
	Antique Brass		9138859
	AW White		9138858
	Black		9138862
	Oil Rubbed Bronze		9138863
	Bright Brass		9138860
	Gold Dust		N/A
	Satin Chrome		9138867
	Pewter		9138866
	Bright Chrome		9138865
	Stainless Steel		9138864

Hinge Screw - Jamb

Note:


5/8" ships as individual screw. 2 1/2" ships as a quantity of 11.

Description		Description	
#10-24 X 5/8 PFHMS		#12 X 2 1/2 PFHMS	
Finish	Order No.	Finish	Order No.
Antique Brass	9105803	Antique Brass	9139541
Black	0006437	Black	9139539
Brass	0006263	Brass	9139542
Gold Dust	9173145	Gold Dust	9173141
Stainless Steel	0006286	Stainless Steel	9139543
AW White	9105807	AW White	9139540

Hinge Screw - Panel

Description		Finish	Order No.
#12 x 1 1/2 PFHWS		Antique Brass	0002362
		Black	0002360
		Brass	0002363
		Gold Dust	9173143
		Stainless Steel	0002364
		AW White	0002361

Hinge Shim/Cup

	Finish	Size/Type	Order No.
	Black	1/32	0096006
		1/16	0096007
		Cup	0096003

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary


Hardware

Miscellaneous Hardware Parts

Strike Plate - Top / Bottom

Note:

Includes top and bottom strike plate. See screw [color chart](#). Used on both left and right hand lock jambs and/or astragal.

		Finish	Order No.
		Black	9172396
		Gold Dust	N/A
		Stone	9172398
		White	9172399
		Distressed Nickel	9172401
		Oil Rubbed Bronze	9172402
		Satin Nickel	9172403
		Brushed Chrome	N/A
		Polished Chrome	N/A
		Antique Brass	9172406
		Bright Brass	9172407

Screw Pack - Door Lock Jamb Installation

Note:

Includes 9 screws. See screw [color chart](#).

	Description	Finish	Order No.
	#8 x 2 1/2 PH FL	White	By description
		Antique Brass	0078024
		Polished Brass	0078025
		Stainless Steel	0078026
		Black	0078022

Screw Pack - Door

Note:

Includes 6 screws. See screw [color chart](#).

	Description	Finish	Order No.
	#10 x 2 1/2 PH FL	White	0008743
		Antique Brass	0008736
		Brass	0008744
		Stainless Steel	0008746
		Black	0008747
		Bright Chrome	0008737
		Dark Bronze	0008739
		Oil Rubbed Bronze	0008745

Screw Pack - Nail Fin

	Description	Order No.
	#8 x 1/2 PPHWS	0054301

Hardware

Fasteners

Note:

Look for additional screws listed with the part where the screw is used.

When ordering fasteners by description, provide the following details:

Product line (example: AFDI)

Complete size (example: #8 Round Head)

Description and color (example: Stainless Steel)

What it is used for: (example: Screen latch to astragal)


Screw - Strike Plate / Head

	Description	Order No.
	#7 x 5/8" PFH SMS Type 17 Z & Y	0013420

Screw - Sweep

	Description	Order No.
	#8 x 3/4" PPH #2 TEKS SCREW ZINC	0013443

Threaded Insert

	Description	Order No.
	#10-24 Threaded Insert	0002649

Screw - Door Bolt to Astragal

	Description	Finish	Order No.
	#8 X 3/4 TEKS PT, WS, PH, 410 SS	Stainless Steel	0020302

Screw - Sill Strike to Sill

	Description	Finish	Order No.
	#8-32 x 1/2 PH, FH, MACHINE SCREW, SS	Steel	0047576

Screw - Screen Track to Sill

	Description	Finish	Order No.
	#6 x 1/2 PH, FH, TEKS PT, WOOD, 410 SS	Steel	0069449
		Dark Bronze	0K17657

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Frames


Frames

Frame Assembly Illustration / Single (Active)

Note:

Single active 4 9/16 with standard (High Performance) sill shown. See [Architectural Tools](#) for additional door configurations.

Frames



Frame Assembly Illustration / Single (Stationary)


Note:

See [Architectural Tools](#) for additional door configurations.

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Frames




Frame Assembly Illustration / Double (AP)

Note:

Double active 4 9/16 shown. See [Architectural Tools](#) for additional door configurations.

Frames



Frames

Frames

Note:

Replacement frames are available.

Panel Options

Single and 2-panel (double)

Handling Options

Single: Left, right, stationary

Double: AP, PA, SS, SAL, SAR, ASL and ASR

[Exterior color options](#)


[Interior species/finish/color options](#)

[Glazing options](#)

To order, state:

1. Description of Part
2. Quantity
3. Handling
4. Color/species/finish/color
5. Product ID (from product label, see [page 10](#))
6. Options Desired (if different than original product)

Frames

Installation Flange				
Flange / Aluminum				
		Unit No.	Length	Order No.
		AFDI	12"	9117357
			14"	9117358
			16"	9117359
			18"	9117360
			20"	9117361
			24"	9117362
			30"	9117363
			32"	9117364
			36"	9117365
			48"	9117366
			60"	9117367
			64"	9117368
			72"	9117369
			80"	00M7366
			82"	00M7367
			82"	9117370
			84"	9117371
			96"	00M7368
			120"	00M1866

E-Series Hinged Doors (March 2018 to Present)

Single, 2-Panel and Stationary

Frames

Weatherstrip

Weatherstrip / Frame Ref. No. 1 [page 103](#) & No. 6 [page 105](#)

Note:
Secures to the frame.

		Unit No.	Length	Dark Bronze
		AFDI	37"	0007220
			74"	0007222
			81"	0007223
			85"	0007224
			97"	0007225
			120"	0007226


Weatherstrip / High Performance Sill Ref. No. 3 [page 103](#) & No. 5 [page 105](#)

Note:
Secures to standard (High Performance) sill.

		Unit No.	Length	Dark Bronze
		AFDI	-	9096432
			102"	0520088
			147"	0069294


Weatherstrip / Bulb

Note:
Secures to stationary panel.

		Unit No.	Color	Length	Order No.
		AFDI	White	120"	9103912
				300"	9103816
			Black	120"	9103913
				300"	9103817

Weatherstrip / Jamb Pad Ref. No. 2 [page 103](#) & No. 7 [page 105](#)

Note:
Secures to side jamb where the jamb meets the sill.

		Unit No.	Length	Dark Bronze
		AFDI	-	9149606



Frames

Sill Parts

Sill Cap Ref. No. 4 [page 103](#) & [page 104](#)

Note:

Depths/lengths/finishes not shown below available by description.

		Finish	Depth	Length	Order No.	
 4 9/16		Dark Bronze Anodized	4 9/16	2-0	By description	
				2-8	By description	
				3-0	By description	
				5-0	By description	
				5-4	By description	
				6-0	By description	
		Mill		1-6	By description	
				2-8	By description	
				3-0	By description	
				6-0	By description	
 6 9/16		Dark Bronze Anodized		6 9/16	2-6	By description
					2-8	By description
					3-0	By description
					4-0	By description

Sill Trim / Oak Ref. No. 5 [page 103](#) & [page 104](#)

Note:

Must be modified for field application.

		Length	Oak
		30 ¹/₂	By description
		36 ¹/₂	By description
		96	By description