


## Patio Door Heights



## Table of Narroline® Gliding Patio Door Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96

Door Dimension	2'-8"	4'-11 1/4"	4'-11 1/4"	9'-9"
Minimum Rough Opening	2'-8 3/4"	5'-0"	5'-0"	9'-9 3/4"
Unobstructed Glass (single panel only)	24 1/2"	24 1/2"	24 1/2"	24 1/2"

Door Dimension	3'-2"	5'-11 1/4"	5'-11 1/4"	11'-9"
Minimum Rough Opening	3'-2 3/4"	6'-0"	6'-0"	11'-9 3/4"
Unobstructed Glass (single panel only)	30 1/2"	30 1/2"	30 1/2"	30 1/2"

Door Dimension	4'-2"	7'-11 1/4"	7'-11 1/4"	15'-9"
Minimum Rough Opening	4'-2 3/4"	8'-0"	8'-0"	15'-9 3/4"
Unobstructed Glass (single panel only)	42 1/2"	42 1/2"	42 1/2"	42 1/2"




Custom-size doors are available in 1/8" (3) increments. See page 33 for custom sizes and specifications.

Viewed from the exterior. Arrow indicates direction of panel operation. Stationary (S) doors can be used as an individual unit or as a sidelight.


\*Door Dimension always refers to outside frame-to-frame dimension.  
 \*Minimum Rough Opening dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.  
 \*Dimensions in parentheses are in millimeters.  
 \*Add 1/4" (6) to the Minimum Rough Opening height dimension for four-panel doors.

## Order Designation Descriptions

Viewed from the exterior.



## Custom Sizes and Specification Formulas



Clear Opening	Two-Panel	Four-Panel	Minimum R.O.	Single-Panel & Two-Panel	Four-Panel	Unobst. Glass	Single-Panel	Two-Panel	Four-Panel
	Width = (width ÷ 2) - 7.5" (191) Height = height - 4.125" (105)	Width = (width ÷ 2) - 13.75" (349) Height = height - 4.125" (105)		Width = width + 3/4" (19) Height = height + 1/2" (13)	Width = width + 3/4" (19) Height = height + 3/4" (19)		Width = width - 9.5" (241) Height = height - 8.859" (225)	Width = width - 10.25" (260) Height = height - 8.859" (225)	Width = width - 19.0" (483) Height = height - 8.859" (225)



Available in 1/8" (3) increments between minimum and maximum widths and heights shown. Some restrictions apply. Measurement guide can be found at

[andersenwindows.com/measure](https://andersenwindows.com/measure).

\* **Clear Opening** formulas provide dimensions for determining area available for egress. Vent opening, or area available for passage of air, is equal to clear opening. **Minimum R.O.** (minimum rough opening) formulas provide minimum rough opening width and height dimensions. **Unobst. Glass** (unobstructed glass) formulas provide dimensions for determining area available for passage of light.  
\* Dimensions in parentheses are in millimeters.