


**EC type examination certificate**  
**EG-Baumusterprüfbescheinigung**

**CE-0085CM0140**  
Product Identification No.  
Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EC Gas Appliances Directive (2009/142/EC) <i>EG-Gasgeräte-Richtlinie (2009/142/EG)</i>
<b>Distributor</b> <i>Vertreiber</i>	BAXI Calefacción, S.L.U. Salvador Espriu, 9, E-08908 L'Hospitalet de Llobregat-Barcelona
<b>Product Category</b> <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
<b>Product Description</b> <i>Produktbezeichnung</i>	Condensing combi water heater
<b>Model</b> <i>Modell</i>	PLATINUM PLUS-/MAX PLUS-/DUO PLUS-...
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	AL, AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MK, NL, NO, PL, PT, RO, SE, SI, SK, TR
<b>Test Reports</b> <i>Prüfberichte</i>	supplement test: 15/017/3204/101 from 10.02.2015 (EBI)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2009/142/EG (30.11.2009) DIN EN 483 (01.06.2000) DIN EN 677 (01.08.1998) DIN EN 625 (01.10.1995) DIN EN 15502-1 (01.10.2012) DIN EN 15502-2/1 (01.01.2013)
<b>File Number</b> <i>Aktenzeichen</i>	15-0183-GER

7102/004 v. DE

05.05.2015 Rie H-1/2  
Date, Issued by, Sheet, Head of Certification Body  
*Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle*



DVGW CERT GmbH is an accredited body by DAkkS according to EN 45011:1998 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EC Directive 2009/142/EC.

DVGW CERT GmbH ist von der DAkkS nach DIN EN 45011:1998 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EG-Richtlinie 2009/142/EG.



Deutsche  
Akkreditierungsstelle  
D-ZE-16028-01-01

DVGW CERT GmbH  
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
53123 Bonn

Tel. +49 228 91 88 - 888  
Fax +49 228 91 88 - 993

www.dvgw-cert.com  
info@dvgw-cert.com

**Elektrical Data** 230 V AC, 50 Hz, IPX5D  
**Elektrische Daten**

<b>Appliance Categories</b> <i>Geräte kategorien</i>	<b>Supply Pressures</b> <i>Versorgungsdrücke</i>	<b>Countries of Destination</b> <i>Bestimmungsländer</i>	<b>Remarks</b> <i>Bemerkungen</i>
I2H	20 mbar	IT	
I2N	20/25 mbar	BE	
I3P	37 mbar	BE	
I12E Lw3P	20, 37 mbar	PL	
I12E3P	20, 37 mbar	LU	
I12ELL3P	20, 50 mbar	DE	
I12Er3P	20/25, 37 mbar	FR	
I12H3P	20, 37 mbar	CZ, DK, EE, ES, FI, GB, GR, HR, IE, IT, LT, LV, NO, PT, RO, SE, SI, SK, TR	
I12H3P	20, 50 mbar	AT	
I12HS3P	25, 37 mbar	HU	
I12L3P	25, 37 mbar	NL	

<b>Type</b> <i>Typ</i>	<b>Technical Data</b> <i>Technische Daten</i>	<b>Remarks</b> <i>Bemerkungen</i>
PLATINUM PLUS -24 AF	nominal heat output: 2,4...24,0 kW heat input (Hi): 2,5...24,7 kW	
PLATINUM PLUS -28 AF	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9 kW	
PLATINUM PLUS -32 AF	nominal heat output: 3,2...32,0 kW heat input (Hi): 3,3...33,0 kW	
PLATINUM MAX PLUS -24/24 F	nominal heat output: 2,4...20,0 kW heat input (Hi): 2,5...20,6; drinking water: ...24,7 kW	
PLATINUM MAX PLUS -28/28 F	nominal heat output: 2,8...24,0 kW heat input (Hi): 2,9...24,7; drinking water: ...28,9 kW	
PLATINUM MAX PLUS -33/33 F	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9; drinking water: ...34,0 kW	
PLATINUM MAX PLUS -40/40 F	nominal heat output: 4,0...32,0 kW heat input (Hi): 4,1...33,0; drinking water: ...41,2 kW	
PLATINUM DUO PLUS -24 AIFM	nominal heat output: 2,4...20,0 kW heat input (Hi): 2,5...20,6; drinking water: ...24,7 kW	
PLATINUM DUO PLUS -33 AIFM	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9; drinking water: ...34,0 kW	

<b>Type Variation</b> <i>Ausführungsvariante</i>	<b>Explanations</b> <i>Erläuterungen</i>
PLATINUM PLUS-...	heating boiler
PLATINUM MAX PLUS-...	condensing combi water heater
PLATINUM DUO PLUS-...	condensing combi water heater with 40 l tank

### Hints of Utilization /Remarks

#### Verwendungshinweise / Bemerkungen

flue types B23, C13(x), C33(x), C43(x), C53(x), C63(x), C83(x), C93(x): according to installation manual "PLATINUM..."

Additionally tested appliance categories, supply pressures and countries of destination:

AL, BG, CY, MK: I12H3P (20, 37 mbar)

In Albania and in Macedonia the CE-marking will be accepted as conformity approval if the Gas Appliance Directive (2009/142/EC) is transferred into national law by Albania and Macedonia.

**EC type examination certificate**  
**EG-Baumusterprüfbescheinigung**

**CE-0085CM0140**

Product Identification No.  
 Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EC Efficiency Directive (92/42/EEC) EG-Wirkungsgradrichtlinie (92/42/EWG)
<b>Distributor</b> <i>Vertreiber</i>	BAXI Calefacción, S.L.U. Salvador Espriu, 9, E-08908 L'Hospitalet de Llobregat-Barcelona
<b>Product Category</b> <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
<b>Product Description</b> <i>Produktbezeichnung</i>	Condensing combi water heater
<b>Model</b> <i>Modell</i>	PLATINUM PLUS-/MAX PLUS-/DUO PLUS-...
<b>Type of Boiler</b> <i>Heizkesseltyp</i>	condensing boiler
<b>Test Reports</b> <i>Prüfberichte</i>	supplement test: 15/017/3204/101 from 10.02.2015 (EBI)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/92/42 (21.05.1992)
<b>File Number</b> <i>Aktenzeichen</i>	15-0183-GWR

7/023 C-A-DE

05.05.2015 Rie H-1/2

Date, Issued by, Sheet, Head of Certification Body  
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH - recognized by the German Institute for Building Technology (DIBt) and notified at the European Commission as certification body for the EC Boiler Efficiency Directive

**DIBt**  
 ZP 42

DVGW CERT GmbH  
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
 53123 Bonn

Tel. +49 228 91 88 - 888  
 Fax +49 228 91 88 - 993

www.dvgw-cert.com  
 info@dvgw-cert.com



<b>Type</b> <b>Typ</b>	<b>Technical Data</b> <b>Technische Daten</b>	<b>Energy Labelling</b> <b>Energieeffizienzkenzeichnung</b>
PLATINUM PLUS -24 AF	nominal heat output: 2,4...24,0 kW heat input (Hi): 2,5...24,7 kW	****
PLATINUM PLUS -28 AF	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9 kW	****
PLATINUM PLUS -32 AF	nominal heat output: 3,2...32,0 kW heat input (Hi): 3,3...33,0 kW	****
PLATINUM MAX PLUS -24/24 F	nominal heat output: 2,4...20,0 kW heat input (Hi): 2,5...20,6; drinking water: ...24,7 kW	****
PLATINUM MAX PLUS -28/28 F	nominal heat output: 2,8...24,0 kW heat input (Hi): 2,9...24,7; drinking water: ...28,9 kW	****
PLATINUM MAX PLUS -33/33 F	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9; drinking water: ...34,0 kW	****
PLATINUM MAX PLUS -40/40 F	nominal heat output: 4,0...32,0 kW heat input (Hi): 4,1...33,0; drinking water: ...41,2 kW	****
PLATINUM DUO PLUS -24 AIFM	nominal heat output: 2,4...20,0 kW heat input (Hi): 2,5...20,6; drinking water: ...24,7 kW	****
PLATINUM DUO PLUS -33 AIFM	nominal heat output: 3,3...28,0 kW heat input (Hi): 3,4...28,9; drinking water: ...34,0 kW	****

### Hints of Utilization / Remarks

#### Verwendungshinweise / Bemerkungen

The energy labelling can be used according to the actual regulations of the country of destination for the individual types. The above listed model was certified under the Product-Identnumber CE-0085CM0140 according to the Gas Appliance Directive (2009/142/EC).