

C € 0085



CERT

EU type examination certificate

EU-Baumusterprüfbescheinigung

CE-0085CQ0192

Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
Distributor <i>Vertreiber</i>	BAXI Calefacción, S.L.U. Salvador Espriu, 9, E-08908 L'Hospitalet de Llobregat-Barcelona
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
Product Description <i>Produktbezeichnung</i>	Condensing combi water heater
Model <i>Modell</i>	Victoria Condens...; Neobit Condens...
Countries of Destination <i>Bestimmungsländer</i>	AT, BE, BG, CY, CZ, DE, EE, ES, FR, GB, GR, HR, HU, IT, LT, LV, NL, PL, PT, RO, SK
Test Reports <i>Prüfberichte</i>	type testing: 17/310/3204/033 from 31.01.2018 (EBI) supplement test: 18/005/3204/033 from 12.02.2018 (EBI) supplement test: 18/001/3204/033 from 20.02.2018 (EBI) supplement test: 18/004/3204/033 from 15.02.2018 (EBI) supplement test: 18/039/3204/033 from 07.03.2018 (EBI)
Test Basis <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 15502-1 (01.10.2015) DIN EN 15502-2-1 (01.09.2017)
Date of Expiry / File No. <i>Ablaufdatum / AZ</i>	23.03.2028 / 20-0330-GEA

70228-04-A-DE

05.03.2021 Rie B-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-01

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Elektrical Data 230 V AC, 50 Hz, IPX5D
Elektrische Daten

Appliance Categories <i>Gerätekategorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I2E(S)	20/25 mbar	BE	
I3B/P	30 mbar	CY	
I3B/P	37 mbar	BE	
II2ELL3B/P	20, 50 mbar	DE	
II2ELwLs3B/P	20,20,13, 37 mbar	PL	
II2Esi3B/P	20/25, 37 mbar	FR	
II2H3B/P	20, 30 mbar	CZ, EE, GB, GR, HR, IT, LT, LV, RO, SK	
II2H3B/P	20, 50 mbar	AT	
II2H3P	20, 37 mbar	CZ, EE, ES, GB, GR, HR, IT, LT, LV, PT, RO, SK	
II2H3P	20, 50 mbar	AT	
II2HM3B/P	20, 30 mbar	IT	
II2HS3B/P	25, 30 mbar	HU	
II2L3B/P	25, 37 mbar	NL	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
Victoria Condens 24/24 F; Neobit Condens 24/24 F	nominal heat output: 4,8...20,0 kW heat input (Hi): 4,9...20,6 (drinking water: ...24,7) kW	
Victoria Condens 28/28 F; Victoria Condens 24 AF; Neobit Condens 28/28 F	nominal heat output: 4,8...24,0 kW heat input (Hi): 4,9...24,7 (drinking water: ...28,9) kW	

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

flue types B23, B23P, B33, C13(x), C33(x), C43(x), C43P, C53(x), C63(x), C83(x), C93(x): according to installaion manual "Victoria Condens/Neobit Condens"

Additionally tested appliance categories, supply pressures and countries of destination:

BG: II2H3B/P (20, 30 mbar)

BG: II2H3P (20, 37 mbar)

In the non-EU countries the conformity approval will be accepted if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.

