

# EPL 21695

# Pollution Monitoring Report

---

## Western Sydney Airport – Surface and Civil Alignment Works (SCAW)

<b>Project Name</b>	Sydney Metro – Western Sydney Airport, Surface and Civil Alignment Works
<b>Project Number</b>	N81150
<b>Revision</b>	A

## Distribution and Authorisation

### Document Control

The CPBUI JV Environment Manager is responsible for ensuring this report is reviewed and approved. The Environment and/or Community Engagement Manager is responsible for updating this report, as required.

### Amendments

The implementation of this report is under the authority of the CPBUI Delegated Authority Matrix. All Contract personnel will perform their duties in accordance with this Plan, supporting plans, and related procedures.

### Revision Details

Rev.	Details
A	First Draft

## Table of contents

<b>Part 1 Overview</b> .....	<b>4</b>
<b>1. Introduction</b> .....	<b>4</b>
1.1. Project Background.....	4
1.2. Project description.....	4
1.2.1. SCAW scope of works .....	5
<b>Part 2 – Scope of this report</b> .....	<b>6</b>
<b>Part 3 – Reporting Requirements</b> .....	<b>7</b>
<b>Part 4 – Monitoring</b> .....	<b>9</b>
4.1 Weather Monitoring .....	9
4.2 Noise and Vibration .....	9
4.3 Discharge to Water.....	9
<b>Part 5 - Correction Log</b> .....	<b>10</b>
<b>Appendices</b> .....	<b>11</b>
<b>Appendix A1 – Weather Monitoring</b> .....	<b>12</b>
<b>Appendix A2 – Noise and Vibration Monitoring Results</b> .....	<b>14</b>

# Part 1 Overview

---

## 1. Introduction

### 1.1. Project Background

The SCAW Project will be undertaken on Darug Country and will form part of the future Western Parkland City. The Project involves the construction and operation of a new 23km metro rail line that extends from the existing Sydney Trains suburban T1 western line (at St Marys) in the north to the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaducts, bridges, and surface and open-cut troughs between the two tunnel sections. The Project also includes six new metro stations, and a stabling and maintenance facility and operational control centre at Orchard Hills. The SCAW package is the second major contract package to be procured for the Project. The successful and timely completion of the SCAW package is critical to the subsequent construction activities and ultimate completion of the entire Project.

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

### 1.2. Project description

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the North and the Aerotropolis (at Bringelly) in the South. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (Figure 1).

### 1.2.1. SCAW scope of works

The scope for the SCAW package includes approximately 10.6km of alignment up to the underside of track formation from Orchard Hills to the Western Sydney International (WSI) airport. This includes approximately:

- 3.6 kilometre of viaduct
  - 400 metres of viaduct over Blaxland Creek
  - 660 metres of viaduct over the Patons Lane area and un-named creek
  - 2.5km of viaduct in the Luddenham Road area including across the Warragamba pipeline, at Luddenham Station, across Luddenham Road and across Cosgrove Creek
- 205 metres of bridges
  - An over rail bridge, approximately 180m long, over the proposed M12 Motorway
  - An over rail bridge, approximately 25m long, over the drainage swale on the WSI airport site
- 6.9km of at-grade alignment
  - 600m at Orchard Hills, south of Lansdowne Road
  - 1.6km alongside the stabling maintenance facility in Orchard Hills
  - 900m to the north of the Warragamba pipelines
  - 1.1km north of the proposed M12 motorway
  - 1.4km south of the proposed M12 Motorway on Elizabeth Drive
  - 1.3km within the Airport site from the northern boundary to the Airport Business Park Station
- Temporary and permanent access roads.




Figure 1 – Overview of the SCAW Project

## Part 2 – Scope of this report

CPB Contractors PTY were issued an Environmental Protection Licence (EPL 21695) from the NSW Environment Protection Authority (EPA) on 19 August 2022 under Schedule 1 of the Protection of the Environment Operations Act 1997 (POEO Act) for the Sydney Metro Western Sydney Airport SCAW Package.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of the SCAW Package

This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21695 as required by Section 66 of the Protection of the Environment Operations Act 1997 (POEO Act) and with reference to EPA Publication Requirements for publishing pollution monitoring data (Environment Protection Authority, 2013).

Table 2-1 provides a summary of the pollution monitoring requirements of EPL 21695.

*Table 2-1 Licence Details*

Licence Details	
Number	21695
Anniversary Date	19 August
Licensee	CPB Contractors Pty Ltd
Premises	Sydney Metro Western Sydney Airport Package Footprint
Scheduled Activity	Railway activities – railway infrastructure construction

## Part 3 – Reporting Requirements

---

Under the POEO Act, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The POEO Act Section 66 requires

“66 Conditions requiring monitoring, certification or provision of information, and related offences

- (1) Monitoring The conditions of a licence may require—
  - (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
    - (i) the operation or maintenance of premises or plant, and
    - (ii) discharges from premises, and
    - (iii) relevant ambient conditions prevailing on or outside premises, and
    - (iv) anything required by the conditions of the licence, and
  - (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
  - (c) the analysis, reporting and retention of monitoring data.
- (2) False or misleading information A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect.”

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged or emitted from the licensed premises.

The data is provided in tabular format that is easy for the general public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee’s website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It’s possible from time to time that incorrect data may get published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

Table 3-2 provides a summary of the pollution monitoring requirements of EPL21695

Table 3-2 EPL 21695 Pollution Monitoring Requirements

EPL Condition	Requirement	Report Reference
M5.1	Monitor and record temperature, humidity, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology.	Section 4.1
L5.6	Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment	Section 4.2 Appendix A2
M2.2	Discharge of pollutants to water from nominated discharge points	Section 4.3
M4.4	Noise and vibration monitoring as directed by an authorised officer of the EPA	Section 4.2 Appendix A2
M7.6	Noise and vibration monitoring of noise and vibration complaints	Section 4.2 Appendix A2
L2.5	Discharge from sediment basins solely as a result of rainfall measured at the premise the rainfall depth value	Section 4.3



## Part 4 – Monitoring

Section 4 presents summaries of the monitoring programs completed in the reporting period for February 2023.

Detailed monitoring results for each program are presented in the Appendices.

### 4.1 Weather Monitoring

EPL Condition M5.1 requires CPB to collect and store meteorological data. Meteorological observations are captured using the Bureau of Meteorology Weather Stations - Badgerys Creek (station 067108) and Penrith (station 067113). Meteorological data for the month of February can be found within Appendix A1.

### 4.2 Noise and Vibration

Noise and vibration monitoring is required by the following EPL conditions

- M1 Monitoring Records
- M4 Environmental Monitoring

Noise and Vibration monitoring is conducted in accordance with the project Construction Noise and Vibration Monitoring Program.

Table 4-2 provides a summary of noise and vibration monitoring events completed in February of 2023. Detailed noise and vibration monitoring results are presented in Appendix A2.

*Table 4-3 Summary of Noise and Vibration Monitoring February 2023*

Date	Monitoring Location(s)	Monitoring Events
February 2023	68 Solander Dr St Clair	2
	8 Bordeaux Pl Orchard Hills	3
	246 Luddenham Rd Orchard Hills	2
	27 Halmstad Blvd Luddenham	2

### 4.3 Discharge to Water

No discharge undertaken in accordance with EPL 21695 condition L2.1 during the reporting period.

## Part 5 - Correction Log

---

It's possible from time to time that incorrect data may get published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

There are no matters included in the correction log for this reporting period.

# Appendices

---

## Appendix A1 – Weather Monitoring

Table A1-1 Weather Monitoring Results Penrith Station February 2023

### Penrith, New South Wales February 2023 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am					3pm						
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	We	19.2	31.4	0			ESE	30	16:01	23.3	69		N	4		29.9	47		ENE	7	
2	Th	19.9	34.9	0			NNW	41	14:42	24.2	76		N	9		33.6	26		NW	15	
3	Fr	20.7	30.1	0			NW	35	08:33	22.1	44		WNW	17		29.2	29		W	17	
4	Sa	14.6	28.5				WSW	37	10:38	20.2	37		W	7		27.4	20		W	20	
5	Su	13.3	30.9	0			E	30	16:40	21.3	58		NNE	6		29.3	30		ENE	7	
6	Mo	18.5	32.1	0			E	39	13:21	23.8	69		N	6		30.3	42		ENE	7	
7	Tu	20.7	31.5	0			E	31	16:00	24.4	79		N	2		31.0	47		NE	7	
8	We	19.1	28.3	4.4			SE	33	14:59	22.1	97			Calm		28.1	60		ESE	15	
9	Th	20.1	26.4	9.6			SSE	24	14:48	21.1	98		SE	7		25.3	66		NNW	6	
10	Fr	16.7	32.0	0.6			SSE	26	19:36	20.6	98		NNE	2		31.0	46		ENE	6	
11	Sa	18.4	38.6	0			W	35	16:15	21.3	97			Calm		36.4	26		NNE	7	
12	Su	18.7	31.5	0			SE	37	14:24	26.1	44		S	9		31.0	49		ESE	13	
13	Mo	20.1	26.1	0			SSE	30	06:25	20.6	76		S	13		25.0	59		ESE	7	
14	Tu	19.4	21.6	0			SSW	31	08:50	20.5	70		S	11		19.9	98		SW	6	
15	We	17.3	29.5	11.6			ENE	26	17:05	19.3	98		W	9		28.3	49		ENE	6	
16	Th	15.5	33.2	0			ENE	28	17:09	20.9	76		SE	2		31.8	32		NNW	9	
17	Fr	17.2	35.3	0			ENE	28	16:12	22.0	81		S	4		33.2	37		WNW	6	
18	Sa	18.0	37.5	0			SSW	54	17:31	23.2	81		N	4		37.0	34		ESE	6	
19	Su	19.1	29.9	8.8			ENE	19	18:41	22.5	75		SSW	7		28.3	57		N	4	
20	Mo	20.8	34.4	0			ENE	24	17:43	24.4	93		N	4		32.7	53		NNW	7	
21	Tu	21.0	32.7	0			SSE	43	17:48	23.7	85		S	9		32.2	44		SE	11	
22	We	17.7	20.6	16.8			SSW	37	00:40	17.9	98		SSW	15		18.3	98		S	9	
23	Th	16.8	22.1	2.0			SE	28	15:59	19.9	73		SW	6		20.7	96		SW	9	
24	Fr	15.6	27.0	1.2			NE	24	16:56	20.0	83		SSW	6		26.5	49		ENE	9	
25	Sa	15.1	28.8	0			ENE	28	18:14	20.1	89		ENE	2		27.8	40		NNW	9	
26	Su	15.6	34.5	0			SSW	20	21:45	19.7	91			Calm		33.2	40		N	6	
27	Mo	19.4	29.3	0			SE	26	15:53	22.7	87		SW	4		27.4	61		E	9	
28	Tu	20.0		1.4						22.2	89			Calm		28.4	61		ENE	11	
<b>Statistics for the first 28 days of February 2023</b>																					
Mean		18.2	30.3							21.8	78			5		29.0	49			8	
Lowest		13.3	20.6							17.9	37			Calm		18.3	20		N	4	
Highest		21.0	38.6	16.8			SSW	54		26.1	98		WNW	17		37.0	98		W	20	
Total				56.4																	

Observations were drawn from Penrith Lakes AWS (station 067113)

IDCJDW2111.202302 Prepared at 05:36 UTC on 28 Feb 2023  
Copyright © 2023 Bureau of Meteorology  
Users of this product are deemed to have read the information and accepted the conditions described in the notes at <http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

## Appendix A1 – Weather Monitoring

Table A1-2 Weather Monitoring Results Badgerys Creek Station February 2023

### Badgerys Creek, New South Wales February 2023 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	We	17.2	30.8				ESE	33	15:33	23.4	64		WSW	6	1003.6	29.2	52		ENE	19	1000.4
2	Th	18.1	34.4				NW	44	15:20	23.0	76		N	17	1000.3	32.1	35		NNE	15	993.3
3	Fr	16.8	29.3				NW	46	11:11	21.8	45		WNW	26	995.7	29.0	32		W	24	994.2
4	Sa	13.6	27.8				SW	43	14:59	19.1	41		WSW	20	1005.4	27.2	24		SW	26	1004.6
5	Su	10.2	31.2				ESE	33	15:44	21.7	46		SSW	2	1015.2	29.9	31		ENE	9	1013.2
6	Mo	17.3	31.8				ENE	33	16:39	23.2	67		ENE	7	1018.2	30.7	43		NNE	11	1014.4
7	Tu	19.4	30.6				SE	33	15:50	23.8	71		NNE	6	1016.2	28.6	58		E	22	1013.5
8	We	18.4	28.2				SSE	31	14:29	22.9	71		NNE	2	1015.7	23.8	69		SSE	20	1013.6
9	Th	18.2	24.6				SE	31	15:23	20.7	98		NE	6	1012.7	23.3	70		SE	15	1010.7
10	Fr	15.0	33.3				ESE	33	18:32	20.2	83		NW	6	1009.2	31.3	38		E	7	1005.0
11	Sa	15.2	38.7				NW	35	15:41	22.4	80		S	2	1006.3	36.9	25		NNE	11	1001.3
12	Su	18.3	31.4				ESE	35	14:58	25.7	43		SW	20	1003.8	28.9	50		SE	22	1004.0
13	Mo	18.7	26.5				ESE	26	16:50	19.8	76		S	9	1011.3	24.9	53		E	11	1009.5
14	Tu	17.4	20.4				SSW	26	08:25	19.5	68		SSW	13	1012.5	19.0	91		Calm	6	1013.0
15	We	15.7	29.8				ENE	26	16:39	19.6	83		NW	7	1017.2	28.1	45		NNE	6	1014.5
16	Th	13.5	33.6				E	31	16:23	20.7	78		Calm		1018.2	32.3	31		NNE	11	1014.0
17	Fr	15.4	34.8				E	31	16:27	21.3	78		ESE	2	1016.9	34.1	35		ENE	9	1013.0
18	Sa	16.1	37.9				SSW	87	17:18	22.9	75		ESE	6	1014.4	36.6	32		NE	13	1009.4
19	Su	17.7	29.8				NE	20	14:24	22.0	72		SSW	11	1019.2	27.8	58		E	9	1018.2
20	Mo	20.2	34.6				E	33	15:55	24.4	77		ENE	4	1020.1	33.7	46		NNE	11	1016.8
21	Tu	19.0	32.5				SSE	43	16:49	23.7	77		SSE	4	1021.8	30.8	44		ESE	17	1019.6
22	We	17.8	21.0	6.8			ESE	35	15:43	18.1	91		SSW	11	1026.3	19.9	78		ESE	11	1026.1
23	Th	14.5	24.3	1.8			ENE	35	13:43	19.2	72		SW	6	1024.1	22.5	64		E	22	1023.2
24	Fr	14.2	27.9	0.6			ENE	31	15:53	18.8	79		S	6	1022.2	24.7	54		ENE	15	1019.2
25	Sa	13.1	29.1	0.2			NNE	33	13:17	19.8	77		NE	2	1018.5	27.4	37		N	13	1014.9
26	Su	14.5	34.9	0			WSW	39	21:36	18.0	94		Calm		1013.3	33.0	32		NNE	11	1008.7
27	Mo	18.0	27.7	1.2			SE	26	15:23	23.1	73		E	4	1012.7	26.5	60		ESE	13	1010.5
28	Tu	19.4		0						22.3	73		S	2	1013.0	27.5	57		ENE	11	1008.5
Statistics for the first 28 days of February 2023																					
Mean		16.5	30.3							21.5	72			7	1013.7	28.6	48			13	1011.0
Lowest		10.2	20.4							18.0	41			Calm	995.7	19.0	24			Calm	993.3
Highest		20.2	38.7	6.8			SSW	87		25.7	98		WNW	26	1026.3	36.9	91		SW	26	1026.1
Total				10.6																	

Observations were drawn from Badgerys Creek AWS (station 067108)

IDCJDW005.202302 Prepared at 05:36 UTC on 28 Feb 2023  
Copyright © 2023 Bureau of Meteorology  
Users of this product are deemed to have read the information and  
accepted the conditions described in the notes at  
<http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

## Appendix A2 – Noise and Vibration Monitoring Results

Table A2-1 Noise and Vibration Monitoring Results February 2023

Date	Location	NCA	NML	LAeq	L10	L90
6/02/2023	68 Solander Dr St Clair	7	57	68.8	72.8	57.6
6/02/2023	8 Bordeaux Pl Orchard Hills	8	54	64.8	67.8	58.5
6/02/2023	246 Luddenham Rd Orchard Hills	9	50	67.3	70.7	48.6
6/02/2023	27 Halmstad Blvd Luddenham	10	45	46.8	42.8	33
16/02/2023	12 Bordeaux Drive, Orchard Hills	8	54	57.1	60.3	51.9
21/02/2023	68 Solander Dr St Clair	7	57	68.4	71.6	62.5
21/02/2023	10 Bordeaux Pl Orchard Hills	8	54	54.6	59.3	43.2
24/02/2023	246 Luddenham Rd Orchard Hills	9	50	65.6	56.7	47.5
21/02/2023	27 Halmstad Blvd Luddenham	10	45	39	41.6	35.7