

# EPL 21695

# Pollution Monitoring Report

---

## Western Sydney Airport – Surface and Civil Alignment Works (SCAW)

<b>Project Name</b>	Sydney Metro – Western Sydney Airport, Surface and Civil Alignment Works
<b>Project Number</b>	N81150
<b>Revision</b>	A

## Distribution and Authorisation

### Document Control

The CPBUI JV Environment Manager is responsible for ensuring this report is reviewed and approved. The Environment and/or Community Engagement Manager is responsible for updating this report, as required.

### Amendments

The implementation of this report is under the authority of the CPBUI Delegated Authority Matrix. All Contract personnel will perform their duties in accordance with this Plan, supporting plans, and related procedures.

### Revision Details

Rev.	Details
A	First Draft

## Table of contents

<b>Part 1 Overview .....</b>	<b>4</b>
<b>1. Introduction .....</b>	<b>4</b>
1.1. Project Background.....	4
1.2. Project description.....	4
1.2.1. SCAW scope of works .....	5
<b>Part 2 – Scope of this report.....</b>	<b>6</b>
<b>Part 3 – Reporting Requirements .....</b>	<b>7</b>
<b>Part 4 – Monitoring.....</b>	<b>9</b>
4.1 Weather Monitoring .....	9
4.2 Noise and Vibration .....	9
4.3 Discharge to Water.....	9
<b>Part 5 - Correction Log.....</b>	<b>10</b>
<b>Appendices.....</b>	<b>11</b>
<b>Appendix A1 – Weather Monitoring .....</b>	<b>12</b>
<b>Appendix A2 – Noise and Vibration Monitoring Results .....</b>	<b>14</b>

# Part 1 Overview

---

## 1. Introduction

### 1.1. Project Background

The SCAW Project will be undertaken on Darug Country and will form part of the future Western Parkland City. The Project involves the construction and operation of a new 23km metro rail line that extends from the existing Sydney Trains suburban T1 western line (at St Marys) in the north to the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaducts, bridges, and surface and open-cut troughs between the two tunnel sections. The Project also includes six new metro stations, and a stabling and maintenance facility and operational control centre at Orchard Hills. The SCAW package is the second major contract package to be procured for the Project. The successful and timely completion of the SCAW package is critical to the subsequent construction activities and ultimate completion of the entire Project.

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

### 1.2. Project description

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the North and the Aerotropolis (at Bringelly) in the South. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (Figure 1).

### 1.2.1. SCAW scope of works

The scope for the SCAW package includes approximately 10.6km of alignment up to the underside of track formation from Orchard Hills to the Western Sydney International (WSI) airport. This includes approximately:

- 3.6 kilometre of viaduct
  - 400 metres of viaduct over Blaxland Creek
  - 660 metres of viaduct over the Patons Lane area and un-named creek
  - 2.5km of viaduct in the Luddenham Road area including across the Warragamba pipeline, at Luddenham Station, across Luddenham Road and across Cosgrove Creek
- 205 metres of bridges
  - An over rail bridge, approximately 180m long, over the proposed M12 Motorway
  - An over rail bridge, approximately 25m long, over the drainage swale on the WSI airport site
- 6.9km of at-grade alignment
  - 600m at Orchard Hills, south of Lansdowne Road
  - 1.6km alongside the stabling maintenance facility in Orchard Hills
  - 900m to the north of the Warragamba pipelines
  - 1.1km north of the proposed M12 motorway
  - 1.4km south of the proposed M12 Motorway on Elizabeth Drive
  - 1.3km within the Airport site from the northern boundary to the Airport Business Park Station
- Temporary and permanent access roads.




Figure 1 – Overview of the SCAW Project

## Part 2 – Scope of this report

CPB Contractors PTY were issued an Environmental Protection Licence (EPL 21695) from the NSW Environment Protection Authority (EPA) on 19 August 2022 under Schedule 1 of the Protection of the Environment Operations Act 1997 (POEO Act) for the Sydney Metro Western Sydney Airport SCAW Package.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of the SCAW Package

This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21695 as required by Section 66 of the Protection of the Environment Operations Act 1997 (POEO Act) and with reference to EPA Publication Requirements for publishing pollution monitoring data (Environment Protection Authority, 2013).

Table 2-1 provides a summary of the pollution monitoring requirements of EPL 21695.

*Table 2-1 Licence Details*

Licence Details	
Number	21695
Anniversary Date	19 August
Licensee	CPB Contractors Pty Ltd
Premises	Sydney Metro Western Sydney Airport Package Footprint
Scheduled Activity	Railway activities – railway infrastructure construction

## Part 3 – Reporting Requirements

---

Under the POEO Act, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The POEO Act Section 66 requires

“66 Conditions requiring monitoring, certification or provision of information, and related offences

- (1) Monitoring The conditions of a licence may require—
  - (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
    - (i) the operation or maintenance of premises or plant, and
    - (ii) discharges from premises, and
    - (iii) relevant ambient conditions prevailing on or outside premises, and
    - (iv) anything required by the conditions of the licence, and
  - (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
  - (c) the analysis, reporting and retention of monitoring data.
- (2) False or misleading information A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect.”

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged or emitted from the licensed premises.

The data is provided in tabular format that is easy for the general public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee’s website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It’s possible from time to time that incorrect data may get published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

Table 3-2 provides a summary of the pollution monitoring requirements of EPL21695

*Table 3-2 EPL 21695 Pollution Monitoring Requirements*

EPL Condition	Requirement	Report Reference
M5.1	Monitor and record temperature, humidity, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology.	Section 4.1
L5.6	Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment	Section 4.2 Appendix A2
M2.2	Discharge of pollutants to water from nominated discharge points	Section 4.3
M4.4	Noise and vibration monitoring as directed by an authorised officer of the EPA	Section 4.2 Appendix A2
M7.6	Noise and vibration monitoring of noise and vibration complaints	Section 4.2 Appendix A2
L2.5	Discharge from sediment basins solely as a result of rainfall measured at the premise the rainfall depth value	Section 4.3



## Part 4 – Monitoring

Section 4 presents summaries of the monitoring programs completed in the reporting period for May 2023.

Detailed monitoring results for each program are presented in the Appendices.

### 4.1 Weather Monitoring

EPL Condition M5.1 requires CPB to collect and store meteorological data. Meteorological observations are captured using the Bureau of Meteorology Weather Stations - Badgerys Creek (station 067108) and Penrith (station 067113). Meteorological data for the month of May can be found within Appendix A1.

### 4.2 Noise and Vibration

Noise and vibration monitoring is required by the following EPL conditions

- M1 Monitoring Records
- M4 Environmental Monitoring

Noise and Vibration monitoring is conducted in accordance with the project Construction Noise and Vibration Monitoring Program.

Table 4-2 provides a summary of noise and vibration monitoring events completed in May of 2023. And detailed monitoring results are presented in Appendix A2.

*Table 4-3 Summary of Noise and Vibration Monitoring May 2023*

Date	Monitoring Location(s)	Monitoring Event(s)
May 2023	68 Solander Dr St Clair	1
	8 Bordeaux Pl Orchard Hills	1
	246 Luddenham Rd Orchard Hills	1
	27 Halmstad Blvd Luddenham	1

### 4.3 Discharge to Water

Discharge monitoring is required by the following EPL conditions

- M1 Monitoring Records
- M2 Requirement to Monitor Concentration of Pollutants Discharged

Discharges are conducted in accordance with the project Soil and Water Management Sub-Plan and Construction Discharge Impact Assessment.

Table 4-3 provides a summary of all discharge events completed in May of 2023 and detailed monitoring results are presented in Appendix A3.

*Table 4-3 Summary of Discharges May 2023*

Date	Discharge Location(s)	EPL Discharge Point(s)	Discharge Event(s)
May 2023	Stabling & Maintenance Facility	SCAW 7	2

## Part 5 - Correction Log

---

It's possible from time to time that incorrect data may get published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

There are no matters included in the correction log for this reporting period.

# Appendices

---

## Appendix A1 – Weather Monitoring

Table A1-1 Weather Monitoring Results Penrith Station May 2023

### Badgerys Creek, New South Wales May 2023 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm						
		Min °C	Max °C				Dirn	Spd km/h	Time local	Temp °C	RH %	Cld eighths	Dirn	Spd km/h	MSLP hPa	Temp °C	RH %	Cld eighths	Dirn	Spd km/h	MSLP hPa	
1	Mo	6.7	20.0	0.2			WSW	28	15:06	13.0	80		SW	4	1015.3	18.5	48		SW	19	1012.1	
2	Tu	5.8	22.5	0.2			SSW	46	13:43	14.9	77		SSE	6	1016.5	21.1	44		SSW	20	1014.4	
3	We	8.0	23.6	0			SW	54	19:22	18.4	64		E	19	1014.2	22.7	33		SSW	26	1011.3	
4	Th	7.0	21.0	0			SSW	31	00:24	15.2	49		WSW	6	1020.0	20.4	43		NNW	6	1018.2	
5	Fr	5.2	22.2	0			ENE	26	12:26	13.2	80		NW	6	1019.8	21.2	46		E	11	1015.0	
6	Sa	4.6	22.4	0			SSW	19	12:36	12.7	70		SW	4	1019.4	21.3	37		ESE	7	1015.6	
7	Su	5.2	15.9	1.0			SSW	46	14:00	10.2	85		WSW	6	1016.5	14.0	41		SSW	28	1013.3	
8	Mo	6.9	18.0	3.6			SSW	89	04:14	12.4	43		SW	31	1015.6	16.0	38		SW	28	1016.0	
9	Tu	6.2	19.8	0			SW	44	10:20	15.2	51		SW	24	1021.5	18.1	44		SW	13	1021.9	
10	We	5.3	21.2	0			SW	22	09:07	13.4	63		SW	15	1027.6	20.4	40		N	6	1025.3	
11	Th	5.7	21.6	0			E	26	14:08	13.1	79		NW	2	1030.6	20.9	46		ENE	9	1027.3	
12	Fr	5.4	23.2	0.2			E	15	13:46	12.8	99		Calm		1030.3	22.8	39		E	9	1026.9	
13	Sa	9.8	22.0	0			WNW	30	14:11	15.2	74		WSW	11	1032.4	14.9	92		W	7	1029.9	
14	Su	10.1	20.6	31.6			NNE	20	15:50	14.6	83		WSW	11	1031.2	16.7	85		NNE	9	1027.1	
15	Mo	8.1	21.0	10.2			N	13	16:17	12.8	100		Calm		1026.8	18.8	58		Calm		1022.3	
16	Tu	7.2	21.3	0.2			W	43	23:58	13.7	96		WNW	7	1020.6	20.9	43		SW	15	1017.1	
17	We	10.1	18.6	0			WNW	39	00:02	13.8	61		W	19	1024.1	15.9	54		NW	15	1022.5	
18	Th	8.3	18.6	0			WSW	31	09:26	13.0	65		WSW	20	1021.8	16.4	52		W	9	1017.6	
19	Fr	5.8	19.6	0			WSW	20	11:18	11.7	68		SW	13	1019.1	18.6	39		E	7	1014.8	
20	Sa	2.3	18.1	0			SW	35	15:20	11.1	77		SSW	4	1017.1	17.2	40		SW	24	1014.1	
21	Su	4.4	19.3	0			SW	65	10:58	13.9	51		SSW	13	1014.7	17.2	46		SW	31	1014.7	
22	Mo	2.2	19.8	0			ENE	15	12:17	9.2	84		SW	2	1027.0	19.0	33		ENE	7	1024.1	
23	Tu	1.2	20.7	0			SE	11	00:37	9.6	73		SE	2	1028.9	20.5	31		E	4	1025.9	
24	We	1.4	20.1	0.2			SE	11	18:57	8.9	99		ENE	4	1027.5	19.5	34		E	6	1023.5	
25	Th	0.5	18.5	0			SE	24	23:49	9.9	81		Calm		1020.9	16.7	57		S	7	1015.2	
26	Fr	5.5	16.1	0.2			WNW	46	10:36	13.3	55		WSW	9	1011.8	13.4	53		WSW	20	1014.9	
27	Sa	0.9	17.2	0			WSW	31	14:55	8.1	85		S	2	1018.9	15.0	49		WSW	22	1015.4	
28	Su	1.2	17.3	0			SW	31	13:18	7.6	76		S	6	1016.4	16.5	43		SSW	19	1013.2	
29	Mo	3.6	20.3	0			SSW	46	14:03	9.9	76		Calm		1017.1	18.8	40		S	20	1016.1	
30	Tu	2.9	21.1	0			S	33	13:38	10.3	75		SW	4	1023.9	20.3	44		SW	15	1020.3	
31	We	3.7		0						10.7	87		S	6	1021.5	19.4	56		ESE	4	1016.7	
<b>Statistics for the first 31 days of May 2023</b>																						
Mean		5.2	20.1							12.3	74			8	1021.6	18.5	46			13	1018.8	
Lowest		0.5	15.9							7.6	43			Calm	1011.8	13.4	31			Calm	1011.3	
Highest		10.1	23.6	31.6			SSW	89		18.4	100		SW	31	1032.4	22.8	92		SW	31	1029.9	
Total				47.6																		

Observations were drawn from Badgerys Creek AWS (station 067108)

IDCJDW2005.202305 Prepared at 05:36 UTC on 31 May 2023  
Copyright © 2023 Bureau of Meteorology

Users of this product are deemed to have read the information and  
accepted the conditions described in the notes at  
<http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

# Appendix A1 – Weather Monitoring

Table A1-2 Weather Monitoring Results Badgerys Creek Station May 2023

## Penrith, New South Wales May 2023 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am					3pm						
		Min	Max				Dirn	Spd	Time	Temp	RH	Cid	Dirn	Spd	MSLP	Temp	RH	Cid	Dirn	Spd	MSLP
		°C	°C				km/h	km/h	local	°C	%	eighths	km/h	hPa	°C	%	eighths	km/h	hPa		
1	Mo	7.7	21.1	0.2			WNW	24	18:58	13.5	91			Calm		18.8	50		SW	9	
2	Tu	7.2	23.4	0			NNW	30	13:00	15.4	79		WSW	2	21.4	44		W	15		
3	We	10.4	24.0	0			W	52	14:27	19.0	67		NNE	19	22.9	32		W	33		
4	Th	7.6	21.2	0			W	30	00:40	15.9	52		SE	4	20.4	40		SSE	6		
5	Fr	7.0	22.7	0			NNE	22	15:59	13.1	90			Calm		22.2	45		NNE	15	
6	Sa	5.9	21.8	0			SSE	13	19:09	13.5	84			Calm		21.6	37		NNW	4	
7	Su	6.8	16.7	0			SSW	44	21:27	9.3	98			Calm		15.1	37		WSW	26	
8	Mo	8.0	18.1	2.6			SW	57	09:20	13.2	42		SW	26	17.5	36		SW	20		
9	Tu	5.5	20.0	0			SSW	44	11:08	16.4	48		SW	17	18.6	43		SSW	9		
10	We	5.1	21.0	0			SSE	19	12:32	11.6	88		NNE	4	20.4	36		S	9		
11	Th	6.5	21.7	0			ENE	22	13:20	13.4	92		ESE	2	20.8	50		E	7		
12	Fr	6.5	23.2	0			S	15	20:14	9.7	98		N	2	22.7	49		NNW	6		
13	Sa	9.5	23.3	0			SE	28	14:49	14.8	96		SSW	2	16.3	70		SE	19		
14	Su	10.9	22.1	2.0			SE	22	15:10	15.6	98		NNW	2	22.0	57		WSW	2		
15	Mo	10.3	21.8	0			ENE	19	14:24	13.2	99		SSW	4	20.9	60		N	6		
16	Tu	8.1	22.0	0			S	35	23:11	10.9	99		NNW	2	21.4	40		S	15		
17	We	10.7	18.8	0			SW	39	09:12	15.1	59		SSW	19	17.6	52		SSE	19		
18	Th	9.3	18.9	0			S	28	11:37	14.8	63		SSW	11	17.5	48		SW	19		
19	Fr	5.8	19.1	0			S	17	10:07	12.9	69			Calm		19.0	46		NNW	7	
20	Sa	3.0	19.9	0			W	35	15:05	9.3	97			Calm		18.6	36		WSW	19	
21	Su	7.1	21.2	0			WSW	48	10:52	14.5	53		WSW	9	18.9	39		SW	17		
22	Mo	3.5	21.0	0			NW	13	10:49	9.7	86		NW	2	20.1	32		N	6		
23	Tu	2.6	20.2	0			WSW	11	19:04	9.4	82			Calm		19.8	35		NW	6	
24	We	2.7	20.6	0			NW	11	19:25	7.6	98		N	4	20.1	37		WNW	4		
25	Th	2.1	18.2	0			N	19	21:54	10.8	84		N	2	16.0	65			Calm		
26	Fr	5.8	17.3	0			S	41	12:06	11.4	70		S	4	13.8	55		SSW	19		
27	Sa	2.0	18.4	0			ESE	26	15:08	6.8	98			Calm		17.8	43		NW	6	
28	Su	0.6	18.9	0			SW	24	14:07	9.2	79		NNE	2	17.1	41		SW	9		
29	Mo	4.3	22.1	0			W	44	13:22	9.7	96		S	6	19.6	36		W	20		
30	Tu	3.5	22.8	0			WNW	22	16:27	10.2	94		N	4	22.1	39		WSW	6		
31	We	4.4		0						11.1	98			Calm		20.6	53		W	9	
<b>Statistics for the first 31 days of May 2023</b>																					
Mean		6.1	20.7							12.3	82			4		19.4	44			11	
Lowest		0.6	16.7							6.8	42			Calm		13.8	32			Calm	
Highest		10.9	24.0	2.6			SW	57		19.0	99		SW	26		22.9	70		W	33	
Total				4.8																	

Observations were drawn from Penrith Lakes AWS (station 067113)

IDCJDW2111.202305 Prepared at 05:36 UTC on 31 May 2023  
Copyright © 2023 Bureau of Meteorology

Users of this product are deemed to have read the information and accepted the conditions described in the notes at <http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

## Appendix A2 – Noise and Vibration Monitoring Results

Table A2-1 Noise and Vibration Monitoring Results May 2023

Date	Location	NCA	NML	LAeq	L10	L90
30/05/2023	69 Solander Dr St Clair	7	57	66.7	70.3	52
26/05/2023	8 Bordeaux Pl Orchard Hills	8	54	49.9	52.5	45.4
30/05/2023	237 Luddenham Rd Orchard Hills	9	50	66.3	70.4	40.4
30/05/2023	28 Halmstad Blvd Luddenham	10	45	46.7	46.8	76.3

## Appendix A3 – Discharge to Water Monitoring Results

Table A3-1 Discharge to Water Monitoring Results May 2023

Date of Discharge	Discharge Location(s)	EPL Discharge Point(s)	pH	NTU	Visible Oil/Grease
8/05/2023	Stabling & Maintenance Facility	SCAW 7	7.59	48	None
19-20/05/2023	Stabling & Maintenance Facility	SCAW 7	6.85	39.8	None