

# EPL 21695

# Pollution Monitoring Report

---

## Western Sydney Airport – Surface and Civil Alignment Works (SCAW)

<b>Project Name</b>	Sydney Metro – Western Sydney Airport, Surface and Civil Alignment Works
<b>Project Number</b>	N81150
<b>Revision</b>	A

## Distribution and Authorisation

### Document Control

The CPBUI JV Environment Manager is responsible for ensuring this report is reviewed and approved. The Environment and/or Community Engagement Manager is responsible for updating this report, as required.

### Amendments

The implementation of this report is under the authority of the CPBUI Delegated Authority Matrix. All Contract personnel will perform their duties in accordance with this Plan, supporting plans, and related procedures.

### Revision Details

Rev.	Details
A	First Draft

## Table of contents

<b>Part 1 Overview</b> .....	<b>4</b>
<b>1. Introduction</b> .....	<b>4</b>
1.1. Project Background .....	4
1.2. Project description .....	4
1.2.1. SCAW scope of works .....	5
<b>Part 2 – Scope of this report</b> .....	<b>6</b>
<b>Part 3 – Reporting Requirements</b> .....	<b>7</b>
<b>Part 4 – Monitoring</b> .....	<b>9</b>
4.1 Weather Monitoring .....	9
4.2 Noise and Vibration .....	9
4.3 Discharge to Water .....	9
<b>Part 5 - Correction Log</b> .....	<b>10</b>
<b>Appendices</b> .....	<b>11</b>
<b>Appendix A1 – Weather Monitoring</b> .....	<b>12</b>
<b>Appendix A2 – Noise Monitoring Results</b> .....	<b>14</b>

# Part 1 Overview

---

## 1. Introduction

### 1.1. Project Background

The SCAW Project will be undertaken on Darug Country and will form part of the future Western Parkland City. The Project involves the construction and operation of a new 23km metro rail line that extends from the existing Sydney Trains suburban T1 western line (at St Marys) in the north to the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaducts, bridges, and surface and open-cut troughs between the two tunnel sections. The Project also includes six new metro stations, and a stabling and maintenance facility and operational control centre at Orchard Hills. The SCAW package is the second major contract package to be procured for the Project. The successful and timely completion of the SCAW package is critical to the subsequent construction activities and ultimate completion of the entire Project.

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

### 1.2. Project description

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the North and the Aerotropolis (at Bringelly) in the South. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (Figure 1).

### 1.2.1. SCAW scope of works

The scope for the SCAW package includes approximately 10.6km of alignment up to the underside of track formation from Orchard Hills to the Western Sydney International (WSI) airport. This includes approximately:

- 3.6 kilometre of viaduct
  - 400 metres of viaduct over Blaxland Creek
  - 660 metres of viaduct over the Patons Lane area and un-named creek
  - 2.5km of viaduct in the Luddenham Road area including across the Warragamba pipeline, at Luddenham Station, across Luddenham Road and across Cosgrove Creek
- 205 metres of bridges
  - An over rail bridge, approximately 180m long, over the proposed M12 Motorway
  - An over rail bridge, approximately 25m long, over the drainage swale on the WSI airport site
- 6.9km of at-grade alignment
  - 600m at Orchard Hills, south of Lansdowne Road
  - 1.6km alongside the stabling maintenance facility in Orchard Hills
  - 900m to the north of the Warragamba pipelines
  - 1.1km north of the proposed M12 motorway
  - 1.4km south of the proposed M12 Motorway on Elizabeth Drive
  - 1.3km within the Airport site from the northern boundary to the Airport Business Park Station
- Temporary and permanent access roads.




Figure 1 – Overview of the SCAW Project

## Part 2 – Scope of this report

CPB Contractors PTY were issued an Environmental Protection Licence (EPL 21695) from the NSW Environment Protection Authority (EPA) on 19 August 2022 under Schedule 1 of the Protection of the Environment Operations Act 1997 (POEO Act) for the Sydney Metro Western Sydney Airport SCAW Package.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of the SCAW Package

This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21695 as required by Section 66 of the Protection of the Environment Operations Act 1997 (POEO Act) and with reference to EPA Publication Requirements for publishing pollution monitoring data (Environment Protection Authority, 2013).

Table 2-1 provides a summary of the pollution monitoring requirements of EPL 21695.

*Table 2-1 Licence Details*

Licence Details	
Number	21695
Anniversary Date	19 August
Licensee	CPB Contractors Pty Ltd
Premises	Sydney Metro Western Sydney Airport Package Footprint
Scheduled Activity	Railway activities – railway infrastructure construction

## Part 3 – Reporting Requirements

---

Under the POEO Act, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The POEO Act Section 66 requires

“66 Conditions requiring monitoring, certification or provision of information, and related offences

- (1) Monitoring The conditions of a licence may require—
  - (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
    - (i) the operation or maintenance of premises or plant, and
    - (ii) discharges from premises, and
    - (iii) relevant ambient conditions prevailing on or outside premises, and
    - (iv) anything required by the conditions of the licence, and
  - (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
  - (c) the analysis, reporting and retention of monitoring data.
- (2) False or misleading information A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect.”

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged or emitted from the licensed premises.

The data is provided in tabular format that is easy for the general public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee’s website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It’s possible from time to time that incorrect data may get published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

Table 3-2 provides a summary of the pollution monitoring requirements of EPL21695

*Table 3-2 EPL 21695 Pollution Monitoring Requirements*

EPL Condition	Requirement	Report Reference
M5.1	Monitor and record temperature, humidity, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology.	Section 4.1
L5.6	Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment	Section 4.2 Appendix A2
M2.2	Discharge of pollutants to water from nominated discharge points	Section 4.3
M4.4	Noise and vibration monitoring as directed by an authorised officer of the EPA	Section 4.2 Appendix A2
M7.6	Noise and vibration monitoring of noise and vibration complaints	Section 4.2 Appendix A2
L2.5	Discharge from sediment basins solely as a result of rainfall measured at the premise the rainfall depth value	Section 4.3



## Part 4 – Monitoring

Section 4 presents summaries of the monitoring programs completed in the reporting period for May 2024.

Detailed monitoring results for each program are presented in the Appendices.

### 4.1 Weather Monitoring

EPL Condition M5.1 requires CPB to collect and store meteorological data. Meteorological observations are captured using the Bureau of Meteorology Weather Stations - Badgerys Creek (station 067108) and Penrith (station 067113). Meteorological data for the month of May can be found within Appendix A1.

### 4.2 Noise and Vibration

Noise and vibration monitoring is required by the following EPL conditions

- M1 Monitoring Records
- M4 Environmental Monitoring

Noise and Vibration monitoring is conducted in accordance with the project Construction Noise and Vibration Monitoring Program.

Table 4-3 provides a summary of noise and vibration monitoring events completed in May of 2024. Detailed monitoring results are presented in Appendix A2.

*Table 4-3 Summary of Noise and Vibration Monitoring May 2024*

Date	Monitoring Location(s)	Monitoring Event(s)
20 <sup>th</sup> May 2024	3 Bridport	1
	39 Halmstad	1
	14 Farmingdale	1
	611A Luddenham Road	1
	611-639 Luddenham Road	1
	16-20 Lansdowne Road	2
27 <sup>th</sup> May 2024	222B Luddenham Road	1
	117-199 Luddenham Road	2
20 <sup>th</sup> May – 31 <sup>st</sup> May 2024	16-20 Lansdowne Road (Vibration)	continuous

### 4.3 Discharge to Water

Discharge monitoring is required by the following EPL conditions

- M1 Monitoring Records
- M2 Requirement to Monitor Concentration of Pollutants Discharged

Discharges are conducted in accordance with the project Soil and Water Management Sub-Plan and Construction Discharge Impact Assessment.

Table 4-4 provides a summary of all discharge events completed in May of 2024.

*Table 4-4 Summary of Discharges May 2024*

Date	Discharge Location(s)	EPL Discharge Point(s)	Discharge Event(s)
May 2024	Elizabeth Drive Site	EPA 1	1
May 2024	Southern Side Cosgroves Creek	EPA 2	0
May 2024	Luddenham South Site	EPA 3	0
May 2024	Luddenham Station Site	EPA 4	0
May 2024	Stabling and Maintenance Facility	EPA 5	1
May 2024	Blaxland Creek	EPA 6	1
May 2024	Samuel Marsden Drive Site	EPA 7	0
May 2024	Defence Basin	EPA 8	1

## Part 5 - Correction Log

---

It's possible from time to time that incorrect data may get published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

The following corrections have been identified within the reporting period:

Detailed monitoring results for Noise monitoring have not been included in Appendix A2 From the March and April monitoring periods. They are included in Appendix A2 of this reporting period.

## Appendices

---

## Appendix A1 – Weather Monitoring

Table A1-1 Weather Monitoring Results Penrith Station May 2024

### Penrith, New South Wales May 2024 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain	Evap	Sun	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C				mm	mm	hours	km/h	local	°C	%	eighths	km/h	hPa	°C	%	eighths	km/h	hPa
1	We	14.8	20.6	0.2			SW	28	09:40	16.4	64		SSW	13		19.8	52		S	7	
2	Th	13.4	20.2	1.0			ESE	30	16:33	16.8	69		SSW	11		19.1	60		NW	7	
3	Fr	11.9	19.3	0.2			S	22	10:05	15.9	79		SSW	9		16.2	85		S	15	
4	Sa	13.4	20.6	3.6			SSE	17	15:38	15.9	89		SSE	6		17.7	83		WSW	2	
5	Su	14.4	17.2	15.4			SSW	37	13:20	15.6	92		S	4		16.6	78		SSW	20	
6	Mo	13.8	20.2	10.2			SSW	44	09:39	17.1	80		SSW	17		19.2	56		SSE	17	
7	Tu	13.3	19.2	2.4			S	24	14:09	15.7	91		SW	9		17.8	82		SSW	9	
8	We	12.3	20.2	1.6			SW	17	10:04	14.8	95		Calm			18.5	90		SSW	6	
9	Th	13.1	21.8	5.8			SSE	17	15:05	16.6	89		Calm			19.0	75		SE	9	
10	Fr	14.8	21.3	0.2			NNE	20	14:59	16.3	91		Calm			17.9	82		NNE	13	
11	Sa	15.0	17.3	9.4			S	15	17:29	15.8	98		SSE	4		17.1	92		SE	4	
12	Su	14.2	21.7	10.6			SSW	35	14:30	16.1	88		SSW	4		18.4	78		SSE	13	
13	Mo	15.1	22.2	0.6			S	44	02:15	19.4	67		SSW	11		21.2	62		SSW	15	
14	Tu	9.7	23.0	0			NNW	13	15:14	14.1	91		Calm			22.2	53		NNW	7	
15	We	13.6	22.9	0			N	20	12:35	18.2	63		SW	4		21.9	58		E	6	
16	Th	11.0	22.3	0			NW	9	12:40	14.9	90		Calm			20.9	63		NNW	2	
17	Fr	10.4	22.6	0			NNW	13	12:26	12.9	97		Calm			22.3	61		NW	6	
18	Sa	11.4	16.4	0.2			S	46	10:56	12.8	53		SSW	19		15.5	52		S	22	
19	Su	9.6	19.1	0			SW	30	01:44	13.7	56		SSW	6		18.5	39		ESE	4	
20	Mo	3.8	19.8	0			S	22	11:46	10.1	80		N	2		18.3	51		S	7	
21	Tu	10.2	20.6	0			SW	28	08:27	16.1	56		SSW	15		20.0	46		S	6	
22	We	8.0	19.8	0			S	20	10:11	14.5	72		Calm			18.7	48		SSE	9	
23	Th	5.4	21.4	0			SW	9	19:21	9.9	98		Calm			20.7	42		NW	4	
24	Fr	6.6	19.7	0			ESE	11	17:32	11.1	89		Calm			18.8	59		NW	4	
25	Sa	8.8	17.8	0.2			WNW	7	19:54	11.1	99		N	2		17.1	76		NNW	4	
26	Su	7.1	21.0	0			NNW	15	15:25	9.9	99		Calm			20.8	59		NNW	6	
27	Mo	7.0	21.3	0.2			W	11	18:19	9.8	99		N	2		20.4	47		NNW	4	
28	Tu	6.3	20.6	0.2			NW	9	11:55	9.6	99		SSE	2		20.4	51		NW	6	
29	We	6.2	20.7	0.2			NW	9	20:35	9.1	96		Calm			20.3	55		NW	4	
30	Th	7.1	23.9	0			NNE	28	15:04	9.7	99		S	2		22.7	51		NNE	19	
31	Fr	9.7	21.7	0.2			N	31	14:37	17.6	73		N	11		20.6	67		N	20	
<b>Statistics for May 2024</b>																					
Mean		10.7	20.5							14.1	83				4		19.3	63			8
Lowest		3.8	16.4							9.1	53			Calm			15.5	39		#	2
Highest		15.1	23.9	15.4			S	46		19.4	99		SSW	19		22.7	92		S	22	
Total				62.4																	

Observations were drawn from Penrith Lakes AWS (station 067113)

IDCJDW2111.202405 Prepared at 13:00 UTC on 2 Jun 2024

Copyright © 2024 Bureau of Meteorology

Users of this product are deemed to have read the information and accepted the conditions described in the notes at <http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

## Appendix A1 – Weather Monitoring

Table A1-2 Weather Monitoring Results Badgerys Creek Station May 2024

### Badgerys Creek, New South Wales May 2024 Daily Weather Observations



Australian Government  
Bureau of Meteorology

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	We	13.1	21.1	0			SSW	31	08:58	16.3	61		SSW	22	1030.8	19.8	51		SSE	17	1028.7
2	Th	12.6	20.7	0			ESE	24	15:41	16.1	70		SW	4	1032.1	18.4	66		WNW	4	1029.3
3	Fr	11.1	19.0	0.2			SSW	26	12:37	15.5	83		SW	11	1030.2	15.2	95		SSW	7	1027.4
4	Sa	12.3	20.1	2.8			SSE	20	13:00	15.0	95		WSW	7	1025.8	18.9	67		ESE	7	1022.1
5	Su	13.9	16.5	4.8			SSW	39	12:13	15.3	97		SW	7	1022.7	15.1	87		SSW	19	1021.5
6	Mo	13.4	20.4	4.8			SSW	44	04:04	16.4	83		SW	22	1027.7	18.9	57		SSE	20	1028.3
7	Tu	12.3	20.0	3.4			S	31	16:07	17.9	80		WSW	9	1031.3	17.6	83		SW	9	1029.2
8	We	12.5	18.8	2.2			SE	22	14:09	13.9	99		ENE	4	1031.8	16.3	100		SE	4	1029.1
9	Th	12.2	21.0	9.0			ENE	24	12:57	18.3	85		SSE	2	1032.2	18.9	77		SSW	7	1029.9
10	Fr	13.8	21.1	1.6			SE	15	00:12	17.3	87		SSW	6	1030.8	16.6	92		E	4	1027.9
11	Sa	14.4	17.0	3.8			SE	24	15:22	15.4	100		SW	7	1027.1	16.5	100		ESE	7	1024.0
12	Su	13.8	21.2	16.6			SSW	35	14:10	17.0	82		SW	11	1021.1	17.0	77		SSW	19	1018.5
13	Mo	14.8	22.0	1.0			SW	41	09:06	19.4	70		SSW	22	1020.3	21.7	64		SW	17	1019.5
14	Tu	8.1	23.2	0			S	20	14:40	14.2	93		Calm		1025.6	21.8	46		S	7	1024.3
15	We	12.4	22.1	0			NNE	19	11:59	16.5	78		WSW	6	1029.8	21.5	59		NNE	7	1025.8
16	Th	10.2	22.6	0			N	15	15:01	17.6	78		WSW	7	1030.0	19.5	63		N	9	1026.6
17	Fr	9.7	24.2	0			SW	13	21:00	13.4	100		W	6	1025.5	23.1	49		WSW	4	1020.2
18	Sa	11.1	16.1	0			SW	50	10:23	12.3	55		SW	22	1024.0	15.1	54		SSW	26	1023.1
19	Su	7.2	17.9	0			SW	31	09:49	12.1	56		SW	22	1023.0	17.5	41		SW	9	1019.5
20	Mo	5.0	19.5	0			SSW	30	10:27	12.6	59		SW	17	1023.5	16.8	53		S	11	1022.9
21	Tu	10.2		0						14.7	61		WSW	17	1027.8	18.9	53		SE	9	1025.1
22	We	8.4	18.9				SW	26	10:05	15.0	60		SW	15	1027.4	18.4	45		SW	9	1024.0
23	Th	4.8	21.1	0.2			E	15	17:52	11.0	84		SW	6	1027.9	19.7	43		W	6	1025.8
24	Fr	5.9	20.6	0			ESE	13	16:53	14.6	72		Calm		1027.6	18.9	53		NE	4	1025.1
25	Sa	7.0	18.4	0			S	9	04:35	11.8	100		SSE	2	1028.9	16.1	73		Calm		1025.7
26	Su	6.5	21.5	0			WSW	24	13:48	11.8	100		NW	2	1026.2	21.1	44		SSW	9	1022.6
27	Mo	5.8	21.0	0			SW	24	13:15	14.9	74		SW	4	1025.8	19.0	46		S	4	1024.2
28	Tu	4.6	21.6	0			WSW	11	21:45	9.7	100		S	4	1029.0	20.6	49		NE	7	1026.1
29	We	3.8	21.4	0			NE	13	13:00	9.3	100		Calm		1029.6	20.9	48		NE	4	1025.6
30	Th	4.7	23.0	0			NNE	22	14:28	10.4	100		WSW	2	1026.8	21.3	56		NNE	6	1022.8
31	Fr	10.3	20.3	0			NNE	30	08:57	18.4	66		NNE	22	1017.4	20.0	69		NNW	7	1014.7
<b>Statistics for May 2024</b>																					
Mean		9.9	20.4							14.6	81			9	1027.1	18.7	63			9	1024.5
Lowest		3.8	16.1							9.3	55		Calm		1017.4	15.1	41		Calm		1014.7
Highest		14.8	24.2	16.6			SW	50		19.4	100		#	22	1032.2	23.1	100		SSW	26	1029.9
Total				50.4																	

Observations were drawn from Badgerys Creek AWS (station 067108)

IDCJDW2005.202405 Prepared at 13:00 UTC on 2 Jun 2024  
Copyright © 2024 Bureau of Meteorology

Users of this product are deemed to have read the information and accepted the conditions described in the notes at <http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf>

## Appendix A2 – Noise Monitoring

Table A2-1 Triggered Noise Monitoring Results March-May 2024

Date	Time	Location	NCA	DNVIS prediction	LAeq	L10	L90
12/03/2024	11:50	327-329 Luddenham Road	9	72	61.5	66.3	52.6
12/03/2024	12:38	16-20 Lansdowne Road	8	N/A	51.1	54.1	47.6
30/04/2024	20:31	34 Portrush	10	45	42.7	41.2	34
30/04/2024	20:55	48 Portrush	10	54	42.9	45.4	40
30/04/2024	21:30	36 Twin Creeks Drive	10	41	53.2	47.2	41
30/04/2024	22:00	4 Ventana Court Luddenham	10	46	48.7	45.6	37.4
30/04/2024	22:27	1 Portrush	10	46	36.7	38.4	34.6
20/05/2024	11:52	16-20 Lansdowne Road	8	87	59.9	61.9	49.6
20/05/2024	20:02	3 Bridport	10	48	38.4	39.9	36.9
20/05/2024	20:29	39 Halmstad	10	47	38.5	39.5	37.1
20/05/2024	20:51	14 Farmingdale	10	51	36	37.8	33.3
20/05/2024	22:00	611A Luddenham Rd	10	57	57.4	58.9	41.5
20/05/2024	22:20	611-639 Luddenham road	10	54	58.5	58.5	38.7
27/05/2024	21:16	222B Luddenham Road	9	39	52.3	53.7	40.2
27/05/2024	21:44	117-199 Luddenham Road	9	36	41.9	43.1	39.7
27/05/2024	22:17	117-199 Luddenham Road	9	36	39.2	41.1	37

Table A2-2 Sound Power Level Monitoring Results March-May 2024

Date	Plant type	Plant ID	Max SWL at 7m (CNVS)	Recorded SWL
13/03/2024	Vibratory Roller	RC120P-1	89	77.7
20/05/2024	26T Excavator	130	80	69

## Appendix A3 – Discharge to Water

Table A3-1 Discharge to Water Monitoring Results May 2024

Date of Discharge	EPL Discharge Point(s)	pH	NTU	Visible Oil/Grease
17/05/2024	EPA 1	7.91	10.2	None
14/05/2024	EPA 5	7.73	32.2	None
17/05/2024	EPA 6	7.62	21.1	None
28/05/2024	EPA 8	7.36	8.6	None