



**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

EPL 21672 Monitoring Report

January 2023

Sydney Metro – Western Sydney Airport, Station Boxes and Tunnelling

Project number	SSI 10051
Document number	SMWSASBT-CPG-SWD-SW000-EN-RPT-295174
Revision date	12/05/2023
Revision	A

Document approval

Rev	Date	Prepared by	Reviewed by	Approved by	Remarks
A	12/02/2023	██████	██████	██████	
0	12/05/2023	██████	██████	██████	

Table of contents

1. Introduction	1
1.1. Background	1
1.1.1. Station Boxes and Tunnelling Works.....	3
1.2. Scope of this report	3
2. Reporting Requirements.....	5
3. Monitoring	10
3.1. Meteorological Data	10
3.2. Noise.....	11
3.3 Discharge to Water	12
4. Correction Log	14

Tables

Table 1: SBT Worksite Jurisdiction.....	3
Table 2: Licence details	4
Table 3: EPL 21672 Pollution Monitoring Requirements	6
Table 4: Weather summary and trigger weather events for reporting period ¹	10
Table 5: Summary of noise monitoring conducted during this reporting period	11
Table 6: Recorded exceedances within reporting period.....	11
Table 7: Discharge to water SBT Discharge Point Register (electronic file EF22/5394) (Rev 1, submitted 4th of October 2022)	13
Table 8: Weather Observations: Temperatures & Relative Humidity - Badgerys Creek AWS {station 067108}. Rain – Penrith Lakes AWS {station 67113}.	15
Table 9: Wind Observations: Badgerys Creek AWS {station 067108}.	16
Table 10: Noise Monitoring Results.....	17
Table 11: Discharge Water Quality.....	18

Figures

Figure 1: Overview of the Project	2
---	---

Annexures

Annexure A Weather Observations	15
Annexure B Noise Monitoring Results	17





**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

Annexure C Discharge to water 18



1. Introduction

1.1. Background

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the north and the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (

Figure 1: Overview of the Project

).

The Sydney Metro Western Sydney Airport EIS was prepared in October 2020 to assess the impacts of construction and operation of the Project and was placed on public exhibition between 21 October 2020 and 2 December 2020. The Project was declared a Critical State Significant Infrastructure (CSSI) Project and is listed in Schedule 5 of *State Environmental Planning Policy (State and Regional Development)*.

The Sydney Metro Western Sydney Airport was approved by the Minister for Planning and Public Spaces on 23 July 2021 (SSI 10051) under section 5.19 of the *Environmental Planning and Assessment Act 1997* (EP&A Act).

The Project will be delivered through the following stages:

- **Advanced and Enabling Works (AEW)** – Site investigations, modification of the existing transport network, power and water supply for construction sites, utility and stormwater diversions and some demolition works.
- **Station Boxes and Tunnelling Works (SBT)** – delivered through the following sub-stages:
 - Preparatory Works (the subject of this Plan) – Including NSW (off-airport) demolition works, site levelling/grading, site access and parking, utility and temporary services works, erection of demountable buildings and noise barriers, tunnelling preparatory works and use of ancillary facilities including onsite parking.
 - Bulk Excavation and Tunnelling Works – Preparatory Works (works not completed prior to Final CEMP approval), bulk excavation, acoustic shed installation, tunnelling and cross passage installation.
- **Surface and Civil Alignment Works (SCAW)** – Construction of bridges and viaducts to cross floodplains, watercourses and existing and proposed permanent infrastructure.
- **Stations, Systems, Trains, Operations and Maintenance (SSTOM)**– Station design and fitout, testing and commissioning, and operation of the Western Sydney Airport metro service
- **Finalisation Auxiliary Works.**

Each package of work is to be delivered under separate contracts on behalf of the proponent, Sydney Metro.



**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**



Figure 1: Overview of the Project



1.1.1. Station Boxes and Tunnelling Works

The CPB Ghella JV has been engaged to deliver the SBT Works. The SBT Works include the design and construction of:

- Two sections of twin tunnels with a total combined length of approximately 9.8km, including associated portal structures; Orchard Hills to St Marys and Western Sydney International (WSI) airport to the new Aerotropolis Station in NSW
- Excavations at either end to enable trains to turn back and stub tunnels to enable future extensions
- Station box excavations with temporary ground support for four stations at St Marys, Orchard Hills, Airport Terminal and Aerotropolis
- Excavations for two intermediate service facilities, one in each of the tunnel sections at Claremont and Bringelly.

Completed sections of the SBT Works, including established construction worksites, will be progressively handed over to Sydney Metro to enable follow-on contractors to commence works.

1.2. Scope of this report

CPB Contractors Pty Limited have been issued an Environmental Protection Licence (EPL No. 21672) from the NSW Environment Protection Authority (EPA) for the Sydney Metro Western Sydney Airport Station Box and Tunnelling Package on behalf of Sydney Metro.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of Sydney Metro Western Sydney Airport SBT Works Off-airport worksites. The EPL does not apply to other Sydney Metro Western Sydney Airport works packages or On-airport SBT Worksites.

An overview of relevant jurisdiction at each SBT Worksite is provided in Table 1.

Table 1: SBT Worksite Jurisdiction

Jurisdiction	Worksite
NSW	St Marys
NSW	Claremont Meadows
NSW	Orchard Hills
On-Airport	Airport Portal Dive Structure
On-Airport	Airport Terminal and TBM shaft
On-Airport	Precast Segment Storage Facility
On-Airport	Primary Spoil Reveal
NSW	Bringelly
NSW	Aerotropolis

Note: Worksites shown in grey are within the boundary of the Western Sydney International (On-Airport), are regulated under the *Commonwealth Airports Act 1996* and are outside the scope of EPL 21672.





**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21672 as required by Section 66 of the *Protection of the Environment Operations Act 1997* (POEO Act) and with reference to EPA Publication *Requirements for publishing pollution monitoring data* (Environment Protection Authority, 2013).

Table 2 provides a summary of the EPL 21672 details.

Table 2: Licence details

Licence Details	
Number:	21672
Copy of Licence	ViewPOEOLicence.aspx (nsw.gov.au)
Anniversary Date	30-May
Licensee	CPB Contractors Pty Limited
Premises	Sydney Metro Western Sydney Airport Station Box and Tunnelling Package St Marys to Orchard Hills and Bringelly to Aerotropolis St Marys NSW 2760
Scheduled Activity	Railway activities - railway infrastructure construction



2. Reporting Requirements

Under the *POEO Act*, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The *POEO Act* Section 66 requires

“66 Conditions requiring monitoring, certification or provision of information, and related offences

(1) **Monitoring** The conditions of a licence may require—

- (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
 - (i) the operation or maintenance of premises or plant, and
 - (ii) discharges from premises, and
 - (iii) relevant ambient conditions prevailing on or outside premises,and
 - (iv) anything required by the conditions of the licence, and
- (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
- (c) the analysis, reporting and retention of monitoring data.

(2) **False or misleading information** A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect.”

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them. Data for the SBT Works is presented on a monthly sampling period.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged, or emitted from the licenced premises.

The data is provided in tabular format that is easy for the public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee’s website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It is possible from time to time that incorrect data may be published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading (refer to Section 4).



Table 3 provides a summary of the pollution monitoring requirements of EPL 21672.

Table 3: EPL 21672 Pollution Monitoring Requirements

EPL Condition	Requirement	Report Reference
Weather		
M5.1	<p>The licensee must monitor and record temperature, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology.</p> <p>Monitoring must:</p> <ul style="list-style-type: none"> a) be representative of the premises; b) commence prior to any works that may cause sediment to leave the premises; and c) continue to be operated until soil disturbance activities cease at the premises and the site has been stabilised. <p>The rainfall monitoring data collected in compliance with this condition can be used to determine compliance with condition L2.5</p>	Section 3.1 Annexure A
Noise		
L5.9	<p>In undertaking any works and activities outside of standard construction hours under condition L5.8, the licensee must comply with the following:</p> <ul style="list-style-type: none"> a) Prepare a construction noise and vibration impact assessment in accordance with the Interim Construction Noise Guideline (DEC, 2009) that is to include: <ul style="list-style-type: none"> i. a description of the proposed works and activities outside of standard construction hours; ii. predictions of LAeq (15 minute) dB noise levels at noise sensitive receivers from these works and activities, where noise levels are predicted to be greater than those permitted under condition L5.3; and iii. a monitoring plan to validate the noise predictions, based on monitoring at the boundary of representative sensitive receivers during noise generating activities that are representative of the works and activities, including during the period/s predicted to have the highest noise level impacts. b) Undertake noise monitoring in accordance with the monitoring plan required by condition L5.9(a)(iii). 	Section 3.2 Annexure A
M4.4	<p>The licensee must undertake noise and vibration monitoring as directed by an authorised officer of the EPA. Where the monitoring is requested to take place on private land (for example a residential property) the licensee must request permission to access the premises in advance and keep a record of permission requests and responses. If a licensee is unable to obtain permission, the licensee must undertake the monitoring at an indicative location where possible and they must provide the response (including any nil response) to the EPA.</p>	N/A No direction received from EPA to undertake noise and vibration monitoring during



**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

EPL Condition	Requirement	Report Reference																				
		this reporting period.																				
<p>Community Agreements</p> <p>The licensee may work outside standard construction hours (as defined in L5.1) in circumstances other than those permitted under conditions L5.3, L5.4, or any other condition of the licence, subject to the condition outlined Section E1.</p>																						
E1.4	A noise validation monitoring plan must be submitted to the EPA for approval as part of the community agreement documentation prior to any OOHW occurring.	N/A																				
E1.5	<p>Validation monitoring must be undertaken for any OOHW that are the approved under condition E1.1 and must:</p> <p>a) be undertaken in accordance with the monitoring plan prepared under condition E1.4;</p> <p>b) be performed by a Competent Person;</p> <p>c) be performed on at least the first 2 occasions (day, evening, nights) where OOHW will be undertaken and are likely to impact Noise Sensitive Receivers;</p> <p>d) be performed on any other occasion (day, evening, night) where the nature of the works is likely to cause greater noise impacts than the first 2 occasions;</p> <p>e) be representative of the impacts in terms of monitoring locations, time and duration of measurements; and</p> <p>f) be recorded and provided to an EPA officer upon request</p>	Not triggered during this reporting period																				
<p>Water</p>																						
P1.1	<p>The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.</p> <table border="1" data-bbox="336 1485 1121 1872"> <tbody> <tr> <td>1</td> <td>Discharge and Monitoring</td> <td>Discharge and Monitoring</td> <td>The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2</td> </tr> <tr> <td>2</td> <td>Discharge and Monitoring</td> <td>Discharge and Monitoring</td> <td>The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2</td> </tr> <tr> <td>3</td> <td>Discharge and Monitoring</td> <td>Discharge and Monitoring</td> <td>The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2</td> </tr> <tr> <td>4</td> <td>Discharge and Monitoring</td> <td>Discharge and Monitoring</td> <td>The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2</td> </tr> <tr> <td>5</td> <td>Discharge and Monitoring</td> <td>Discharge and Monitoring</td> <td>The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2</td> </tr> </tbody> </table>	1	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2	2	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2	3	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2	4	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2	5	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2	Section 0Annexure C
1	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2																			
2	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2																			
3	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2																			
4	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2																			
5	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2																			
L2.1	For each monitoring/discharge point or utilisation area specified in the table\ below (by a point number), the concentration of a pollutant discharged at that	Noted																				



**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

EPL Condition	Requirement	Report Reference																
	point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.																	
M2.2	<p>POINT 1,2,3,4,5</p> <table border="1" data-bbox="379 591 1139 692"> <thead> <tr> <th>Pollutant</th> <th>Units of measure</th> <th>Frequency</th> <th>Sampling Method</th> </tr> </thead> <tbody> <tr> <td>Oil and Grease</td> <td>Visible</td> <td>Special Frequency 1</td> <td>Visual Inspection</td> </tr> <tr> <td>pH</td> <td>pH</td> <td>Special Frequency 1</td> <td>Probe</td> </tr> <tr> <td>Turbidity</td> <td>nephelometric turbidity units</td> <td>Special Frequency 1</td> <td>Probe</td> </tr> </tbody> </table>	Pollutant	Units of measure	Frequency	Sampling Method	Oil and Grease	Visible	Special Frequency 1	Visual Inspection	pH	pH	Special Frequency 1	Probe	Turbidity	nephelometric turbidity units	Special Frequency 1	Probe	Noted
Pollutant	Units of measure	Frequency	Sampling Method															
Oil and Grease	Visible	Special Frequency 1	Visual Inspection															
pH	pH	Special Frequency 1	Probe															
Turbidity	nephelometric turbidity units	Special Frequency 1	Probe															
M2.3	<p>For the purposes of Condition M2.2 and the Table thereto, ‘Special Frequency 1’ means:</p> <p>a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and</p> <p>b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.</p>	Noted																
E2.1	<p>The licensee must undertake monthly surface water monitoring at discharge point 1 identified in Condition P1.1 for a minimum of 6 months from the date of issue of this licence. Monthly monitoring results must include:</p> <p>a) quality and quantity of all parameters that are identified in the table in E2.2 at each discharge point; and</p> <p>b) results must be submitted to the EPA no more than 2 weeks after each monthly monitoring event has occurred for a minimum of 6 months from the date of issue of this licence.</p>	Noted																
E2.2	<table border="1" data-bbox="341 1323 1195 1854"> <thead> <tr> <th>Category</th> <th>Measured</th> <th>Parameters</th> </tr> </thead> <tbody> <tr> <td>Physio-chemical parameters</td> <td>In-field using a calibrated multi parameter probe.</td> <td> <ul style="list-style-type: none"> • Temperature (°C) • Dissolved Oxygen (% saturation) • Electrical Conductivity (µS/cm) • Reduction-Oxidation Potential (Redox)(mV) • pH • Total suspended solids (TSS) • Turbidity (NTU) • Visible oil and grease </td> </tr> <tr> <td>Metals</td> <td>Laboratory testing</td> <td> <ul style="list-style-type: none"> • Aluminium • Arsenic (III and V) • Cadmium • Cobalt • Chromium (III and VI) • Copper • Lead • Manganese • Mercury • Nickel • Vanadium • Zinc </td> </tr> <tr> <td>Organochlorine Pesticides</td> <td>Laboratory testing</td> <td> <ul style="list-style-type: none"> • Endosulphan • Methoxychlor </td> </tr> <tr> <td>Total Petroleum Hydrocarbons</td> <td>Laboratory testing</td> <td> <ul style="list-style-type: none"> • TPH C10-C36 Fraction • TPH C6-C9 Fraction </td> </tr> </tbody> </table>	Category	Measured	Parameters	Physio-chemical parameters	In-field using a calibrated multi parameter probe.	<ul style="list-style-type: none"> • Temperature (°C) • Dissolved Oxygen (% saturation) • Electrical Conductivity (µS/cm) • Reduction-Oxidation Potential (Redox)(mV) • pH • Total suspended solids (TSS) • Turbidity (NTU) • Visible oil and grease 	Metals	Laboratory testing	<ul style="list-style-type: none"> • Aluminium • Arsenic (III and V) • Cadmium • Cobalt • Chromium (III and VI) • Copper • Lead • Manganese • Mercury • Nickel • Vanadium • Zinc 	Organochlorine Pesticides	Laboratory testing	<ul style="list-style-type: none"> • Endosulphan • Methoxychlor 	Total Petroleum Hydrocarbons	Laboratory testing	<ul style="list-style-type: none"> • TPH C10-C36 Fraction • TPH C6-C9 Fraction 	Noted	
Category	Measured	Parameters																
Physio-chemical parameters	In-field using a calibrated multi parameter probe.	<ul style="list-style-type: none"> • Temperature (°C) • Dissolved Oxygen (% saturation) • Electrical Conductivity (µS/cm) • Reduction-Oxidation Potential (Redox)(mV) • pH • Total suspended solids (TSS) • Turbidity (NTU) • Visible oil and grease 																
Metals	Laboratory testing	<ul style="list-style-type: none"> • Aluminium • Arsenic (III and V) • Cadmium • Cobalt • Chromium (III and VI) • Copper • Lead • Manganese • Mercury • Nickel • Vanadium • Zinc 																
Organochlorine Pesticides	Laboratory testing	<ul style="list-style-type: none"> • Endosulphan • Methoxychlor 																
Total Petroleum Hydrocarbons	Laboratory testing	<ul style="list-style-type: none"> • TPH C10-C36 Fraction • TPH C6-C9 Fraction 																



**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

EPL Condition	Requirement	Report Reference
Additional Monitoring Conditions		
M4.5	<p>The licensee must undertake monitoring, sampling, video recording and/or take photographs:</p> <ul style="list-style-type: none"> a) if the EPA or licensee reasonably suspects that an event has occurred at the premises or in connection with the carrying out of the activities that has caused, is causing, is likely to cause or has the potential to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies); b) as soon as practicable; and c) as directed by an authorised officer. 	Noted



3. Monitoring

Section 3 presents a summary of the monitoring programs completed in the reporting period from 1 January 2023 to 31 January 2023.

Detailed monitoring results for each program are presented in the Appendices.

3.1. Meteorological Data

Meteorological data for the Project has been taken from Badgerys Creek Automatic Weather Station (AWS).

The total rainfall recorded during the reporting period was 97.4 with 11 days exceeding one millimetre of rain and 3 days of rain exceeding 10 mm.

During the reporting period, there were 29 days where the maximum wind gust recorded was greater than 25 km/hr, 3 days where the maximum wind gust recorded was greater than 50 km/h and 0 days where the maximum wind gust was greater than 60 km/hr. Winds recorded during the reporting period were predominantly westerly component, however there was variability throughout the month.

Detailed weather observation records for the reporting period are presented in Annexure A.

This information is used daily on site to assess daily activities and consider mitigation measures as required.

Table 4: Weather summary and trigger weather events for reporting period¹

Weather Event	Observation
Minimum temperature	14.5 °C
Maximum temperature	36.6 °C
Total rainfall	97.4 mm
Number of days with rain (>1 mm)	11 days
Number of days with rain (>10 mm)	3 days
>25 km/hr wind ²	29 days
>50 km/hr wind	3 days
>60 km/hr wind	0 days

¹Weather summary based on data from the 1 January 2023 to 31 January 2023 (31 days).

²Weather data from Badgerys's Creek AWS {station 067108} and Penrith Lakes AWS {station 067113}.



3.2. Noise

Noise monitoring is a requirement of the following conditions of EPL 21672:

- L5.9, E1.4 Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment
- M7.6 Noise monitoring following noise and vibration complaints
- M4.4 Noise and vibration monitoring as directed by an authorised officer of the EPA.

Table 5 provides a summary of noise monitoring events conducted during the reporting period. Detailed noise monitoring results and comments are presented in Annexure B.

Table 5: Summary of noise monitoring conducted during this reporting period

Date	Monitoring Location	Attended/Continuous	Description
12/01/2023	2 Station Street, St Marys	Attended	Concrete Pour (OOHW)
13/01/2023	2B Chesham Street, St Marys	Attended	Piling and Excavation
13/01/2023	2 Station Street, St Marys	Attended	Piling and Excavation
23/01/2023	SBT Site Claremont Meadows	Attended	Shaft Excavation
23/01/2023	Gipps Street / 7 Dolphin Close, Claremont Meadows	Attended	Shaft Excavation
23/01/2023	2B Chesham Street, St Marys	Attended	Telehandler and Hand Tools

Attended monitoring undertaken during this reporting period measured exceedances of the predicted noise levels during two monitoring events (Table 6). Measured exceedances were the result of extraneous noise sources on both occasions as outlined in Annexure B.

Table 6: Recorded exceedances within reporting period

Date	Monitoring Location	Reason for exceedance
23/01/2023	Gipps Street / 7 Dolphin Close, Claremont Meadows	Exceedances attributed to extraneous sources with construction noise almost entirely inaudible due to local traffic noise on Gipps Street. Noise levels on Gipps Street (71.6dB) measured higher than what was measured onsite within the same hour on the same day (68.9dB)
23/01/2023	2B Chesham Street, St Marys	Exceedances attributed to extraneous sources due to proximity to active train line and local traffic movements.



3.3 Discharge to Water

The discharge of water from sediment basins and settling containers occurred at the following discharging monitoring points during this reporting period:

- SBT-002
- SBT-011
- SBT-012

Discharge to natural waterways, and local stormwater systems is directly linked to the surface water monitoring program, where monitoring is undertaken to:

- Measure the effectiveness of environmental controls in minimising and managing environmental impacts
- Demonstrate compliance with relevant stakeholder conditions

A detailed discharge events and water quality register is presented in Annexure C.

The EPL discharge criteria apply to the sediment basins and settling containers identified and located on Electronic File EF22/5394 and approved by the EPA. Discharge to water events must adhere to the following Limit Conditions of EPL 21672:

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.
- L2.1 For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table/s.
- L2.4 Water and/or Land Concentration Limits

The active basins and discharge points during this reporting period are summarised in Table 7.

The discharge events and water quality monitoring data during the reporting period are summarised in Annexure C.



Table 7: Discharge to water SBT Discharge Point Register (electronic file EF22/5394) (Rev 1, submitted 4th of October 2022)

ID	Construction Status	EPA ID	Easting	Northing	Description of location of discharge point	Catchment name	Name of nearest waters	Direct discharge to waters	Location description	Date added	Revision Added
SBT-001	Inactive	3	294119.4684	6261927.807	The outlet of the sediment basin(s) on the St Marys site North of Station Street	South Creek	South Creek	No	Discharge into local stormwater system	4/10/2022	1
SBT-002	Active	3	294041.6184	6261905.9783	The outlet of the sediment basin(s) on the St Marys site at former Plaza	South Creek	South Creek	No	Discharge into local stormwater system	4/10/2022	1
SBT-003	Active	2	292018.2099	6261255.3813	The outlet of the sediment basin on the Claremont Meadows Site south of Great Western Highway	South Creek	Claremont Creek	No	Discharge into local stormwater system	4/10/2022	1
SBT-004	Active	2	292072.0196	6261326.0789	The outlet of the sediment basin on the Claremont Meadows site West of Gipps Street	South Creek	Claremont Creek	No	Discharge into local stormwater system	4/10/2022	1
SBT-005	Inactive	1	292053.3538	6259530.3707	The outlet of the sediment basin on the Orchard Hills site	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-006	Inactive	1	292065.7524	6259303.9277	The outlet of the sediment basin on the Orchard Hills site south of M4	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-007	Inactive	1	291857.7443	6259276.8491	The outlet of the sediment basin on the Orchard Hills site east of Kent Road	South Creek	Unnamed tributary of South Creek	Yes	Discharge into creek	4/10/2022	1
SBT-008	Inactive	1	291857.4535	6259221.8921	The outlet of the sediment basin on the Orchard Hills site east of Kent Road	South Creek	Unnamed tributary of South Creek	Yes	Discharge into creek	4/10/2022	1
SBT-009	Inactive	1	291808.8936	6258854.9307	The outlet of the sediment basin on the Orchard Hills site north of Lansdowne Road	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-010	Inactive	1	291963.0058	6258833.1224	The outlet of the sediment basin on the Orchard Hills site north of Lansdowne Road	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-011	Active	1	291975.5092	6258798.5199	The outlet of the sediment basin on the Orchard Hills site south of Lansdowne Road	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-012	Active	1	291803.9504	6258604.2804	The outlet of the sediment basin on the Orchard Hills site south of Lansdowne Road	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-013	Active	4	289481.8143	6245851.2954	The outlet of the sediment basin on the Bringelly site west of Derwent Road	South Creek	Badgerys Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1
SBT-014	Active	5	290853.6384	6243780.4655	The outlet of the sediment basin on the Aerotropolis site east side of Aerotropolis	South Creek	Thompsons Creek	No	Discharge into vegetated / stabilized land	4/10/2022	1





**SYDNEY METRO – WESTERN SYDNEY AIRPORT
STATION BOXES AND TUNNELLING WORKS**

4. Correction Log

It is possible from time to time for incorrect data to be published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

There are no matters included in the correction log for this reporting period.



Annexure A Weather Observations

Table 8: Weather Observations: Temperatures & Relative Humidity - Badgerys Creek AWS (station 067108). Rain – Penrith Lakes AWS (station 671113).

Date	Temperatures		Rain mm	9am		3pm	
	Min	Max		Temperature	Relative Humidity	Temperature	Relative Humidity
	°C			°C	%	°C	%
1/01/2023	18	28.6	0.2	20.7	87	25.8	57
2/01/2023	15.5	32.5	0.4	24	67	31.3	36
3/01/2023	16.9	33.7	0	24.4	66	31.9	42
4/01/2023	18.1	26.5	2	22.1	84	21.6	86
5/01/2023	15.6	20.7	17.6	18.6	66	20.4	56
6/01/2023	12.6	20.8	0.6	15.4	89	19.8	71
7/01/2023	15.2	24.5	3.4	19.2	68	23.7	48
8/01/2023	15.4	28	0	20.7	55	26.2	33
9/01/2023	12	31.9	0	20.6	65	30	42
10/01/2023	12.2	30.3	0	21.7	62	28.3	46
11/01/2023	17.7	28.3	0	21.6	67	25.4	53
12/01/2023	20	30.7	0	22.7	68	29.3	49
13/01/2023	17.3	30.8	0	23.2	66	28	47
14/01/2023	16.8	29.2	0	22.7	71	27.3	52
15/01/2023	15	35.2	0	22.9	65	34	35
16/01/2023	19.5	30.5	1.8	24	66	28.1	48
17/01/2023	15.9	31.5	0	24.2	67	30.4	48
18/01/2023	13.9	35.2	0	22.7	71	34.6	32
19/01/2023	17.4	19.3	13.4	17.6	97	18.8	64
20/01/2023	15.7	22.3	2.8	17.7	83	20.7	58
21/01/2023	15.6	27	0.8	21.1	68	25.2	50
22/01/2023	16.2	20.1	0.6	18.1	90	18.9	92
23/01/2023	15.7	27.1	8.2	19.5	82	24.5	57
24/01/2023	14.7	31.5	0	21.6	77	30	44
25/01/2023	14.2	30.5	4.8	21.5	74	29.6	51
26/01/2023	15.6	36.2	0	23.5	79	31.8	44
27/01/2023	18.9	29.7	2	22.9	75	27.6	59
28/01/2023	19	34	0.2	23.6	80	33.8	51
29/01/2023	20.5	33.9	0	24.7	87	31.1	43
30/01/2023	20.6	29.7	4.6	21.8	96	28	66
31/01/2023	18.2	29.9	34	22.9	71	28.5	56



Table 9: Wind Observations: Badgerys Creek AWS {station 067108}.

Date	Maximum wind gusts			9am		3pm	
	Direction	Speed km/h	Time Local	Direction	Speed km/h	Direction	Speed km/h
1/01/2023	ENE	37	12:53	ESE	6	ENE	20
2/01/2023	ENE	35	14:29	N	7	ENE	13
3/01/2023	E	35	13:46	ENE	4	ESE	24
4/01/2023	NE	33	23:02	SE	9	SE	13
5/01/2023	S	48	15:51	SSW	19	SSW	17
6/01/2023	SSW	56	13:49	WSW	15	SSW	31
7/01/2023	SSE	35	7:41	S	20	SSE	13
8/01/2023	ESE	28	15:29	SSW	11	S	11
9/01/2023	E	35	14:55	ENE	4	ESE	20
10/01/2023	SE	33	15:33	SE	7	ESE	19
11/01/2023	ESE	28	16:55	SSW	4	ENE	13
12/01/2023	E	33	15:55	N	9	ESE	17
13/01/2023	ENE	31	15:58	Calm		ENE	22
14/01/2023	E	35	15:30	NNE	9	ENE	20
15/01/2023	E	33	15:10	NNE	4	ENE	7
16/01/2023	SE	33	15:20	ENE	11	ESE	17
17/01/2023	ENE	35	14:44	WSW	6	ENE	19
18/01/2023	SSW	54	19:18	NE	2	N	11
19/01/2023	SSE	28	11:47	SSW	9	S	13
20/01/2023	SSE	30	11:45	S	7	ESE	13
21/01/2023	E	33	15:09	WSW	7	E	19
22/01/2023	E	19	15:02	WSW	4	W	6
23/01/2023	SE	24	14:20	SW	11	ESE	11
24/01/2023	SW	59	19:19	SE	6	NNE	6
25/01/2023	ENE	28	16:27	S	6	E	20
26/01/2023	S	28	19:24	SE	2	S	4
27/01/2023	SE	28	17:39	SSW	6	E	11
28/01/2023	E	31	15:31	S	2	E	13
29/01/2023	SSW	37	13:33	SSW	4	SSW	15
30/01/2023	S	43	16:50	NNE	11	NNE	13
31/01/2023	WSW	30	15:24	SSW	13	SW	15



Annexure B Noise Monitoring Results

Table 10: Noise Monitoring Results

Date	Time	Works Period	Construction Activity	Activity Location	Monitoring Location	NML (dBA)	Predicted (dBA)	Additional Mitigation Measures	Recorded $L_{Aeq, 15min}$ (dBA)	L_{Amax}	L_{Amin}	Exceedance of Predicted (dBA)	Exceedance of Predicted	Comments
12/01/2023	6:30pm	OOHW1	Concrete Pours	SBT Site (St Marys)	2 Station Street, St Marys	42	65	LB, M, RO, SN	61.5	88.8	45.7	-3.5	No	Verification noise monitoring. Extraneous noise was the dominant noise at the beginning of the test due to the use of a leaf blower by a resident.
13/01/2023	9:02am	Standard	Piling and Excavation	SBT Site (St Marys)	2 Station Street, St Marys	47	54	LB	53.7	67.1	42.8	-0.3	No	Verification noise monitoring. Construction noise was the dominant noise source.
13/01/2023	9:38am	Standard	Piling and Excavation	SBT Site (St Marys)	2B Chesham Street, St Marys	47	66	LB	52.3	72.5	47.2	-13.7	No	Verification noise monitoring. Construction noise was the dominant noise source.
23/01/2023	3:44pm	Standard	Shaft Excavation	SBT Site (Claremont Meadows)	On Site	47	N/A	LB, M, SN	68.9	82.2	57.3	N/A	No	Verification noise monitoring. Construction noise was the dominant noise source.
23/01/2023	3:18pm	Standard	Shaft Excavation	SBT Site (Claremont Meadows)	7 Dolphin Close/ Gipps Street, Claremont Meadows	47	67	LB, M, SN	71.6	95	53.6	4.6	Yes	Verification noise monitoring. Extraneous traffic noise was the dominant noise source.
23/01/2023	6:37pm	OOHW1	Telehandler and Hand Tools	SBT Site (St Marys)	2B Chesham Street, St Marys	42	44	LB, M	50.1	68	35.9	6.1	Yes	Verification noise monitoring. Extraneous noise (traffic and trains) was the dominant noise source.

OOHW1 is defined as:

- a. 6:00pm to 10:00pm (evenings) Monday to Saturday
- b. 7:00am to 8:00am and 1:00pm to 10:00pm (day & evening) Saturday and
- c. 8:00am to 6:00pm Sunday and public holidays (days).

OOHW2 is defined as:

- a. 10:00pm to 7:00am (nights) Monday to Saturday and
- b. 6:00pm to 8:00am (nights) Sundays and public holidays.

Additional Mitigation Measures

- LB = Letter box drops
- M = Monitoring
- SN = Specific Notification
- RO = Project Specific Respite Offer
- IB = Individual Briefing
- PC = Phone Calls and Emails
- AA = Alternate Accommodation



Annexure C Discharge to water

Table 11: Discharge Water Quality

Discharge Monitoring Point ID	Type of Monitoring Point	Type of Discharge Point	Date	Discharge Permit No.	Oil and Grease (Not Visible)	pH (6.5 – 8.5)	Turbidity (50 NTU)
SBT-002	Basins and settling containers	Discharge into local stormwater system	6/01/2023	010	Not visible	8.47	0
SBT-002	Basins and settling containers	Discharge into local stormwater system	9/01/2023	011	Not visible	8.32	11
SBT-002	Basins and settling containers	Discharge into local stormwater system	12/01/2023	012	Not visible	7.97	12.2
SBT-011	Basins and settling containers	Discharge into vegetated/stabilized land	12/01/2023	013	Not visible	8.28	41.8
SBT-012	Basins and settling containers	Discharge into vegetated/stabilized land	12/01/2023	014	Not visible	7.92	20.6
SBT-002	Basins and settling containers	Discharge into local stormwater system	16/01/2023	015	Not visible	8.35	7.5
SBT-002	Basins and settling containers	Discharge into local stormwater system	17/01/2023	016	Not visible	8.29	8.8
SBT-012	Basins and settling containers	Discharge into vegetated/stabilized land	18/01/2023	017	Not visible	8.4	44.8
SBT-002	Basins and settling containers	Discharge into local stormwater system	18/01/2023	018	Not visible	8.22	32.7
SBT-002	Basins and settling containers	Discharge into local stormwater system	23/01/2023	019	Not visible	8.35	38.5
SBT-002	Basins and settling containers	Discharge into local stormwater system	23/01/2023	020	Not visible	8.44	30.2
SBT-012	Basins and settling containers	Discharge into vegetated/stabilized land	17/01/2023	021	Not visible	8.4	44.8
SBT-002	Basins and settling containers	Discharge into local stormwater system	25/01/2023	023	Not visible	6.53	44.6
SBT-002	Basins and settling containers	Discharge into local stormwater system	25/01/2023	024	Not visible	6.51	43.1
SBT-012	Basins and settling containers	Discharge into vegetated/stabilized land	24/01/2023	025	Not visible	8.3	36.7
SBT-012	Basins and settling containers	Discharge into vegetated/stabilized land	30/01/2023	026	Not visible	8.24	34
SBT-002	Basins and settling containers	Discharge into local stormwater system	28/01/2023	027	Not visible	8.39	49.5
SBT-002	Basins and settling containers	Discharge into local stormwater system	28/01/2023	028	Not visible	8.46	25.7
SBT-002	Basins and settling containers	Discharge into local stormwater system	30/01/2023	029	Not visible	8.46	39.8
SBT-002	Basins and settling containers	Discharge into local stormwater system	31/01/2023	030	Not visible	8.37	48.7
SBT-002	Basins and settling containers	Discharge into local stormwater system	31/01/2023	031	Not visible	7.9	39.2

