

# EPL 21672 Monitoring Report, September 2022

Sydney Metro Western Sydney Airport Station Boxes and Tunnelling Works

Project number	SSI 10051
Document number	SMWSASBT-CPG-SWD-SW000-EN-RPT-293036
Revision date	05/10/2022
Revision	A

## Document approval

Rev	Date	Prepared by	Reviewed by	Approved by	Remarks
A	05/10/2022				

## Table of contents

1. Introduction .....	2
1.1. Background .....	2
1.1.1. Station Boxes and Tunnelling Works .....	4
1.2. Scope of this report.....	4
2. Reporting Requirements .....	6
3. Monitoring .....	10
3.1. Meteorological Data .....	10
3.2. Noise .....	11
3.3. Discharge to Water .....	11
4. Correction Log .....	12

## Tables

Table 1: SBT Worksite Jurisdiction .....	4
Table 2: License details .....	5
Table 3: EPL 21672 Pollution Monitoring Requirements .....	7
Table 4 Weather summary and trigger weather events for reporting period <sup>1</sup> .....	10
Table 5: Summary of noise monitoring for reporting period .....	11
Table 6: Weather Observations: Badgerys Creek AWS {station 067108}. .....	13
Table 7: Wind Observations: Badgery's Creek AWS {station 067108}. .....	14

## Figures

Figure 1: Overview of the Project .....	3
---	---

## Annexures

<b>Annexure A</b> Weather Observations.....	13
<b>Annexure B</b> Noise Monitoring Results .....	15
<b>Annexure C</b> Discharge to water .....	16



## 1. Introduction

### 1.1. Background

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the north and the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (

Figure 1).

The Sydney Metro Western Sydney Airport EIS was prepared in October 2020 to assess the impacts of construction and operation of the Project and was placed on public exhibition between 21 October 2020 and 2 December 2020. The Project was declared a Critical State Significant Infrastructure (CSSI) Project and is listed in Schedule 5 of *State Environmental Planning Policy (State and Regional Development)*.

The Sydney Metro Western Sydney Airport was approved by the Minister for Planning and Public Spaces on 23 July 2021 (SSI 10051) under section 5.19 of the *Environmental Planning and Assessment Act 1997* (EP&A Act).

The Project will be delivered through the following stages:

- **Advanced and Enabling Works (AEW)** – Site investigations, modification of the existing transport network, power and water supply for construction sites, utility and stormwater diversions and some demolition works.
- **Station Boxes and Tunnelling Works (SBT)** – delivered through the following sub-stages:
  - Preparatory Works (the subject of this Plan) – Including NSW (off-airport) demolition works, site levelling/grading, site access and parking, utility and temporary services works, erection of demountable buildings and noise barriers, tunnelling preparatory works and use of ancillary facilities including onsite parking.
  - Bulk Excavation and Tunnelling Works – Preparatory Works (works not completed prior to Final CEMP approval), bulk excavation, acoustic shed installation, tunnelling and cross passage installation.
- **Surface and Civil Alignment Works (SCAW)** – Construction of bridges and viaducts to cross floodplains, watercourses and existing and proposed permanent infrastructure.
- **Stations, Systems, Trains, Operations and Maintenance (SSTOM)** – Station design and fitout, testing and commissioning, and operation of the Western Sydney Airport metro service
- **Finalisation Auxiliary Works.**

Each package of work is to be delivered under separate contracts on behalf of the proponent Sydney Metro.





Figure 1: Overview of the Project



### 1.1.1. Station Boxes and Tunnelling Works

The CPB Ghella JV has been engaged to deliver the SBT Works. The SBT Works include the design and construction of:

- Two sections of twin tunnels with a total combined length of approximately 9.8km, including associated portal structures; Orchard Hills to St Marys and Western Sydney International (WSI) airport to the new Aerotropolis Station in NSW
- Excavations at either end to enable trains to turn back and stub tunnels to enable future extensions
- Station box excavations with temporary ground support for four stations at St Marys, Orchard Hills, Airport Terminal and Aerotropolis
- Excavations for two intermediate service facilities, one in each of the tunnel sections at Claremont and Bringelly.

Completed sections of the SBT Works, including established construction worksites, will be progressively handed over to Sydney Metro to enable follow-on contractors to commence works. The exception is the on-airport Precast Segment Storage Facility which will be decommissioned and hydroseeded following the completion of segment manufacture.

### 1.2. Scope of this report

CPB Contractors Pty Limited have been issued an Environmental Protection Licence (EPL No. 21672) from the NSW Environment Protection Authority (EPA) for the Sydney Metro Western Sydney Airport Station Box and Tunnelling Package on behalf of Sydney Metro.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of Sydney Metro Western Sydney Airport SBT Works Off-airport worksites. The EPL does not apply to other Sydney Metro Western Sydney Airport works packages or On-airport SBT Worksites.

An overview of relevant jurisdiction at each SBT Worksite is provided in Table 1.

Table 1: SBT Worksite Jurisdiction

Jurisdiction	Worksite
NSW	St Marys
NSW	Claremont Meadows
NSW	Orchard Hills
On-Airport	Airport Portal Dive Structure
On-Airport	Airport Terminal and TBM shaft
On-Airport	Precast Segment Storage Facility
On-Airport	Primary Spoil Reveal
NSW	Bringelly
NSW	Aerotropolis

Note: Worksites shown in grey are within the boundary of the Western Sydney International (On-Airport), are regulated under the *Commonwealth Airports Act 1996* and are outside the scope of EPL 21672.

This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21672 as required by Section 66 of the *Protection of the Environment Operations Act 1997* (POEO Act) and with reference to EPA Publication *Requirements for publishing pollution monitoring data* (Environment Protection Authority, 2013).



Table 2 provides a summary of the EPL 21672 details.

Table 2: License details

Licence Details	
Number:	21672
Copy of License	<a href="#">ViewPOEOLicence.aspx (nsw.gov.au)</a>
Anniversary Date	30-May
Licensee	CPB Contractors Pty Limited
Premises	Sydney Metro Western Sydney Airport Station Box and Tunnelling Package St Marys to Orchard Hills and Bringelly to Aerotropolis St Marys NSW 2760
Scheduled Activity	Railway activities - railway infrastructure construction



## 2. Reporting Requirements

Under the *POEO Act*, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The *POEO Act* Section 66 requires

“66 Conditions requiring monitoring, certification or provision of information, and related offences

(1) **Monitoring** The conditions of a licence may require—

- (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
  - (i) the operation or maintenance of premises or plant, and
  - (ii) discharges from premises, and
  - (iii) relevant ambient conditions prevailing on or outside premises,
 and
  - (iv) anything required by the conditions of the licence, and
- (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
- (c) the analysis, reporting and retention of monitoring data.

(2) **False or misleading information** A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect.”

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them. Data for the SBT Works is presented on a monthly sampling period.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged, or emitted from the licensed premises.

The data is provided in tabular format that is easy for the public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee’s website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It is possible from time to time that incorrect data may be published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading (refer to **Section 4**).

Table 3 provides a summary of the pollution monitoring requirements of EPL 21672.





Table 3: EPL 21672 Pollution Monitoring Requirements

EPL Condition	Requirement	Report Reference
<b>Weather</b>		
M5.1	<p>The licensee must monitor and record temperature, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology.</p> <p>Monitoring must:</p> <ul style="list-style-type: none"> <li>a) be representative of the premises;</li> <li>b) commence prior to any works that may cause sediment to leave the premises; and</li> <li>c) continue to be operated until soil disturbance activities cease at the premises and the site has been stabilised.</li> </ul> <p>The rainfall monitoring data collected in compliance with this condition can be used to determine compliance with condition L2.5</p>	<p>Section 3.1</p> <p>Annexure A</p>
<b>Noise</b>		
L5.9	<p>In undertaking any works and activities outside of standard construction hours under condition L5.8, the licensee must comply with the following:</p> <ul style="list-style-type: none"> <li>a) Prepare a construction noise and vibration impact assessment in accordance with the Interim Construction Noise Guideline (DEC, 2009) that is to include: <ul style="list-style-type: none"> <li>i. a description of the proposed works and activities outside of standard construction hours;</li> <li>ii. predictions of LAeq (15 minute) dB noise levels at noise sensitive receivers from these works and activities, where noise levels are predicted to be greater than those permitted under condition L5.3; and</li> <li>iii. a monitoring plan to validate the noise predictions, based on monitoring at the boundary of representative sensitive receivers during noise generating activities that are representative of the works and activities, including during the period/s predicted to have the highest noise level impacts.</li> </ul> </li> <li>b) Undertake noise monitoring in accordance with the monitoring plan required by condition L5.9(a)(iii).</li> </ul>	<p>Section 3.2</p> <p>No OOHW was undertaken during this reporting period under this license condition.</p>
M4.4	<p>The licensee must undertake noise and vibration monitoring as directed by an authorised officer of the EPA. Where the monitoring is requested to take place on private land (for example a residential property) the licensee must request permission to access the premises in advance and keep a record of permission requests and responses. If a licensee is unable to obtain permission, the licensee must undertake the monitoring at an indicative location where possible and they must provide the response (including any nil response) to the EPA.</p>	<p>N/A</p> <p>No direction received from EPA to undertake noise and vibration monitoring during this reporting period.</p>





EPL Condition	Requirement	Report Reference																				
Community Agreements																						
The licensee may work outside standard construction hours (as defined in L5.1) in circumstances other than those permitted under conditions L5.3, L5.4, or any other condition of the license, subject to the condition outlined Section E1.																						
E1.4	A noise validation monitoring plan must be submitted to the EPA for approval as part of the community agreement documentation prior to any OOHW occurring.	N/A  No OOHW was undertaken during this reporting period under this license condition.																				
E1.5	Validation monitoring must be undertaken for any OOHW that are the approved under condition E1.1 and must:  a) be undertaken in accordance with the monitoring plan prepared under condition E1.4;  b) be performed by a Competent Person;  c) be performed on at least the first 2 occasions (day, evening, nights) where OOHW will be undertaken and are likely to impact Noise Sensitive Receivers;  d) be performed on any other occasion (day, evening, night) where the nature of the works is likely to cause greater noise impacts than the first 2 occasions;  e) be representative of the impacts in terms of monitoring locations, time and duration of measurements; and  f) be recorded and provided to an EPA officer upon request																					
Water																						
P1.1	<p>The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.</p> <table><tr><td>1</td><td>Discharge and Monitoring</td><td>Discharge and Monitoring</td><td>The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2</td></tr><tr><td>2</td><td>Discharge and Monitoring</td><td>Discharge and Monitoring</td><td>The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2</td></tr><tr><td>3</td><td>Discharge and Monitoring</td><td>Discharge and Monitoring</td><td>The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2</td></tr><tr><td>4</td><td>Discharge and Monitoring</td><td>Discharge and Monitoring</td><td>The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2</td></tr><tr><td>5</td><td>Discharge and Monitoring</td><td>Discharge and Monitoring</td><td>The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2</td></tr></table>	1	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2	2	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2	3	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2	4	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2	5	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2	No discharge locations used yet
1	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2																			
2	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2																			
3	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2																			
4	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2																			
5	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2																			
L2.1	For each monitoring/discharge point or utilisation area specified in the table\&s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.	No discharge locations used yet																				
M2.2	<p>POINT 1,2,3,4,5</p> <table><tr><th>Pollutant</th><th>Units of measure</th><th>Frequency</th><th>Sampling Method</th></tr><tr><td>Oil and Grease</td><td>Visible</td><td>Special Frequency 1</td><td>Visual Inspection</td></tr><tr><td>pH</td><td>pH</td><td>Special Frequency 1</td><td>Probe</td></tr><tr><td>Turbidity</td><td>nephelometric turbidity units</td><td>Special Frequency 1</td><td>Probe</td></tr></table>	Pollutant	Units of measure	Frequency	Sampling Method	Oil and Grease	Visible	Special Frequency 1	Visual Inspection	pH	pH	Special Frequency 1	Probe	Turbidity	nephelometric turbidity units	Special Frequency 1	Probe	Noted				
Pollutant	Units of measure	Frequency	Sampling Method																			
Oil and Grease	Visible	Special Frequency 1	Visual Inspection																			
pH	pH	Special Frequency 1	Probe																			
Turbidity	nephelometric turbidity units	Special Frequency 1	Probe																			



EPL Condition	Requirement	Report Reference															
M2.3	<p>For the purposes of Condition M2.2 and the Table thereto, 'Special Frequency 1' means:</p> <p>a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and</p> <p>b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.</p>	No discharge locations used yet															
E2.1	<p>The licensee must undertake monthly surface water monitoring at discharge point 1 identified in Condition P1.1 for a minimum of 6 months from the date of issue of this licence. Monthly monitoring results must include:</p> <p>a) quality and quantity of all parameters that are identified in the table in E2.2 at each discharge point; and</p> <p>b) results must be submitted to the EPA no more than 2 weeks after each monthly monitoring event has occurred for a minimum of 6 months from the date of issue of this licence.</p>	No discharge locations used yet															
E2.2	<table border="1"> <thead> <tr> <th>Category</th><th>Measured</th><th>Parameters</th></tr> </thead> <tbody> <tr> <td>Physio-chemical parameters</td><td>In-field using a calibrated multi parameter probe.</td><td> <ul style="list-style-type: none"> <li>• Temperature (°C)</li> <li>• Dissolved Oxygen (% saturation)</li> <li>• Electrical Conductivity (µS/cm)</li> <li>• Reduction-Oxidation Potential (Redox)(mV)</li> <li>• pH</li> <li>• Total suspended solids (TSS)</li> <li>• Turbidity (NTU)</li> <li>• Visible oil and grease</li> </ul> </td></tr> <tr> <td>Metals</td><td>Laboratory testing</td><td> <ul style="list-style-type: none"> <li>• Aluminium</li> <li>• Arsenic (III and V)</li> <li>• Cadmium</li> <li>• Cobalt</li> <li>• Chromium (III and VI)</li> <li>• Copper</li> <li>• Lead</li> <li>• Manganese</li> <li>• Mercury</li> <li>• Nickel</li> <li>• Vanadium</li> <li>• Zinc</li> </ul> </td></tr> <tr> <td>Organochlorine Pesticides</td><td>Laboratory testing</td><td> <ul style="list-style-type: none"> <li>• Endosulphan</li> <li>• Methoxychlor</li> </ul> </td></tr> <tr> <td>Total Petroleum Hydrocarbons</td><td>Laboratory testing</td><td> <ul style="list-style-type: none"> <li>• TPH C10-C36 Fraction</li> <li>• TPH C6-C9 Fraction</li> </ul> </td></tr> </tbody> </table>	Category	Measured	Parameters	Physio-chemical parameters	In-field using a calibrated multi parameter probe.	<ul style="list-style-type: none"> <li>• Temperature (°C)</li> <li>• Dissolved Oxygen (% saturation)</li> <li>• Electrical Conductivity (µS/cm)</li> <li>• Reduction-Oxidation Potential (Redox)(mV)</li> <li>• pH</li> <li>• Total suspended solids (TSS)</li> <li>• Turbidity (NTU)</li> <li>• Visible oil and grease</li> </ul>	Metals	Laboratory testing	<ul style="list-style-type: none"> <li>• Aluminium</li> <li>• Arsenic (III and V)</li> <li>• Cadmium</li> <li>• Cobalt</li> <li>• Chromium (III and VI)</li> <li>• Copper</li> <li>• Lead</li> <li>• Manganese</li> <li>• Mercury</li> <li>• Nickel</li> <li>• Vanadium</li> <li>• Zinc</li> </ul>	Organochlorine Pesticides	Laboratory testing	<ul style="list-style-type: none"> <li>• Endosulphan</li> <li>• Methoxychlor</li> </ul>	Total Petroleum Hydrocarbons	Laboratory testing	<ul style="list-style-type: none"> <li>• TPH C10-C36 Fraction</li> <li>• TPH C6-C9 Fraction</li> </ul>	No discharge locations used yet
Category	Measured	Parameters															
Physio-chemical parameters	In-field using a calibrated multi parameter probe.	<ul style="list-style-type: none"> <li>• Temperature (°C)</li> <li>• Dissolved Oxygen (% saturation)</li> <li>• Electrical Conductivity (µS/cm)</li> <li>• Reduction-Oxidation Potential (Redox)(mV)</li> <li>• pH</li> <li>• Total suspended solids (TSS)</li> <li>• Turbidity (NTU)</li> <li>• Visible oil and grease</li> </ul>															
Metals	Laboratory testing	<ul style="list-style-type: none"> <li>• Aluminium</li> <li>• Arsenic (III and V)</li> <li>• Cadmium</li> <li>• Cobalt</li> <li>• Chromium (III and VI)</li> <li>• Copper</li> <li>• Lead</li> <li>• Manganese</li> <li>• Mercury</li> <li>• Nickel</li> <li>• Vanadium</li> <li>• Zinc</li> </ul>															
Organochlorine Pesticides	Laboratory testing	<ul style="list-style-type: none"> <li>• Endosulphan</li> <li>• Methoxychlor</li> </ul>															
Total Petroleum Hydrocarbons	Laboratory testing	<ul style="list-style-type: none"> <li>• TPH C10-C36 Fraction</li> <li>• TPH C6-C9 Fraction</li> </ul>															
<b>Additional Monitoring Conditions</b>																	
M4.5	<p>The licensee must undertake monitoring, sampling, video recording and/or take photographs:</p> <p>a) if the EPA or licensee reasonably suspects that an event has occurred at the premises or in connection with the carrying out of the activities that has caused, is causing, is likely to cause or has the potential to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies);</p> <p>b) as soon as practicable; and</p> <p>c) as directed by an authorised officer.</p>	Noted															



### 3. Monitoring

Section 3 presents a summary of the monitoring programs completed in the reporting period from 1 September 2022 to 30 September 2022.

Detailed monitoring results for each program are presented in the Appendices.

#### 3.1. Meteorological Data

Meteorological data for the Project has been taken from Badgerys Creek Automatic Weather Station (AWS).

The total rainfall recorded during the reporting period was 74.6 mm with 11 days exceeding one millimetre of rain and one day of rain exceeding 10 mm

During the reporting period, there were 26 days where the maximum wind gust recorded was greater than 25km/hr and two days where the maximum wind gust recorded was greater than 50km/h and no days where the maximum wind gust was greater than 60 km/hr. Winds recorded during the reporting period were predominantly westerly component, however there was variability throughout the month.

Detailed weather observation records for the reporting period are presented in Annexure A.

**Table 4 Weather summary and trigger weather events for reporting period<sup>1</sup>**

Weather Event	Observation
Minimum temperature	3.8 °C
Maximum temperature	24.2°C
Total rainfall	74.6 mm
Number of days with rain (>1mm)	11 days
Number of days with rain (>10mm)	1 day
>25km/hr wind <sup>2</sup>	26 days
>50km/hr wind	2 days
>60km/hr wind	0 Days

<sup>1</sup>Weather summary based on data from the 1 September 2022 to 30 September 2022 (29 days).

<sup>2</sup>Weather data from Badgery's Creek AWS {station 067108}.



### 3.2. Noise

Noise monitoring is a requirement of the following conditions of EPL 21672:

- L5.9, E1.4 Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment
- M7.6 Noise monitoring following noise and vibration complaints
- M4.4 Noise and vibration monitoring as directed by an authorised officer of the EPA.

Table 5 provides a summary of noise monitoring events conducted during the reporting period. Detailed noise monitoring results and comments are presented in Annexure B. There were no exceedances of the predicted noise level ( $L_{Aeq15min}$ ) during the reporting period.

Table 5: Summary of noise monitoring for reporting period

Date	Monitoring Location	Attended/Continuous	Description
8/09/2022	42 Derwent Road, Bringelly	Attended	Site Levelling (minor earthworks)
8/09/2022	40 Derwent Road, Bringelly	Attended	Site Levelling (minor earthworks)
13/09/2022	31 Phillip Street, St Marys	Attended	Demolition of Existing Buildings and Structures
13/09/2022	34-36 Phillip Street, St Marys	Attended	Demolition of Existing Buildings and Structures
13/09/2022	3 Station Street, St Marys	Attended	Demolition of Existing Buildings and Structures
19/09/2022	95 Kent Road, Orchard Hills	Attended	Site Levelling (minor earthworks)
20/09/2022	Aerotropolis SBT site - Northern Site Boundary - Representative of 145 Badgerys Creek Road	Attended	Site Levelling (minor earthworks)
20/09/2022	Aerotropolis SBT site - South Eastern Site Boundary	Attended	Site Levelling (minor earthworks)
20/09/2022	42 Derwent Road, Bringelly	Attended	Site Levelling (minor earthworks)

### 3.3. Discharge to Water

No discharge to water has occurred during this reporting period.



## 4. Correction Log

It is possible from time to time for incorrect data to get published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

There are no matters included in the correction log for this reporting period.



## Annexure A Weather Observations

Table 6: Weather Observations: Badgerys Creek AWS (station 067108).

Date	Temperatures		Rain	9am		3pm	
	Min	Max		Temperature	Relative Humidity	Temperature	Relative Humidity
	°C			mm	°C	%	°C
1/09/2022	11.6	22.1	0.4	15.3	96	21.4	49
2/09/2022	9.7	18	0	14.4	99	14.9	66
3/09/2022	10.2	14.3	0	11.7	70	13.2	80
4/09/2022	9.7	17.3	3.2	12.5	85	16.3	62
5/09/2022	6	19.6	0	13.4	65	17.2	45
6/09/2022	6.6	18.8	0.2	14.6	63	16.7	62
7/09/2022	5.8	20.9	0	14	79	18.4	49
8/09/2022	8.3	22.5	0	15.2	74	20.3	55
9/09/2022	12.9	21.3	3.4	13.6	100	19.5	62
10/09/2022	8	23.5	1.2	16.3	79	19.8	52
11/09/2022	8.4	22	0	15.4	51	21.3	31
12/09/2022	3.8	21	0	13.6	51	19.3	35
13/09/2022	5.3	19	0	13.7	66	16.7	48
14/09/2022	5.1	19.9	0	14.3	61	17.2	49
15/09/2022	7.5	16.6	1.2	12.4	94	13.5	99
16/09/2022	8.9	24.2	21	15.3	96	23.8	34
17/09/2022	8.4	22.8	0.4	19.1	49	20.6	37
18/09/2022	9	22.6	0	17.2	43	21.2	30
19/09/2022	5.7	22.6	0.2	14.2	71	21.4	26
20/09/2022	4	22	0	14.9	56	21.3	39
21/09/2022	8.7	19.9	0	17.4	76	18.1	69
22/09/2022	13.3	19	8.6	15.9	92	17.9	69
23/09/2022	13.8	20.2	3.6	16.5	95	16.3	98
24/09/2022	14.3	22.6	4.8	18.7	82	18.3	73
25/09/2022	6.4	22.8	7.4	14.5	85	22.2	38
26/09/2022	8.4	21.3	0	14.1	79	20.7	51
27/09/2022	10.9	23	0.8	15.5	95	19.1	70
28/09/2022	11.4	22.7	7.6	18.1	73	20.5	59
29/09/2022	11.2	21.7	9.6	17.3	71	17.3	88
30/09/2022	13.1	21.5	1	16.9	63	18.6	61



Table 7: Wind Observations: Badgery's Creek AWS (station 067108).

Date	Maximum wind gusts			9am		3pm	
	Direction	Speed	Time	Direction	Speed	Direction	Speed
		km/h	Local		km/h		km/h
1/09/2022	N	30	11:39		Calm	NE	9
2/09/2022	SSE	33	23:59	E	7	SSE	17
3/09/2022	SSE	46	15:37	SSW	22	S	19
4/09/2022	S	52	11:14	SSW	13	S	13
5/09/2022	SE	26	15:20	WSW	17	ESE	6
6/09/2022	E	26	14:12	SSW	13	ESE	11
7/09/2022	ENE	22	16:57	S	6	NE	7
8/09/2022	NE	33	15:28	NE	6	ENE	17
9/09/2022	NNE	26	15:46	NNE	4	NNE	7
10/09/2022	WNW	37	13:43	NNW	2	W	15
11/09/2022	WSW	31	0:01	WNW	11	N	7
12/09/2022	SW	37	15:44	SSW	9	SW	22
13/09/2022	ESE	28	15:48	S	15	ESE	13
14/09/2022	E	28	15:03	SW	6	E	20
15/09/2022	N	28	13:19	NNE	4	NE	17
16/09/2022	W	37	15:16	NW	6	WNW	15
17/09/2022	W	57	11:51	NNE	7	WNW	33
18/09/2022	WNW	48	16:04	WSW	6	WNW	31
19/09/2022	SW	33	13:41	SE	6	WSW	20
20/09/2022	N	33	13:41	W	6	NNE	11
21/09/2022	N	24	10:22	N	11	NNW	6
22/09/2022	NE	35	11:38	E	20	ENE	19
23/09/2022	ENE	31	14:30	NE	4	ENE	11
24/09/2022	SSW	35	10:10	SE	6	ENE	15
25/09/2022	ESE	20	17:10	NE	4	N	6
26/09/2022	NE	22	18:20	S	4	NNE	6
27/09/2022	NNE	30	15:05	W	4	NNE	17
28/09/2022	SSW	39	23:42	S	6	E	13
29/09/2022	SSW	50	15:53	SSW	17	S	19
30/09/2022	S	43	12:54	S	24	S	20





## Annexure B Noise Monitoring Results

Date	Time	Works Period	Construction Activity	Activity Location	Monitoring Location	NML (dBA)	Predicted (dBA)	Additional Mitigation Measures	Recorded Leq, 15min (dBA)	LAmx	Exceedance of Predicted (dBA)	Exceedance of Predicted	Comments
8/09/2022	2:10pm	Standard	Site Levelling (minor earthworks)	SBT Site (Bringelly)	42 Derwent Road, Bringelly	49	74	LB, M	61.6	76	-12.4	No	Verification noise monitoring. Traffic noise and non-Project related construction noise was dominant noise source.
8/09/2022	2:32pm	Standard	Site Levelling (minor earthworks)	SBT Site (Bringelly)	40 Derwent Road, Bringelly	48	60	LB	55.7	87	-4.3	No	Verification noise monitoring. Overhead air traffic and road traffic noise was dominant noise source.
13/09/2022	9:18am	Standard	Demolition of Existing Buildings and Structures (High noise impact activities)	SBT Site (St Marys)	31 Phillip Street, St Marys	47	96	LB, M, SN	70.9	89.2	-25.1	No	Verification noise monitoring. Construction noise was the dominant noise source
13/09/2022	9:34am	Standard	Demolition of Existing Buildings and Structures (High noise impact activities)	SBT Site (St Marys)	34-36 Phillip Street, St Marys	47	85	LB, M, SN	70.4	82.9	-14.6	No	Verification noise monitoring. Construction noise and road traffic was the dominant noise source.
13/09/2022	9:55am	Standard	Demolition of Existing Buildings and Structures (High noise impact activities)	SBT Site (St Marys)	3 Station Street, St Marys	47	96	LB, M, SN	64	78.3	-17.7	No	Verification noise monitoring. Construction noise was the dominant noise source
19/09/2022	3:08pm	Standard	Site Levelling (minor earthworks)	SBT Site (Orchard Hills)	95 Kent Road, Orchard Hills	54	73	LB	69.6	86	-3.4	No	Verification noise monitoring. Construction noise and road traffic was the dominant noise source.
20/09/2022	9:42am	Standard	Site Levelling (minor earthworks)	SBT Site (Aerotropolis)	Aerotropolis SBT site - Northern Site Boundary -	48	N/A		65.6	85.3	N/A	N/A	Verification noise monitoring. Construction noise was the dominant noise source
20/09/2022	9:58am	Standard	Site Levelling (minor earthworks)	SBT Site (Aerotropolis)	Aerotropolis SBT site - South Eastern Site Boundary	48	N/A		48.6	78.1	N/A	N/A	Verification noise monitoring. Construction noise was the dominant noise source
20/09/2022	10:46am	Standard	Site Levelling (minor earthworks)	SBT Site (Bringelly)	42 Derwent Road, Bringelly	48	74	LB, M, SN	56.6	71.6	17.4	No	Verification noise monitoring. Construction noise was the dominant noise source

**OOHW1** is defined as:

- 6:00pm to 10:00pm (evenings) Monday to Saturday
- 7:00am to 8:00am and 1:00pm to 10:00pm (day & evening) Saturday and
- 8:00am to 6:00pm Sunday and public holidays (days).

**OOHW2** is defined as:

- 10:00pm to 7:00am (nights) Monday to Saturday and
- 6:00pm to 8:00am (nights) Sundays and public holidays.

### Additional Mitigation Measures

LB = Letter box drops  
M = Monitoring  
SN = Specific Notification  
RO = Project Specific Respite Offer  
IB = Individual Briefing  
PC = Phone Calls and Emails  
AA = Alternate Accommodation



## Annexure C Discharge to water

Note: No discharge to water was undertaken during the reporting period.

ID	Construction Status	Easting	Northing	AMG Zone	Reference System	Description of location of discharge point	Catchment name	Name of nearest waters	Direct discharge to waters	Total catchment area of basin (ha)	Basin size (operational) m3	Blue Book Criteria	Location description	Date added	Revision Added

