



# **EPL 21672 Monitoring Report April 2024**

Sydney Metro - Western Sydney Airport, Station Boxes and Tunnelling Works

Project number	SSI 10051
Document number	SMWSASBT-CPG-SWD-SW000-EN-RPT-295399
Revision date	24 May 2024
Revision	01

### **Document approval**

Rev	Date	Prepared by	Reviewed by	Approved by	Remarks
Rev 01	24/05/24				Nil





### Table of contents

1. Introduction	3
1.1. Background	3
1.1.1. Station Boxes and Tunnelling Works	5
1.2. Scope of this report	5
2. Reporting Requirements	7
3. Monitoring	13
3.1. Meteorological Data	13
3.2. Noise	14
3.3. Discharge to Water	16
4. Correction Log	20
Tables	
Table 1: SBT Worksite Jurisdiction	5
Table 2: Licence details	6
Table 3: EPL 21672 Pollution Monitoring Requirements	8
Table 4: Weather summary and trigger weather events for reporting period	13
Table 5: Summary of noise monitoring for reporting period	14
Table 6: Recorded exceedances within reporting period	15
Table 7: SBT Discharge Point Register (electronic file EF22/5394) (Rev 14, submitted 21st of February 2024)	17
Table 8: Surface Water Sampling Exceedances	
Table 9: Weather Observations: Penrith Lakes AWS {station 067113}	18
Table 10: Wind Observations: Penrith Lakes AWS {station 067113}	19
Table 11: Surface Water Monitoring SBT-6U & SBT-6D	32
Table 12: Surface Water Monitoring SBT-7U & SBT-7D	32
Table 13: Surface Water Monitoring SBT-9U & SBT-9D	33
Figures	
Figure 1: Overview of the Project	4
Figure 2: STM Premise Map	
Figure 3: CMF Premise Map	
Figure 4: OHE Premise Map	26
Figure 5: BSF Premise Map	27







Figure 6: Aero	otropilis Premise Map	28
Figure 7: Nortl	hern Tunnel Alignment	29
Figure 8: Nortl	hern Tunnel Alignment	30
Figure 9: Sout	thern Tunnel Alignment	31
Figure 10: SB	T-6 Sampling Locations	34
Figure 11: SB	T-6 Sampling Locations	35
Figure 12: SB	T-9 Sampling Locations	36
•		
Annexure	S	
Annexure A	Weather Observations	18
Annexure B	Noise Monitoring Results	20
Annexure C	Discharge to Waterways	22
Annexure D	EPL Premise Maps	
Annexure E	Surface Water Monitoring at Receiving Waterways	
Annexure F	Surface Water Sampling Locations	





#### Introduction 1

#### 1.1. Background

The Sydney Metro Western Sydney Airport will become the transport spine for Greater Western Sydney, connecting communities and travellers with the new Western Sydney International (Nancy-Bird Walton) Airport (referred to as Western Sydney International) and the growing region.

The Project forms part of the broader Sydney Metro network. It involves the construction and operation of a 23km new metro rail line that extends from the existing Sydney Trains suburban T1 Western Line (at St Marys) in the north and the Aerotropolis (at Bringelly) in the south. The alignment includes a combination of tunnels and civil structures, including viaduct, bridges, surface and open-cut troughs between the two tunnel sections (Figure 1).

The Sydney Metro Western Sydney Airport EIS was prepared in October 2020 to assess the impacts of construction and operation of the Project and was placed on public exhibition between 21 October 2020 and 2 December 2020. The Project was declared a Critical State Significant Infrastructure (CSSI) Project and is listed in Schedule 5 of State Environmental Planning Policy (State and Regional Development).

The Sydney Metro Western Sydney Airport was approved by the Minister for Planning and Public Spaces on 23 August 2021 (SSI 10051) under section 5.19 of the Environmental Planning and Assessment Act 1997 (EP&A Act).

The Project will be delivered through the following stages:

- Advanced and Enabling Works (AEW) Site investigations, modification of the existing transport network, power and water supply for construction sites, utility and stormwater diversions and some demolition works.
- Station Boxes and Tunnelling Works (SBT) delivered through the following sub-stages:
  - Preparatory Works- Including NSW (off-airport) demolition works, site levelling/grading, site access and parking, utility and temporary services works, erection of demountable buildings and noise barriers, tunnelling preparatory works and use of ancillary facilities including onsite parking.
  - Bulk Excavation and Tunnelling Works Preparatory Works (works not completed prior to Final CEMP approval), bulk excavation, acoustic shed installation, tunnelling and cross passage installation.
- Surface and Civil Alignment Works (SCAW) Construction of bridges and viaducts to cross floodplains, watercourses and existing and proposed permanent infrastructure.
- Stations, Systems, Trains, Operations and Maintenance (SSTOM)- Station design and fitout, testing and commissioning, and operation of the Western Sydney Airport metro service
- **Finalisation Auxiliary Works.**

Each package of work is to be delivered under separate contracts on behalf of the proponent Sydney Metro.










Figure 1: Overview of the Project







#### 1.1.1. Station Boxes and Tunnelling Works

The CPB Ghella JV has been engaged to deliver the SBT Works. The SBT Works include the design and construction of:

- Two sections of twin tunnels with a total combined length of approximately 9.8km, including associated portal structures; Orchard Hills to St Marys and Western Sydney International (WSI) airport to the new Aerotropolis Station in NSW
- Excavations at either end to enable trains to turn back and stub tunnels to enable future extensions
- Station box excavations with temporary ground support for four stations at St Marys, Orchard Hills, Airport Terminal and Aerotropolis
- Excavations for two intermediate service facilities, one in each of the tunnel sections at Claremont and Bringelly.

Completed sections of the SBT Works, including established construction worksites, will be progressively handed over to Sydney Metro to enable follow-on contractors to commence works.

#### 1.2. Scope of this report

CPB Contactors Pty Limited have been issued an Environmental Protection Licence (EPL No. 21672) from the NSW Environment Protection Authority (EPA) for the Sydney Metro Western Sydney Airport Station Box and Tunnelling Package on behalf of Sydney Metro.

The EPL applies to the works approved under the Infrastructure Approval SSI-10051 associated with the delivery of Sydney Metro Western Sydney Airport SBT Works Off-airport worksites. The EPL does not apply to other Sydney Metro Western Sydney Airport works packages or On-airport SBT Worksites.

An overview of relevant jurisdiction at each SBT Worksite is provided in Table 1.

Table 1: SBT Worksite Jurisdiction

Jurisdiction	Worksite
NSW	St Marys
NSW	Claremont Meadows
NSW	Orchard Hills
On-Airport	Airport Portal Dive Structure
On-Airport	Airport Terminal and TBM shaft
On-Airport	Precast Segment Storage Facility
On-Airport	Primary Spoil Receival
NSW	Bringelly
NSW	Aerotropolis

Note: Worksites shown in grey are within the boundary of the Western Sydney International (On-Airport), are regulated under the Commonwealth Airports Act 1996 and are outside the scope of EPL 21672.







This EPL Pollution Monitoring Report provides the results of all pollution monitoring required to be measured or monitored by the licensee of EPL 21672 as required by Section 66 of the *Protection of the Environment Operations Act 1997* (POEO Act) and with reference to EPA Publication Requirements for publishing pollution monitoring data (Environment Protection Authority, 2013).

Table 2 provides a summary of the EPL 21672 details.

Table 2: Licence details

Licence Details	
Number:	21672
Copy of Licence	Environment & Heritage   POEO Licences, Application and Notice Detail (nsw.gov.au)
Anniversary Date	30-May
Licensee	CPB Contractors Pty Limited
Premises	Sydney Metro Western Sydney Airport Station Box and Tunnelling Package St Marys to Orchard Hills and Bringelly to Aerotropolis St Marys NSW 2760
Scheduled Activity	Railway activities - railway infrastructure construction







### 2. Reporting Requirements

Under the *POEO Act*, holders of environment protection licences (licensees) must publish or make pollution monitoring data available to members of the public.

The POEO Act Section 66 requires

and

"66 Conditions requiring monitoring, certification or provision of information, and related offences

- (1) **Monitoring** The conditions of a licence may require—
  - (a) monitoring by the holder of the licence of the activity or work authorised, required or controlled by the licence, including with respect to—
    - (i) the operation or maintenance of premises or plant, and
    - (ii) discharges from premises, and
    - (iii) relevant ambient conditions prevailing on or outside premises,
      - (iv) anything required by the conditions of the licence, and
  - (b) the provision and maintenance of appropriate measuring and recording devices for the purposes of that monitoring, and
  - (c) the analysis, reporting and retention of monitoring data.
- (2) **False or misleading information** A holder of a licence who supplies information, or on whose behalf information is supplied, to the appropriate regulatory authority under the conditions of the licence is guilty of an offence if the information is false or misleading in a material respect."

The primary objective of the pollution monitoring reporting requirements is that members of the public have access to the results of all pollution monitoring (which a licence specifies must be carried out) in a way that is meaningful to them. Data for the SBT Works is presented on a monthly sampling period.

The monitoring data that must be published and/or made available on request is any data that is obtained as a result of a monitoring condition on a licence that relates to air, water (surface or groundwater), noise and/or land pollution. The data to be published or provided is limited to data that relates to pollutants generated, discharged, or emitted from the licensed premises.

The data is provided in tabular format that is easy for the public to understand. Tables definitively display raw data values, while graphs and charts are useful for overviews and visualisation of long-term trends. Raw data will be provided upon request.

An upfront note will be included on the licensee's website or in this report to explain why any data may appear to be missing because there is no discharge or the level of pollutant being below the detection level of the measurement instrument.

It is possible from time to time that incorrect data may be published in good faith. As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading (refer to **Section 4**).

Table 3 provides a summary of the pollution monitoring requirements of EPL 21672.







Table 3: EPL 21672 Pollution Monitoring Requirements

EPL Condition	Requirement	Report Reference			
Weather					
M5.1	The licensee must monitor and record temperature, wind direction, wind velocity and rainfall at either the project weather station, or through analysis of equivalent weather information obtained from the Australian Bureau of Meteorology. Monitoring must:  a) be representative of the premises;	Section 3.1 Annexure A			
	b) commence prior to any works that may cause sediment to leave the premises; and				
	c) continue to be operated until soil disturbance activities cease at the premises and the site has been stabilised.				
	The rainfall monitoring data collected in compliance with this condition can be used to determine compliance with condition L2.5				
Noise					
L5.9	In undertaking any works and activities outside of standard construction hours under condition L5.8, the licensee must comply with the following:	Section 3.2 Annexure B			
	a) Prepare a construction noise and vibration impact assessment in accordance with the Interim Construction Noise Guideline (DEC, 2009) that is to include:				
	<ul> <li>i. a description of the proposed works and activities outside of standard construction hours;</li> </ul>				
	<ul> <li>ii. predictions of LAeq (15 minute) dB noise levels at noise sensitive receivers from these works and activities, where noise levels are predicted to be greater than those permitted under condition L5.3; and</li> </ul>				
	iii. a monitoring plan to validate the noise predictions, based on monitoring at the boundary of representative sensitive receivers during noise generating activities that are representative of the works and activities, including during the period/s predicted to have the highest noise level impacts.				
	b) Undertake noise monitoring in accordance with the monitoring plan required by condition L5.9(a)(iii).				
M4.4	The licensee must undertake noise and vibration monitoring as directed by an authorised officer of the EPA. Where the monitoring is requested to take place on private land (for example a residential property) the licensee must request permission to access the premises in advance and keep a record of permission requests and responses. If a licensee is unable to obtain permission, the licensee must undertake the monitoring at an indicative location where possible and they must provide the response (including any nil response) to the EPA.	N/A  No direction received from EPA to undertake noise and vibration monitoring during this reporting period.			





EPL Condition	Requirement	Report Reference			
Community	y Agreements				
	The licensee may work outside standard construction hours (as defined in L5.1) in circumstances other than those permitted under conditions L5.3, L5.4, or any other condition of the licence, subject to the condition outlined Section E1.				
E1.4	A noise validation monitoring plan must be submitted to the EPA for approval as part of the community agreement documentation prior to any OOHW occurring.	N/A No OOHW			
E1.5	Validation monitoring must be undertaken for any OOHW that are the approved under condition E1.1 and must:	undertaken by Community			
	a) be undertaken in accordance with the monitoring plan prepared under condition E1.4;	Agreement during reporting period.			
	b) be performed by a Competent Person;				
	c) be performed on at least the first 2 occasions (day, evening, nights) where OOHW will be undertaken and are likely to impact Noise Sensitive Receivers;				
	d) be performed on any other occasion (day, evening, night) where the nature of the works is likely to cause greater noise impacts than the first 2 occasions;				
	e) be representative of the impacts in terms of monitoring locations, time and duration of measurements; and				
	f) be recorded and provided to an EPA officer upon request				







EPL Condition	Requirement			Report Reference		
Water						
P1.1	The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.  1 Discharge and Monitoring Discharge and Monitoring The outlet(s) of the sediment					
				basin(s) on the Orchard Hills site discharging to South Creek referred to in Condition P1.2		
	2	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Claremont site discharging to South Creek referred to in Condition P1.2		
	3	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the St Marys site discharging to South Creek referred to in Condition P1.2		
	4	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Bringelly site discharging to Badgerys Creek referred to in Condition P1.2		
	5	Discharge and Monitoring	Discharge and Monitoring	The outlet(s) of the sediment basin(s) on the Aerotropolis site discharging to Thompson Creek referred to in Condition P1.2		
	6	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the Orchard Hills site discharging to South Creek		
	7	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the Claremont site discharging to South Creek		
	8	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the St Marys site discharging to South Creek		
	9	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the Bringelly site discharging to Badgerys Creek		
	10	Discharge and Monitoring	Discharge and Monitoring	The outlet of the water treatment plant on the Aerotropolis site discharging to Thompson Creek		
L2.1	(by a po applied	oint number), the concer	tration of a pollutant di	specified in the table\s below ischarged at that point, or n limits specified for that	Noted	







EPL Condition	Requirement				Report Reference
M2.2	POINT 1,2,3,4,5				Noted
	Pollutant	Units of measure	Frequency	Sampling Method	
	Oil and Grease	Visible	Special Frequency 1	Visual Inspection	
	pH	pH	Special Frequency 1	Probe	
	Turbidity	nephelometric turbidity units	Special Frequency 1	Probe	
	POINT 6,7,8,9,10				
	Pollutant	Units of measure	Frequency	Sampling Method	
	Aluminium	milligrams per litre	Monthly during discharge	Grab sample	
	Ammonia	milligrams per litre	Monthly during discharge	Grab sample	
	Chromium (VI) Compounds	milligrams per litre	Monthly during discharge	Grab sample	
	Copper	milligrams per litre	Monthly during discharge	Grab sample	
	Electrical conductivity	microsiemens per centimetre	Monthly during discharge	Grab sample	
	Nitrogen (total)	milligrams per litre	Monthly during discharge	Grab sample	
	Oil and Grease	Visible	Monthly during discharge	Visual Inspection	
	рН	рН	Monthly during discharge	Probe	
	Phosphorus (total)	milligrams per litre	Monthly during discharge	Grab sample	
	Total suspended solids	milligrams per litre	Monthly during discharge	Grab sample	
	Zinc	milligrams per litre	Monthly during discharge	Grab sample	
M2.3	For the purposes of Condition M2.2 and the Table thereto, 'Special Frequency 1' means:  a) less than 24 hours prior to a controlled discharge and daily for any continued controlled discharge, when it is safe to do so; and  b) when rainfall causes a discharge from a sediment basin which has not been emptied within the design management period following cessation of a rainfall event, when it is safe to do so.				
E2.1	The licensee must undertake weekly surface water monitoring of receiving waterways at locations upstream, downstream and adjacent to each discharge point: 6, 7, 8, 9 and 10 identified in Condition P1.1. This monitoring must be undertaken for a minimum of 6 months from the date that points 6, 7, 8, 9 and 10 were added to the licence. Fortnightly monitoring results must include: a) quality and quantity of all parameters that are identified in the table in M2.2 for each discharge point: 6, 7, 8, 9 and 10; and b) results must be submitted to the EPA no more than 2 weeks after each monitoring event has occurred for a minimum of 6 months from the date that points 6, 7, 8, 9 and 10 were added to the licence.				







EPL Condition	Requirement	Report Reference
Additional	Monitoring Conditions	
M4.5	The licensee must undertake monitoring, sampling, video recording and/or take photographs:  a) if the EPA or licensee reasonably suspects that an event has occurred at the premises or in connection with the carrying out of the activities that has caused, is causing, is likely to cause or has the potential to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies); b) as soon as practicable; and	Not triggered for this reporting period
	c) as directed by an authorised officer.	





### Monitoring

Section 3 presents a summary of the monitoring programs completed in the reporting period from 1 April 2024 to 30 April 2024.

Detailed monitoring results for each program are presented in the Appendices.

#### 3.1. Meteorological Data

Meteorological data for the Project has been taken from Penrith Lakes AWS (station 067113).

The total rainfall recorded during the reporting period was 264 mm with 5 days exceeding one millimetre of rain and 2 days exceeding 10mm of rain.

During the reporting period, there were 12 days where the maximum wind gust recorded was greater than 25km/hr and no days where the maximum wind gust recorded was greater than 50 km/h and no days where the maximum wind gust was greater than 60 km/hr. Winds recorded during the reporting period were predominantly Northern component, however there was variability throughout the month.

Detailed weather observation records for the reporting period are presented in Annexure A.

This information is used daily on site to assess daily activities and consider mitigation measures as required.

Table 4: Weather summary and trigger weather events for reporting period

Weather Event	Observation
Minimum temperature	9.1°C
Maximum temperature	29°C
Total rainfall	264 mm
Number of days with rain (>1mm)	5 Days
Number of days with rain (>10mm)	2 Days
Number of days with rain (>20mm)	2 Days
Number of days with >25km/hr wind <sup>2</sup>	12 Days
Number of days with >50km/hr wind	0 Days
Number of days with >60km/hr wind	0 Day

<sup>&</sup>lt;sup>1</sup>Weather summary based on data from the 1 April 2024 to 30 April 2024. (30 days).



<sup>&</sup>lt;sup>2</sup>Weather data from Penrith Lakes AWS {station 067113}.





### 3.2. Noise

Noise monitoring is a requirement of the following conditions of EPL 21672:

- L5.9, E1.4 Monitoring to validate the noise predictions for works undertaken outside of the standard construction hours as per the construction noise impact assessment.
- M7.6 Noise monitoring following noise and vibration complaints.
- M4.4 Noise and vibration monitoring as directed by an authorised officer of the EPA.

Table 5 provides a summary of noise monitoring events conducted during the reporting period. Exceedances are described in Table 6. Detailed noise monitoring results and comments are presented in Annexure B.

Table 5: Summary of noise monitoring for reporting period

34-36 Phillip St, St Marys	Attended	St Marys TBI Works
34-36 Phillip St, St Marys	Attended	St Marys TBI Works
34-36 Phillip St, St Marys	Attended	St Marys TBI Works
2 Putland St, Claremont Meadows	Attended	No works
2 Picnic PI, Claremont Meadows	Attended	No Works
2 Putland St, Claremont Meadows	Attended	Crane Lifts
2 Picnic PI, Claremont Meadows	Attended	Crane Lifts
2 Putland St, Claremont Meadows	Attended	Crane Lifts
2 Putland St, Claremont Meadows	Attended	No works
2 Picnic PI, Claremont Meadows	Attended	No works
2 Picnic PI, Claremont Meadows	Attended	Crane Lifts
2 Putland St, Claremont Meadows	Attended	No Works
2 Putland St, Claremont Meadows	Attended	Concrete Pours
2 Picnic PI, Claremont Meadows	Attended	Concrete Pours
2 Picnic PI, Claremont Meadows	Attended	No Works
2 Picnic PI, Claremont Meadows	Attended	No Works
2 Picnic PI, Claremont Meadows	Attended	Concrete Pours
2 Putland St, Claremont Meadows	Attended	Concrete Pours
2 Putland St, Claremont Meadows	Attended	No Works
	34-36 Phillip St, St Marys 34-36 Phillip St, St Marys 2 Putland St, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Putland St, Claremont Meadows 2 Putland St, Claremont Meadows 2 Putland St, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Picnic PI, Claremont Meadows 2 Putland St, Claremont Meadows 2 Putland St, Claremont Meadows 2 Picnic PI, Claremont Meadows	34-36 Phillip St, St Marys Attended 34-36 Phillip St, St Marys Attended 2 Putland St, Claremont Meadows 2 Picnic Pl, Claremont Meadows 2 Picnic Pl, Claremont Meadows 34-36 Phillip St, St Marys Attended 32 Picnic Pl, Claremont Meadows 34-36 Phillip St, St Marys Attended 35 Picnic Pl, Claremont Meadows 45 Putland St, Claremont Meadows 46 Putland St, Claremont Meadows 47 Picnic Pl, Claremont Meadows 48 Picnic Pl, Claremont Meadows 49 Picnic Pl, Claremont Meadows 40 Putland St, Claremont Meadows 40 Putland St, Claremont Meadows 40 Putland St, Claremont Meadows 40 Picnic Pl, Claremont Meadows 41 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 43 Picnic Pl, Claremont Meadows 44 Picnic Pl, Claremont Meadows 45 Picnic Pl, Claremont Meadows 46 Picnic Pl, Claremont Meadows 47 Picnic Pl, Claremont Meadows 48 Picnic Pl, Claremont Meadows 48 Picnic Pl, Claremont Meadows 49 Picnic Pl, Claremont Meadows 40 Picnic Pl, Claremont Meadows 41 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 41 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 41 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 41 Picnic Pl, Claremont Meadows 42 Picnic Pl, Claremont Meadows 41 Picnic Pl, Picnic Pl, Picnic Pl, Picnic







Attended monitoring undertaken during this reporting period measured exceedances of the predicted noise levels during eight monitoring events (Table 6). Measured exceedances were the result of extraneous noise sources.

Table 6: Recorded exceedances within reporting period

Date	Time	Monitoring Location	Reason for exceedance				
22/04/2024	7:33pm		Exceedances of the predicted noise levels attributed to extraneous noise sources due to the following:				
22/04/2024	10:00pm	2 Putland St. Claremont Meadows	Extraneous noise sources including traffic was the dominant noise source during all four monitoring events.				
30/04/2024	7:32pm	2 Fulland St, Claremont Weadows	On some occasions, background noise monitoring undertaken when no works were occurring (see Annexure B) measured higher				
30/04/2024	11:16pm		noise levels then what was recorded while construction activities were taking place.				
22/04/2024	8:12pm		Exceedances of the predicted noise levels attributed to extraneous noise sources due to the following:				
22/04/2024	11:00pm		Extraneous noise sources including traffic was the dominant noise source during all four monitoring events.  On all passions proion levels recorded while				
30/04/2024	9:06pm	2 Picnic PI, Claremont Meadows	On all occasions, noise levels recorded while construction activities were underway were less than 1dB higher than what was recorded during that the construction is the construction.				
30/04/2024	10:30pm		background noise monitoring undertaken in the same OOH period (see Annexure B) when no works were occurring.				





#### 3.3. Discharge to Water

### 3.3.1 Discharge to Water

The discharge of water from sediment basins and settling containers occurred at the following discharging monitoring points/locations during this reporting period:

- SBT-003
- SBT-011

Discharge to natural waterways and local stormwater systems is directly linked to the surface water monitoring program, where monitoring is undertaken to:

- Measure the effectiveness of environmental controls in minimising and managing environmental impacts.
- Demonstrate compliance with relevant stakeholder conditions.

The EPL discharge criteria apply to the sediment basins and settling containers identified and located on Electronic File EF22/5394 and approved by the EPA. Discharge to water events must adhere to the following Limit Conditions of EPL 21672:

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.
- L2.1 For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\s.
- L2.4 Water and/or Land Concentration Limits

Basins and discharge points are summarised in Table 7.

The discharge events and water quality monitoring data during the reporting period are summarised in Annexure C.







Table 7: SBT Discharge Point Register (electronic file EF22/5394) (Rev 14, submitted 21st of February 2024)

ID	Construction Status	EPA ID	Easting	Northing	Description of location of discharge point	Catchment name	Name of nearest waters	Direct discharge to waters	Location description	Date added
SBT-003	Active	2	292018.2099	6261255.3813	The outlet of the sediment basin on the Claremont Meadows Site south of Great Western Highway	South Creek	Claremont Creek	No	Discharge into local stormwater system	4/10/2022
SBT-004	Active	2	292072.0196	6261326.0789	The outlet of the sediment basin on the Claremont Meadows site West of Gipps Street	South Creek	Claremont Creek	No	Discharge into local stormwater system	4/10/2022
SBT-005	Active	7	292053.3538	6259530.3707	The outlet of the water treatment plant on the Claremont Meadows site West of Gipps Street	South Creek	Claremont Creek	No	Discharge into local stormwater system	4/10/2022
SBT-006	Active	1	292065.7524	6259303.9277	The outlet of the sediment basin on the Orchard Hills site south of M4	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022
SBT-010	Active	6	291963.0058	6258833.1224	The outlet of the water treatment plant on the Orchard Hills site north of Lansdowne Road	South Creek	South Creek	No	Discharge into vegetated / stabilized land	4/10/2022
SBT-011	Active	4	291975.5092	6258798.5199	The outlet of the sediment basin on the Bringelly site west of Derwent Road	South Creek	Badgerys Creek	No	Discharge into vegetated / stabilized land	4/10/2022
SBT-016	Active	1	291861.7259	6259213.9627	Temporary sediment basin on the east of Kent Street	South Creek	South Creek	No	Discharge into vegetated / stabilized land	20/12/2023





### 3.3.2 Receiving Waterways

As per Condition E2.1 of the EPL, weekly surface water monitoring of receiving waterways commenced on 14 February 2023 and will be undertaken for a minimum of six months. For each sampling event undertaken during the reporting period, samples were taken at each monitoring location for the analytes listed in Condition M2.1 for Points 6,7,8,9 and 10.

Sampling as per condition E2.1 of the EPL has now been completed and no longer required to be undertaken. CPBG will undertake monitoring of the waterways during wet weather events.

Wet weather monitoring is carried out as per the following:

- A minimum of once per 3 months where rainfall does not exceed 25mm
- In the event of a continuous rainfall event of >20mm is received in the local catchment during a 24-hour period (as recorded at the SBT Works rain gauge(s) or nearby weather station) and has generated runoff from site.

Surface water monitoring at receiving water ways was undertaken on the following dates during this reporting period:

08 April 2024

A review of the data for these monitoring events can be found in Annexure E. Sampling locations can be found in Annexure F.

Locations that had exceedances when compared to the SBT EPL discharged criteria can be found in Table 8.

Table 8: Surface Water Sampling Exceedances

Analyte	Sampling site with exceedances
рН	NA
Oil/grease	NA
Turbidity	NA NA
Electrical Conductivity	NA
Total Suspended Solids	SBT-6D, SBT-9U
Aluminium	SBT-6D, SBT-7U, SBT-7D, SBT-9U, SBT-9D
Chromium (VI)	SBT-6D
Copper	SBT-9U, SBT-9D
Zinc	SBT-6D, SBT-9U, SBT-9D
Total Phosphorous	SBT-6D, SBT-9U, SBT-9D
Total Nitrogen	SBT-6U, SBT-7U, SBT-7D, SBT-9U, SBT-9D
Ammonia	SBT-6U, SBT-7D





Sampling of water ways was undertaken as all sites had discharged from their sediment basin throughout April. The results were used to compare other sampling undertaken by SBT to identify any trends.

Results from previous sampling undertaken by SBT indicate that the water quality of the sampling locations are above the SBT EPL discharge criteria.

The quality of the waterways is potentially affected by external upstream impacts. The following describes potential impacts on the waterways.

- SBT-6 is in a semi-rural setting with vegetated swales up and downstream of the sampling location.
- SBT-7 is a drainage line that may collect water off road surfaces from Gipps Street and the Great Western Highway.
- SBT-9 is downstream of the Western Sydney Airport water and farmlands which would contribute runoff to the waterway.





### 4. Correction Log

It is possible from time to time for incorrect data to get published in good faith.

As soon as practicable after the licensee becomes aware that the published pollution monitoring data is incorrect or misleading, licensees must then publish a correction log to correct this data that is incorrect or misleading.

There are no matters included in the correction log for this reporting period.







### Annexure A Weather Observations

Table 9: Weather Observations: Penrith Lakes AWS {station 067113}.

	Tempe	ratures		9a	m	3pm		
Date	Min	Max	Rain	Temperature	Relative Humidity	Temperature	Relative Humidity	
	0	Ç	mm	°C	%	°C	%	
1/04/2024	14.9	32.9	0	19.4	80	31.8	30	
2/04/2024	15.8	28.6	0	18.5	90	23.9	84	
3/04/2024	11.4	27.8	2.6	16.8	78	26.3	41	
4/04/2024	16.9	20.6	0	18.9	80	17.6	97	
5/04/2024	16.9	19.8	84.8	18	99	18.6	96	
6/04/2024	17.4	29	167	19.6	94	28.6	43	
7/04/2024	14.3	28.1	0	19.8	76	26.3	55	
8/04/2024	13.9	26.2	0	19.1	77	24.1	56	
9/04/2024	14.1	23.3	0	17.8	91	17.9	69	
10/04/2024	12.1	22.4	6	16.8	52	21.4	39	
11/04/2024	10.1	24.4	0	18.6	55	24.3	41	
12/04/2024	12	25.8	0	19.3	71	25	43	
13/04/2024	12	26.9	0	18.3	74	26.2	43	
14/04/2024	15.2	26.7	0	19.9	80	23.8	66	
15/04/2024	12.6	27.4	0	18.6	73	26.3	40	
16/04/2024	13.2	26	0	17	84	24.9	49	
17/04/2024	17	23.9	0.2	19.2	80	22.3	68	
18/04/2024	15.4	25.6	3.4	17.6	92	23.9	60	
19/04/2024	9.6	21.8	0	16.1	68	20.5	53	
20/04/2024	16	20.2	0	17.9	67	19.4	61	
21/04/2024	14.5	23.8	0	18.7	57	23.2	48	
22/04/2024	12.1	24.1	0	17.7	79	23.6	52	
23/04/2024	11	25.9	0	16.6	78	25.7	51	
24/04/2024	12.1	25.4	0	15.7	87	25.1	46	
25/04/2024	12.9	22.4	0	17.3	56	22.3	36	
26/04/2024	9.1	21.3	0	16.4	58	20.5	42	
27/04/2024	9.3	23.3	0	15.1	79	23.1	48	
28/04/2024	10.6	25.1	0	13.3	99	24.2	53	
29/04/2024	10.9	25.8	0	15.2	86	24.3	59	
30/04/2024	15.2	18.8	0	18.1	78	17.9	65	







Table 10: Wind Observations: Penrith Lakes AWS (station 067113).

	Maximum wind gusts 9		9aı	n	3pm		
Date	Direction	Speed	Time	Direction	Speed	Direction	Speed
		Km/h	Local		km/h		km/h
1/04/2024	NNE	30	13:43	-	Calm	N	11
2/04/2024	NW	41	15:38	-	Calm	N	13
3/04/2024	SE	28	15:11	-	Calm	ESE	6
4/04/2024	SW	22	9:55	SSW	9	sw	6
5/04/2024	SE	35	22:59	SSW	7	SSE	11
6/04/2024	NNW	30	12:49	NE	2	N	15
7/04/2024	W	20	16:56	SE	4	WSW	6
8/04/2024	E	15	16:33	NNW	2	NW	2
9/04/2024	SSE	39	15:06	NNW	7	S	17
10/04/2024	SW	37	9:41	SSW	17	SSW	19
11/04/2024	SSW	22	9:12	S	7	WSW	6
12/04/2024	NNE	20	14:49	NNE	2	NNE	11
13/04/2024	NNW	20	13:38	-	Calm	NNE	6
14/04/2024	NE	20	13:19	-	Calm	-	Calm
15/04/2024	ESE	22	16:35	-	Calm	SSE	4
16/04/2024	ESE	22	17:37	-	Calm	E	6
17/04/2024	N	35	22:51	SW	2	E	9
18/04/2024	SW	24	15:56	NNE	4	N	4
19/04/2024	SSE	24	15:39	-	Calm	SE	13
20/04/2024	S	44	10:12	S	17	s	24
21/04/2024	SW	26	8:36	SSW	15	s	6
22/04/2024	N	20	12:59	-	Calm	N	11
23/04/2024	ENE	17	14:59	-	Calm	ENE	7
24/04/2024	SE	39	17:44	-	Calm	S	11
25/04/2024	ESE	20	17:28	SSW	9	s	7
26/04/2024	SSW	19	9:12	SSW	9	N	6
27/04/2024	NW	13	12:56	N	4	NW	6
28/04/2024	NE	13	16:28	-	Calm	N	4
29/04/2024	N	17	12:42	-	Calm	-	Calm
30/04/2024	S	33	12:48	SSW	9	s	17
1/04/2024	NNE	30	13:43	-	Calm	N	11







Noise Monitoring Results Annexure B

Date	Time	Works Period	Construction Activity	Activity Location	Monitoring Location	NML (dBA)	Predicted (dBA)	Additional Mitigation Measures	Recorded L <sub>eq 16min</sub> (dBA)	L <sub>Amax</sub>	L <sub>Amin</sub>	Exceedance of Predicted (dBA)	Exceedance of Predicted	Comments
03/04/2024	11:31pm	Night	TBI Works – Jersey Kerb Removal + Trenching Works	St Marys TBI	34-36 Phillip Street, St Marys	41	54	LB, M, SN, RO, IB	45.0	64.1	40.5	-9.0	No	Extraneous noise such as traffic was dominant noise source for majority of the monitoring period. Minimal use of high noise impact plant during attended noise monitoring. As such, measured Laeq assessed against predicted noise level for scenario without high impact plant.  Attended noise monitoring planned for next occasion of high impact trenching works to capture monitoring data representative of assessment scenario.
7/04/2024	10:02pm	Night	TBI Works – Jersey Kerb Removal + Trenching Works (High Impact)	St Marys TBI	34-36 Phillip Street, St Marys	41	68	LB, M, SN, RO, IB	54.9	65.5	42.7	-13.1	No	Construction noise was dominant noise source for majority of monitoring period.
10/04/2024	4:08am	Night	Road Median Island Works (High impact)	St Marys TBI	34-36 Phillip Street, St Marys	41	49	LB, M, SN, RO, IB	47.4	65.3	41.2	-1.6	No	Construction noise was dominant noise source for majority of monitoring period.
22/04/2024	6:01pm	Evening	No Works	Claremont Meadows	2 Putland Street, Claremont Meadows	41	N/A	-	54.4	61.6	48.4	N/A	N/A	No construction activities occurring at time of monitoring event
22/04/2024	6:23pm	Evening	No Works	Claremont Meadows	2 Picnic Place, Claremont Meadows	42	N/A	-	50.1	62.5	44.8	N/A	N/A	No construction activities occurring at time of monitoring event
22/04/2024	7:33pm	Evening	Crane Lifts	Claremont Meadows	2 Putland Street, Claremont Meadows	42	43	LB, M, SN	57.2	66.7	45.7	14.2	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
22/04/2024	8:12pm	Evening	Crane Lifts	Claremont Meadows	2 Picnic Place, Claremont Meadows	42	43	LB, M, SN	50.3	70.5	45.4	7.3	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
22/04/2024	10pm	Night	Crane Lifts	Claremont Meadows	2 Putland Street, Claremont Meadows	41	43	LB, M, SN	49.7	63.8	43.7	6.7	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
22/04/2024	10:19pm	Night	No Works	Claremont Meadows	2 Putland Street, Claremont Meadows	41	N/A	-	50.6	63.2	44.7	N/A	N/A	No construction activities occurring at time of monitoring event.
22/04/2024	10:40pm	Night	No Works	Claremont Meadows	2 Picnic Place, Claremont Meadows	41	N/A	-	45.3	62.6	40.6	N/A	N/A	No construction activities occurring at time of monitoring event.
22/04/2024	11pm	Night	Crane Lifts	Claremont Meadows	2 Picnic Place, Claremont Meadows	41	43	LB, M, SN	46.1	71.4	41.3	3.1	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
30/04/2024	7:14pm	Evening	No works	Claremont Meadows	2 Putland Street, Claremont Meadows	42	N/A	-	49.8	65.1	45.2	N/A	N/A	No construction activities occurring at time of monitoring event.
30/04/2024	7:32pm	Evening	Concrete Pours	Claremont Meadows	2 Putland Street, Claremont Meadows	42	43	LB, M, SN	47.9	59.7	43.9	4.9	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
30/04/2024	9:06pm	Evening	Concrete Pours	Claremont Meadows	2 Picnic Place, Claremont Meadows	42	43	LB, M, SN	46	56.8	30.6	3	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.







Date	Time	Works Period	Construction Activity	Activity Location	Monitoring Location	NML (dBA)	Predicted (dBA)	Additional Mitigation Measures	Recorded L <sub>sq 15min</sub> (dBA)	L <sub>Amax</sub>	L <sub>Amin</sub>	Exceedance of Predicted (dBA)	Exceedance of Predicted	Comments
30/04/2024	9:31pm	Evening	No works	Claremont Meadows	2 Picnic Place, Claremont Meadows	42	N/A	-	46	59.5	38.4	N/A	N/A	No construction activities occurring at time of monitoring event.
30/04/2024	10:03pm	Night	No works	Claremont Meadows	2 Picnic Place, Claremont Meadows	41	N/A	-	45.1	62.3	27.4	N/A	N/A	No construction activities occurring at time of monitoring event.
30/04/2024	10:30pm	Night	Concrete Pours	Claremont Meadows	2 Picnic Place, Claremont Meadows	41	43	LB, M, SN	45.7	64.5	37.6	2.7	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
30/04/2024	11:16pm	Night	Concrete Pours	Claremont Meadows	2 Putland Street, Claremont Meadows	41	43	LB, M, SN	49	60.7	35.2	6	Yes	Construction noise occasionally audible however, extraneous noise such as traffic was dominant noise source during monitoring period.
30/04/2024	11:33pm	Night	No works	Claremont Meadows	2 Putland Street, Claremont Meadows	41	N/A	-	50.4	62.8	41.4	N/A	N/A	No construction activities occurring at time of monitoring event.

April 2024 | Page 21





Annexure C Discharge to Waterways

Discharge Monitoring Point ID	Type of Monitoring Point	Type of Discharge Point	Date	Discharge Permit No.	Oil and Grease (Visual Inspection)	pH (6.5 – 8.5)	Turbidity (50 NTU)
SBT-011	Sediment Basin	Discharge into vegetated / stabilized land	01/04/2024	133	Not visible	8.01	46.7
SBT-011	Sediment Basin	Discharge into vegetated / stabilized land	20/04/2024	134	Not visible	7.81	7.5
SBT-003	Sediment Basin	Discharge into vegetated / stabilized land	11/04/2024	135	Not visible	7.14	6

April 2024 | Page 22

Annexure D EPL Premise Maps










Figure 2: STM Premise Map








Figure 3: CMF Premise Map

April 2024 | 1 age 23








Figure 4: OHE Premise Map










Figure 5: BSF Premise Map













Figure 6: Aerotropilis Premise Map



CPBG Joint Venture Sydney Metro – Western Sydney Airport Station Boxes and Tunnelling Works







Rev	Description	Date	20	Status	9300			Sydney Mintro Western Sydney Airport Strian Boses and Tunnelling Works
A	Formal edgement without	21/04/005	N		For	Construction		
			<b>A</b>	Designed by	JG	Sev	22	●●■CPB 3 Ghella
3 - 3			(A)	Data Printed	01.05/2024	Bitte broad	01/05/2004	
8 8	ă.		0. 0.1 0.25mm	Medicine	Turnel Algorisms (ICA)	Rose to Observed Residence	Procise Nag	EPL Premise Map - Tunnel Alignment
8 8			0 0.1 0.2011	Distribution	SAMBASIC COLORS	CONTRACTOR		Tap to 1

Figure 7: Northern Tunnel Alignment

April 2024 | 1 age 23








Figure 8: Northern Tunnel Alignment

April 2024 | Page 30








Figure 9: Southern Tunnel Alignment







### Annexure E Surface Water Monitoring at Receiving Waterways

Table 11: Surface Water Monitoring SBT-6U & SBT-6D

		SBT-6U	SBT-6D	
Analyte	Post Rain Event	Y	es	
	Unit	8/04/	2024	
рН	pH	7.53	7.82	
Oil/grease	Visual Inspection	Not Visible	Not Visible	
Turbidity	NTU	14.8	84.4	
Electrical Conductivity	μS/cm	543	938	
Total Suspended Solids	mg/L	6	56	
Aluminium	mg/L	0.3	0.84	
Chromium (VI)	mg/L	<0.001	0.01	
Copper	mg/L	0.005	0.006	
Zinc	mg/L	0.014	0.016	
Total Phosphorous	mg/L	0.26	0.15	
Total Nitrogen	mg/L	1.8	1.3	
Ammonia	mg/L	0.12	0.04	

Table 12: Surface Water Monitoring SBT-7U & SBT-7D

		SBT-7U	SBT-7D	
Analyte	Post Rain Event	Ye		
	Unit	8/04/	2024	
рН	pH	8.08	8.07	
Oil/grease	Visual Inspection	Not Visible	Not Visible	
Turbidity	NTU	9	9.2	
Electrical Conductivity	μS/cm	1350	1350	
Total Suspended Solids	mg/L	6	8	
Aluminium	mg/L	0.35	0.35	
Chromium (VI)	mg/L	<0.001	<0.001	
Copper	mg/L	0.006	0.006	
Zinc	mg/L	0.01	<0.005	
Total Phosphorous	mg/L	0.1	0.12	
Total Nitrogen	mg/L	1.9	2.1	
Ammonia	mg/L	0.03	0.15	

7,511 2024 | Tago 92





Table 13: Surface Water Monitoring SBT-9U & SBT-9D

		SBT-9U	SBT-9D
Analyte	Post Rain Event	Yes 07/02/2024	
	Unit		
рН	pН	7.66	7.69
Oil/grease	Visual Inspection	Not Visible	Not ∀isible
Turbidity	NTU	77.3	103
Electrical Conductivity	μS/cm	655	527
Total Suspended Solids	mg/L	78	51
Aluminium	mg/L	3.15	1.46
Chromium (VI)	mg/L	<0.001	<0.001
Copper	mg/L	0.009	0.008
Zinc	mg/L	0.02	0.021
Total Phosphorous	mg/L	0.36	0.38
Total Nitrogen	mg/L	2.2	2.2
Ammonia	mg/L	0.09	0.09

April 2024 | Page 33





### Annexure F Surface Water Sampling Locations




Figure 10: SBT-6 Sampling Locations







Figure 11: SBT-6 Sampling Locations








Figure 12: SBT-9 Sampling Locations



