From Children's National Medical Center. Congenital Heart Disease Screening Program Toolkit: A Toolkit for Implementing Screening. Washington, DC: Children's National Medical Center; 2013.





Critical Congenital Heart Disease Screening Program


A Parent's Perspective



"Over the eleven years since I started C.H.I.N., hardly a day goes by when I do not hear from a distraught parent whose child was not diagnosed at birth, leading to tragic or serious life-long consequences"

Mona Barmash, President of Congenital Heart Information Network JCCHD Meeting, Fall 2007





Congenital Heart Disease

CHD is important cause of morbidity & mortality in infants:

♥ Accounts for approximately 40% of deaths from congenital anomalies²


▼ Majority of deaths occur among infants during the first year of life²

♥ 10% of infants who died with CHD before one year of age were first diagnosed with CHD at the time of autopsy³



Congenital Heart Disease

- Over the past 40 years there have been improvements in survival due to improved surgical outcomes
- ▼ There is still room for improvements in the detection of critical CHD






Why is CCHD Missed?

Visual recognition of cyanosis is difficult

Mean threshold for detection 69% 4





Pulse Oximetry

- ♥ A painless and non-invasive way of measuring the oxygen saturation of hemoglobin in the arterial blood.
- ♥ Routine to clinical care, often thought of as the 5th vital sign.



© Masimo Corporation 2011



Pulse Oximetry

How Does Pulse Oximetry Work?


- Dependent on Heart Beat as arterial blood vessels contract/expand with each HB
- ♥ Red (R) and Infrared (IR) Light are transmitted via Light Emitters to a Photodetector
- Oxygenated and Deoxygenated Hb absorb different amounts of both R and IR light
- ◆ A ratio of the light absorbed by the photodetector correlates for oxygen saturation of hemoglobin in the arterial blood



Pulse Oximetry as a Screening Method


Normal Heart

No Mixing of Systemic and Pulmonary Venous Blood Flow






Fetal Circulation





Transposition of the Great Arteries





Pulse Oximetry as a Screening Method

- ♥ Highest sensitivity (true positives) and highest specificity (true negatives) associated with screening the right hand and one foot, using a cut-off of less than 95% or a greater than 3% difference between the two ⁵
- ♥ Best outcomes may be found when physical examination is paired with pulse oximetry screening.
- ♥ September 21, 2011- Health and Human Services Secretary Kathleen Sebelius endorsed adding screening for CCHD to the recommended universal screening panel ⁶



Vision


All infants with critical congenital heart disease are detected before leaving the newborn nursery.






Program Aims:

- ▼ Implement pulse oximetry screening programs for the detection of critical CHD in newborn nurseries
- Minimize obstacles encountered while performing pulse oximetry screening methods
- Screen 100% of infants eligible for screening
- Detect critical CHD before clinical deterioration of infant





- ♥ Who is eligible to be screened?
 - All infants that are at least 24 hours of age
- ♥ How will mothers be educated about screening?
 - Prenatal
 - Tours and Prenatal Classes
 - OB/GYN Clinics
 - Newsletters and Hospital Websites
 - Postnatal
 - Prior to screening





Placement of Pulse Oximetry Sensor

Application with Disposable Probe



"Star to the Sky"

Application with Reusable Probe




© Masimo Corporation 2011

"Raise the (Red) Bar"




Screening Protocol ^{7,8}






UE Sat - 100% LE Sat - 96% a. PASS

FAIL





UE Sat - 100%
LE Sat - 96%
a. PASS
b. FAIL





2nd Screen:

UE Sat - 99%

LE Sat - 98%

a. PASS

b. FAIL

Measurement #1 Pulse Ox on Right Hand (RH) and One Foot After 24 Hours of Age FAIL RETEST PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #2 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #1 RETEST FAIL PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% in either the RH or foot and foot OR a difference of 4% or or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #3 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #2 RETEST PASS FAIL Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two Action: Do Not Repeat for more between the RH and foot

Action: Do Not Repeat, Clinical

Assessment

Screening, Refer for Immediate

Assessment



Action: Do Not Repeat for Screening.

Provide Normal Newborn Care

2nd Screen:

UE Sat - 99%

LE Sat - 98%

a. PASS

b. FAIL

Measurement #1 Pulse Ox on Right Hand (RH) and One Foot After 24 Hours of Age FAIL RETEST PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #2 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #1 RETEST FAIL PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% in either the RH or foot and foot OR a difference of 4% or or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #3 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #2 RETEST PASS FAIL Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two Action: Do Not Repeat for more between the RH and foot Action: Do Not Repeat for Screening. Screening, Refer for Immediate Action: Do Not Repeat, Clinical Provide Normal Newborn Care Assessment Assessment




UE Sat - 96%

LE Sat - 94%

a. PASS

b. FAIL






UE Sat - 96%

LE Sat - 94%

a. PASS

b. FAIL





UE Sat - 89%

LE Sat - 87%


a. PASS

b. FAIL

Measurement #1 Pulse Ox on Right Hand (RH) and One Foot After 24 Hours of Age FAIL RETEST PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #2 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #1 FAIL RETEST PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% in either the RH or foot and foot OR a difference of 4% or or less between the two **Action: Do Not Repeat** more between the RH and foot Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #3 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #2 RETEST PASS FAIL Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two Action: Do Not Repeat for more between the RH and foot Action: Do Not Repeat for Screening, Screening, Refer for Immediate Action: Do Not Repeat, Clinical Provide Normal Newborn Care Assessment Assessment



UE Sat - 89%
LE Sat - 87%
a. PASS
b. FAIL





UE Sat - 92%


LE Sat - 96%

- a. PASS
- b. FAIL

Measurement #1 Pulse Ox on Right Hand (RH) and One Foot After 24 Hours of Age FAIL RETEST PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two more between the RH and foot Action: Do Not Repeat Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #2 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #1 RETEST FAIL PASS Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% in either the RH or foot and foot OR a difference of 4% or or less between the two **Action: Do Not Repeat** more between the RH and foot Action: Do Not Repeat for Screening. for Screening, Refer for Action: Repeat pulse ox Provide Normal Newborn Care Immediate Assessment measurements in 1 hour Measurement #3 Pulse Ox on Right Hand (RH) and One Foot 1 Hr After Measurement #2 RETEST PASS FAIL Pulse ox of 95% or more in RH Pulse ox of 89% or less Pulse ox of 90-94% in BOTH the RH or foot AND difference of 3% and foot OR a difference of 4% or in either the RH or foot or less between the two Action: Do Not Repeat for more between the RH and foot Action: Do Not Repeat for Screening, Screening, Refer for Immediate Action: Do Not Repeat, Clinical Provide Normal Newborn Care Assessment Assessment



UE Sat - 92%
LE Sat - 96%
a. PASS
b. FAIL






2nd Screen

UE Sat - 92%

LE Sat - 94%


- a. PASS
- b. FAIL





2nd Screen
UE Sat - 92%
LE Sat - 94%
a. PASS


FAIL






3rd Screen UE Sat - 92% LE Sat - 92% a. PASS

FAIL





3rd Screen
UE Sat - 92%
LE Sat - 92%
a. PASS
b. FAIL





References

- 1. Hoffman, J.I.E., Kaplan, S. (2002). The incidence of congenital heart disease. Journal of the American College of Cardiology, 39, 1890-1900.
- 2. Boneva, R.S., Botto, L.D., Moore, C.A. Yang, Q., Correa, A., Erickson, J.D. (2001). Mortality associated with congenital heart defects in the United States: Trends and racial disparities, 1979-1997. Circulation, 103, 2376-2381.
- 3. Kuehl, K.S., Loffredo, C.A., Ferencz, C. (1999). Failure to diagnose congenital heart disease in infancy. Pediatrics, 103(4), 743-747.
- 4. Hokanson, J.S. Pulse Oximetry Screening for Unrecognized Congenital Heart Disease in Neonates. *Congenital Cardiology Today*. 2011; 9(1).
- 5. Granelli, A.D., Wennergren, M., Sandberg, K., Mellander, M., Bejlum, C., Inganas, L., Eriksson, M., Segerdahl, N., Agren, A., Ekman-Joelsson, B.M., Sunnegardh, J., Verdicchio, M. & Ostman-Smith, O. (2008). Impact of Pulse Oximetry Screening on the Detection of Duct Dependent Congenital Heart Disease: A Swedish Prospective Screening Study in 39,821 newborns. BMJ, 337:a3037
- 6. Sebelius, K. Letter to R. Rodney Howell, M.D [Internet]. 2011 [updated 2011 Sept 21; cited 2011 Sept 23]. Available from: http://www.hrsa.gov/advisorycommittees/mchbadvisory/heritabledisorders
- 7. Kemper, A.R, Mahle, W.T., Martin, G.R., Cooley, W.C., Kumar, P., Morrow, R.W. et al. Strategies for Implementing Screening for Critical Congenital Heart Disease: Recommendations of the United States Health and Human Services Secretary's Advisory Committee on Heritable Disorders in Newborns and Children.
- 8. Children's National Medical Center. *Congenital Heart Disease Screening Program Toolkit: A Toolkit for Implementing Screening*. Washington, DC: Children's National Medical Center; 2009.