

Mercedes-Benz

Genuine Accessories. CLA.



Light Alloy Wheels



10-spoke wheel

Finish: Black
FA/RA: 7 J x 17 ET 46,4 | 205/55 XL R 17
RA: 8 J x 17 ET 58 | 225/50 XL R 17

FA/RA: A174 401 2800 7X43
RA: A174 401 4700 7X43



Y-Spoke Wheel, Aero

Finish: Black, high-sheen (gloss-turned)
Front/Rear Axle (FA/RA): 7,5 J x 18 ET 48,4 | 275/45 XL R 18
Rear Axle (RA): 9 J x 18 ET 66 | 255/40 XL R 18

FA/RA: A174 401 3400 7X23
RA: A174 401 3500 7X23



W-spoke wheel, Aero

Finish: Black, high-sheen
FA/RA: 7,5 J x 18 ET 48,4 | 225/45 XL R 18
RA: 9 J x 18 ET 66 | 255/40 XL R 18

FA/RA: A174 401 0200 7X23
RA: A174 401 2300 7X23



5-twin-spoke wheel, Aero

Finish: black, high-sheen
FA/RA: 7,5 J x 18 ET 48,4 | 225/45 XL R 18
RA: 9 J x 18 ET 66 | 225/40 XL R 18

FA/RA: A174 401 3000 7X23
RA: A174 401 3100 7X23



5-hole wheel, Aero

Finish: black, high-sheen
FA/RA: 7,5 J x 19 ET 48,4 | 225/40 XL R 19
RA: 9 J x 19 ET 66 | 255/35 XL R 19

FA/RA: A174 401 3200 7X23
RA: A174 401 3300 7X23

Elegant Touch: A wheel hub cap from Mercedes-Benz is always a stylish finishing touch for light-alloy wheels. Not only attractive but also functional: the caps protect the wheel hub from dirt. You have the choice – available in various designs and suitable for all Mercedes-Benz wheels.



A000 400 380 07756



A167 401 590 09040



A000 400 5200

Black Valve Cap

A refined highlight in a new design. Protects the tire valves from contamination. 4-piece set.



B6 647 2002

AMG Valve Caps

AMG valve caps as a stylish highlight on premium light-alloy wheels. 4-piece set.



B6 647 2004

Wheel Lock Set

Protect your valuable light-alloy wheels from theft: Set includes a coded key and four locking bolts.



A001 990 1707



Tire Pressure Gauge

Allows quick tire pressure checks on the go and at home. Includes a leather case.

B6 658 8140

Add-on Parts

Rear spoiler, Polyurethane, primed

A rear spoiler from Mercedes-Benz significantly boosts the car's aerodynamics. Tailored to the contours of the vehicle for a sporty design. Top-class materials produce a high-quality feel. Colour options precision-tailored to the vehicle. Simple to retrofit: secured using double-sided adhesive tape. Does not need to be entered in the vehicle documents..

A174 793 0300



Carrier System

Rear bicycle rack, for trailer hitches, Folding, 2 bicycles

Convenient, lockable rear bicycle rack, designed to provide secure transport for up to 2 bicycles. Can be easily fitted to the trailer hitch*, and it's just as simple to attach your bikes to the rack. Maximum load of up to 30 kg per bicycle rail. This means the rack is suitable for most electric bikes. An ingenious roller mechanism means that the boot can still be opened. The rack can be easily folded away for space-saving stowage in the boot, at your holiday accommodation or at home.

*Special equipment code 550



Charging



Flexible Charging System



Flexible charging system Pro

The flexible Pro charging system is a mobile charging solution that enables charging at up to 22 kW*. The adapter connection point also makes it possible to adapt to every charging situation as needed. Whether at home, on the road or abroad, the flexible Pro charging system ensures safe and flexible charging for your BEV and PHEV vehicle.

Advantages:

- Charging with up to 22 kW*
- Adapter connection point – individual adaptation to the available charging options
- Fixed type-2 connector (on vehicle side)
- Automatic adapter recognition and adjustment of the charging power
- Individually adjustable charging power
- Safe charging
- Improved organisation in the boot
- Optional wall mounting with integrated lock

A000 906 6412



Adapter Type 2

The type 2 adapter for the flexible Pro charging system enables you to charge at up to 22 kW* (400 V) at public charging stations or wallboxes. The adapter is detected automatically by the flexible Pro charging system, meaning that no further settings are required.

A000 821 1602



Flexible charging system wall mount

The flexible Pro charging system's wall mounting means it can be turned into a stationary wallbox. The integrated safety lock protects the system against theft.

A000 343 6400



Adapter, CEE 32/1-phase

Using the CEE 32/1-phase adapter for the flexible Pro charging system, you can charge at up to 7.4 kW (230 V). The adapter is detected automatically by the flexible Pro charging system, meaning that no further settings are required.

A000 821 2002

Charging

Adapter, CEE 16/1-phase

The CEE 16/1-phase adapter (camping) for the flexible Pro charging system enables you to charge at up to 3.7 kW (230 V). The adapter is detected automatically by the flexible Pro charging system, meaning that no further settings are required.

A000 821 2302



Adapter CEE 16/3-phase

With the CEE 16/3-phase adapter for the flexible Pro charging system, you can charge at up to 11 kW (400 V). The adapter is detected automatically by the flexible Pro charging system, meaning that no further settings are required.

A000 821 1702



Adapter CEE 32/3-phase

Using the CEE 32/3-phase adapter for the flexible Pro charging system, you can charge at up to 22 kW* (400 V). The adapter is detected automatically by the flexible Pro charging system, meaning that no further settings are required.

A000 821 1802



*Model and vehicle equipment dependent. Not suitable for DC Charging Stations.

Lighting



Exchangeable cover for illuminated door sill panel, Mercedes-Benz

The exchangeable cover in silver featuring white Mercedes-Benz lettering for door sills featuring LED lighting. The exchangeable cover not only convinces with simple assembly and a precision fit, but also with its durability and long service life.

- A174 680 1102 Stainless steel, silver-coloured / white (see illustration)
- A174 680 1202 Stainless steel, black / white
- A174 680 3902 Stainless steel, silver-coloured / white with star pattern




Exchangeable cover for illuminated door sill panel, AMG

The exchangeable cover in silver featuring white AMG lettering for door sills featuring LED lighting. The exchangeable cover not only convinces with simple assembly and a precision fit, but also with its durability and long service life.

- A206 680 5305 Stainless steel, silver-coloured / white (see illustration)
- A206 680 5405 Stainless steel, black / white
- A206 680 5005 Stainless steel, black / yellow
- A174 680 3802 Stainless steel, silver-coloured / white
- A174 680 3702 Stainless steel, black / white

Lighting



LCD projector, with animated Mercedes-Benz pattern

LCD projector with animated Mercedes-Benz pattern for vehicle individualisation. Two-piece set. Replaces the standard exit lamps. The animation of the Mercedes-Benz pattern is projected onto the ground after opening the door. Conveniently get in and out thanks to additional light. Automatic activation when opening the door.

A297 820 7501

LCD projector, with animated AMG pattern

LCD projector, with animated Mercedes-AMG pattern for individualising the vehicle. Two-piece set. Replaces the standard exit lamps. The animation of the brand pattern is projected onto the ground after opening the door. Conveniently get in and out thanks to additional light. Automatic activation when opening the door.

A297 820 7601



Comfort



All-season floor mats Dynamic Lines, Set of 2

Made from robust, washable synthetic material for heavy use. New three-dimensional design with recessed and elevated areas and raised border.

A174 680 3001 9G33 black, Rear, Set of 2

Velour floor mats CLASSIC, Set, Set of 3

Elegant, high-quality tufted velour mats with embroidered Mercedes-Benz label.

A174 680 3901 9J74 black, black edging
A174 680 3901 8H36 black, beechbrown edging



Velour floor mats EXCLUSIVE

Exclusive velour mats with particularly deep, thick pile, featuring metal badge with Mercedes-Benz lettering. Available in various colours to match your interior.

A174 680 8401 9K26 Driver/front passenger's mat
A174 680 9401 9K26 Rear, Set of 1



AMG velour floor mats, with AMG web logo

Elegant, high-quality tufted velour carpet, with AMG web label on driver and front passenger side.

A174 680 8400 9J74 black, black edging
A174 680 8400 6C83 black, energygreen edging
A174 680 8400 8H36 black, beechbrown edging (without illustration)



Reversible mat

This anti-slip mat by Mercedes-Benz protects the boot floor during loading and unloading. Made from 100% polyester. Double-sided: with rubberised, non-slip side and high-quality velour side. Prevents cargo from sliding around. Protects the load compartment floor from dirt and damp. Easy to clean with warm water.

A174 680 6301



Coolbox

The thermoelectric refrigerator box cools to up to 5°C, but a max. of 20°C under the outside temperature. Portable refrigerator box with textile coating, fitted pockets and zip has 13 litres capacity. The refrigerator box is powered via the cigarette lighter or a 12-volt socket.

A000 8205 409



Rectifier

Allows the coolbox to be connected to a 230 V socket at home.

A000 982 0021

Comfort

Boot tub, flat

Made of impact-resistant, non-slip polypropylene. With ribbed texture. Vehicle's load-securing rings remain accessible.

A174 814 0000



Child Safety



BABY-SAFE plus II child seat

The Mercedes-Benz “BABY-SAFE 3 i-SIZE” offers a high level of safety for babies from birth up to an age of 15 months (approved in accordance with R129 for children from 40 to 83 cm, up to a body weight of 13 kg). Equipped with a deep body-contoured seat shell, upholstery for relieving particularly vulnerable areas of the body for infants and a sun shade, it is also regularly checked with regard to quality and restraint effect in crash tests. The exclusive cover design can be removed and washed. Made in Germany.

A000 970 6802



DUALFIX child seat 3 i-SIZE

Anthracite/beige. Rotating function for reverse and forward driving. 6 adjustable rest positions. Soft, padded side seat side bolsters. Adjustable V-shaped head restraint. 5-point seat belt system. Integrated Side Impact Cushion Technology (SICT) inside. Removable and washable cover. Usable only in conjunction with FLEX BASE 5Z. For children from approx. 3 months to 4 years. Made in Germany.

A000 970 9302

KIDFIX child seat, M i-SIZE

Anthracite/beige. For children from 3.5 to 12 years. Forward-facing. ISOFIX. Alternative fitting with 3-point seat belt. Large, softly padded seat side bolsters. Rigid seat base. Stable seat belt guide. Head restraint. Infinitely adjustable V-shaped backrest. Adjustable fit. Removable backrest. Removable, washable cover. Made in Germany.

A000 970 8902



FLEX BASE 5Z

FLEX BASE 5Z. Black. For modular use with Baby-Safe 3 i-SIZE, DUALFIX 3 i-SIZE and DUALFIX 5Z. Integrated rotating function. Enables forward and rearward-facing journeys. Adjustable angle of the child seat. ISOFIX locking system. Adjustable support leg.

A000 970 7302



Child Safety

AMG child seat KIDFIX, M i-SIZE


Black/red. For children from 3.5 to 12 years. Forward-facing. ISOFIX. Alternative fitting with 3-point seat belt. Large, softly padded seat side bolsters. Rigid seat base. Stable seat belt guide. Head restraint. Infinitely adjustable V-shaped backrest. Adjustable fit. Removable backrest. Removable, washable cover. Made in Germany.

A000 970 9102



Please note: changes may have been made to the products since this publication went to press (09/2025). The manufacturer and supplier of the product reserved the right to make changes to the design, form, colour and specification during that delivery, provided these changes can be deemed reasonable with respect to the purchaser. This does not affect the purchaser's statutory rights. Where the retailer or the manufacturer uses symbols or numbers to describe an order or the subject of an order, no rights may be derived solely from these. The illustrations (for reference only) may include accessories and items of optional equipment which are not part of standard specification. Colours of the actual products may differ slightly from those shown in this publication, owing to the limitations of the printing process. This publication may include products and services which are not available in the United Kingdom. Information given regarding statutory regulations and legal requirements applies to the United Kingdom only and is correct at the time of going to print. For the most accurate and up-to-date pricing information, please contact your local Mercedes-Benz retailer.

Provider: Mercedes-Benz Customer Solutions GmbH, Industriestr. 19, 70565 Stuttgart
© 2025 Mercedes-Benz Customer Solutions GmbH. All rights reserved.

 and Mercedes-Benz are Trademarks of Mercedes-Benz Group AG.