



STINGS HARDER THAN EVER

The Hornet 1000 SP doesn't buzz; it stings harder than ever. Crowned as the hive's boss, it packs an Inline-Four Cylinder engine that is built to handle anything, from urban to twist backroads, and a chassis that takes the hit and hits right back. Its Showa Adjustable Forks, Pro-Link Rear Shock, and Throttle By Wire give the Hornet 1000 SP pure attack mode. The 5-inch TFT puts you in charge, while the LED glare is a clear warning: get out of the way, or get left behind.





STRIKING STREETFIGHTER DESIGN The Hornet 1000 SP isn't just a looker; it's built to fight. Its sharp twin LED Projectors command the night, while the

blacked-out frame and trellis-style rear subframe pack a punch. And the muscular fuel tank tapers with aggression, giving it a streetfighter stance at every glance.





STUNNING INLINE-FOUR CYLINDER The 1000 cc Inline-Four Cylinder engine tears the streets through gears with raw torque and high-rev

dominance. It's engineered to roar and built for those who crave pure, untamed performance.





PREMIUM 5-INCH FULL-COLOUR TFT SCREEN Cutting off distractions, the 5-inch TFT screen is simple, intuitive, and connects

Cutting off distractions, the 5-inch TFT screen is simple, intuitive, and connects effortlessly with Honda RoadSync for quick access to navigation, calls, and nusic. all in one place.





PIERCING LED LIGHTING The twin LED projectors slash through the dark with surgical focus, while the sharp-edged

lighting brings unmatched visibility and an undeniable presence on the road.





HIGH-PERFORMING SUSPENSION The Showa SFF-BPTM inverted fork provides sharp, sportbike-level precision

provides sharp, sportbike-level precision in the front suspension. While the remote-reservoir Öhlins setup in the rear suspension keeps the bike planted, no matter how hard it's pushed.



Product shown in the picture may vary from actual product available in the market



ULTIMATE CONTROL ON THE ROAD Five riding modes consisting of Standard, Sport, Rain, and two fully customizable User modes

allow the rider to fine-tune how the bike responds.

Honda Selectable Torque Control (HSTC) intelligently manages braking and traction under various surface conditions, while advanced





PRECISE HANDLING AGILITY The steel twin-spar frame offers balance and control, giving you sharper handling needed

to cut through turns and the smoothness to dominate any road.





ACCESSORISE YOUR RIDE



UNDER COWL

RIDER STEPS



RADIATOR GRILL





HANDLE HOLDER UP





FRONT VISOR

MAIN SEAT (ALCANTARA)



PILLION SEAT (ALCANTARA)



WHEEL STRIPE





TANK BAG





REAR SEAT BAG











SPECIFICATIONS

ENGINE

Engine Type 4-Stroke, 16 Valves,

Inline-Four DOHC,

Liquid-Cooled

Bore x Stroke 76 x 55.1

Compression Ratio 11.7 ± 0.2

Displacement 1000 cc

Net Power 115.6 kW @11000 rpm

Maximum Torque 107 N-m @9000 rpm

No. of Gears 6

DIMENSIONS AND WEIGHT

Length x Width x Height 2140 mm x 790 mm x 1085 mm

Wheelbase 1455 mm

Kerb Weight 212 kg

Ground Clearance 135 mm

Seat Height 809 mm

Fuel Tank Capacity 17 L

Frame Type Double Beam

WHEELS, SUSPENSION & BRAKES

Tyre Size (Front) 120/70R17M/C

Tyre Size (Rear) 180/55ZR17M/C

Brake Type (Front) Double Disc - 310 mm

Brake Type (Rear) Disc - 240 mm

Calliper Front 4 Piston

Calliper Rear 1 Piston

Front Suspension Showa SFF-BP USD Forks

Rear Suspension Ohlins TTX Monoshock

ELECTRICALS

Battery 12 V, 6.3Ah

Headlight LED

Tail Lamp LED

Winkers LED



Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram (Haryana) - 122052, India Customer Care: customercare@honda.hmsi.in Website: www.hondabigwing.in



