











Stay connected effortlessly with the Honda RoadSync app. Seamlessly link your smartphone to your Dio 125 via Bluetooth. And enjoy a smooth, hassle-free ride while accessing essential features right at your fingertips.





SMOTH KEY With Smart Technology

Unlock a smarter ride with our H-Smart technology and experience the ultimate convenience and security with the Honda Smart Key.



lo

Your Dio 125 stays secure, even when you're not around.

Smart **SAFE**

Smartfind

Searching for your ride in a crowded parking or low-light conditions can be frustrating and the answer back feature solves it.

Smart START


Start your Dio 125 without even taking the key out of your pocket.

Smart UNLOCK

No need to fumble for your key- Honda Smart Key makes unlocking effortless.



IDLING STOP SYSTEM



engine during brief stops,

reducing unnecessary fuel consumption, and easing

rider fatigue.

ADVANCED IDLING STOP SYSTEM




The Advanced Idling Stop System on Dio 125 takes fuel efficiency and convenience to the next level as it automatically cuts-off the engine below a certain speed and seamlessly restarts the engine when the rider pulls-up the throttle again.



VIC





The ACG Starter provides a smooth, silent start every time, and reduces engine maintenance.

PEN-F

The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.

*Side Stand Accessories Shown in the image is not a part standard fitment.




















WANNA HAVE FUN WITH COLOURS!

Die

Vies



IMPERIAL RED Metallic

MAT MARVEL Blue





MAT AXIS Gray Metallic

PEARL IGNEOUS Black





PEARL IGNEOUS BLACK + PEARL DEEP GROUND GRAY

MAT MARVEL BLUE METALLIC





PEARL DEEP GROUND GRAY (EMBLEM)

PEARL SPORTS YELLOW





PEARL DEEP GROUND GRAY (STRIPE)

IMERIAL RED





PEARL IGNEOUS BLACK

TECHNICAL SPECIFICATION

Body Dimensions	110 cc	125 cc
Lanath	1000	1020
Length	1808 mm	1830 mm
Width	677 mm	707 mm
Height	1151 mm	1172 mm
Wheel Base	1260 mm	1260 mm
Ground Clearance	160 mm	171 mm
Seat Length	650 mm	708 mm
Kerb Weight	Std. & Dlx: 106 kg	104 kg (Smart), 105 kg (Std.)

Transmission

Fuel Tank Capacity

Clutch Type Automatic Centrifugal Clutch Dry Type

5.3 L

Automatic Centrifugal Clutch Dry Type

5.3 L



Frames & Suspensions

Frame Type	Underbone	Underbone
Front	Telescopic	Telescopic
Rear	Unit Swing	3-Step Adjustable Spring Loaded Hydraulic

Engine

Type	4 Stroke, SI Engine	4 Stroke, SI Engine
Displacement	109.51 cc	123.92 cc
Max Net Power	5.85 kW @ 8000 rpm	6.11 kW @ 6500 rpm
Max Net Torque	9.03 N-m @ 5500 rpm	10.5 N-m @ 5000 грт
Bore	47.0 mm	50.0 mm
Stroke	63.121 mm	63.113 mm
Fuel System	PGM - FI	PGM - FI
Compression Ratio	10.0:1	10.0:1
Air Filter Type	Viscous Paper Filter	Viscous Paper Filter
Starting Method	Kick / Self	Self (Smart), Kick / Self (Std.)
		Kick / Self (Std.)

Tyres & Brakes

Tyre Size (Front)	90/90-12 54J	90/90-12 54J
Tyre Size (Rear)	90/100-10 53J	90/100-10 53J
Tyre Type (Front)	Tubeless	Tubeless
Tyre Type (Rear)	Tubeless	Tubeless
Brake Type & Size (Front)	Drum - 130 mm	Disc - 190 mm
Brake Type & Size (Rear)	Drum - 130 mm	Drum - 130 mm

Electricals

1			
System Voltage	12V	12V	
Battery	5.0 Ah	5.0 Ah	
Head Lamp	LED (Dlx), Halogen (Std.)	LED	

AVAILABLE IN 2 DIFFERENT VARIANTS



Feature	STD	DLX
TFT Meter	×	✓
Eco Indicator	×	✓
Live Mileage Indicator	×	✓
Average Fuel Efficiency	×	✓
Range (Distance To Empty)	×	✓
Alloy Wheels	×	✓
Periodic Maintenance Indicator	×	✓
Automatically Adjustable Meter Light & Dark Theme Modes	×	✓
Universal USB-C Type Charging	OP	✓
Idling Stop System With Turn Off Switch	✓	✓
Double-Lid External Fuel Fill	✓	✓
Glove Box	✓	✓
ACG Silent Start	✓	✓
CBS With Equalizer	✓	✓



		125
Feature	STD.	H-SMART
Multi-Function SMART Switch Unit	×	✓
Smart Key	×	✓
Smart Find	×	✓
Smart Unlock	×	✓
Smart Safe	×	✓
Smart Start	×	✓
Bluetooth Connectivity	×	✓
Honda RoadSync App	×	✓
Turn By Turn Navigation With Voice Assist	×	✓
Calling	×	✓
Message - Answer Back	×	✓
Weather Forecast	×	✓
Music Control Through TFT	×	✓
TFT Meter	✓	✓
Eco Indicator	✓	✓
Live Mileage Indicator	✓	✓
Average Fuel Efficiency	✓	✓
Range (Distance To Empty)	✓	✓
Alloy Wheels	✓	✓
Universal USB-C Type Charging	✓	✓
Adv. Idling Stop System With Turn Off Switch	✓	✓
Double-Lid External Fuel Fill	✓	✓
Glove Box	✓	✓
ACG Silent Start	✓	✓
CBS With Equalizer	✓	✓
Disc Brakes	✓	✓
Periodic Maintenance Indicator	✓	✓
Automatically Adjustable Meter Light & Dark Theme Modes	✓	✓

^{*}The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Range (distance to empty), real time and average mileage readings may vary as per the variant and riding conditions • Dio 110 and Dio 125 meets Bharat stage VI OBD-2B norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • All features and colours may not be part of all variants • "Conditions apply.

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Plot No. 1, Sector-03, IMT Manesar, Distt. Gurugram- 122052 (Haryana)

 $\textbf{Tel:} \ +91(0)124-2290011, \ +91(0)6712800, \ \textbf{Fax:} \ +91(0)124-6712999$

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda.hmsi.in









