

HONDA

Honda Motorcycle and Scooter India Pvt. Ltd.
Plot No. SPL-2(D), 2(E), 2(F) & 2(G)
Tapukara Industrial Area, Distt. Alwar
(Rajasthan) - 301 707

Date: 22nd Nov' 2024

HMSI Reference: - HMSI/ENV/24-25/11-02

To,

**The Deputy Inspector General of Forests
Ministry of Environment, Forest and Climate Change
Integrated Regional Office, A- 209 & 218,
Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area,
Jaipur - 304002 (Rajasthan)**

Sub: Half Yearly Compliance report (Apr'24-Sep'24) of the Environmental Clearance.

Dear Sir,

With reference to above, we are hereby submitting the point wise half yearly compliance report (Apr'24-Sep'24) of the conditions stipulated in Environmental Clearance vide letter no. J-13012/122/2010-IA. II (T) dated 21.03.2012 of HSD based back-up Power Plant (11.5 MW) granted to M/s Honda Motorcycle and Scooter India Pvt. Ltd, Tapukara Plant.

Kindly acknowledge the receipt of the same.

Thanking You,

For Honda Motorcycle and Scooter India Pvt. Ltd


Pankaj Tandon

Factory Manager

CC: - 1. Member Secretary RSPCB Jaipur
2. Regional Officer, CPCB Bhopal
3. Regional Officer, RSPCB Bhiwadi

Enclosures- As above

Specific Conditions

i) The Provisions prescribed in the Govt. of India, Ministry of Environment & Forests, notifications GSR 371 (E) dated May 17, 2002 and amendments; GSR 489 (E), dated July 9, 2002 (and its amendments if any) shall be strictly complied with.

Status

Testing of the DG stack is being carried out on quarterly basis through the laboratory approved by MoEF & CC. Copy of the stack monitoring reports along with other stacks are enclosed under Annexure-I for your ready reference. The test result of the same is given below:

Test results- June'24

Parameter	Limit	DG-1 (2000 KVA)	DG-2 (2000 KVA)	DG-3 (2000 KVA)	DG-4 (2000 KVA)	DG-5 (2000 KVA)	DG-6 (2000 KVA)	DG-7 (2000 KVA)	DG-8 (2000 KVA)	Limit	DG-9 (750 KVA)
CO	100 mg/Nm ³	86.32	75.08	68.3	81.68	87.33	84.16	67.24	67.24	<3.5 gm/kw-hr	0.32
PM	50 mg/Nm ³	32.8	39.4	41.5	42.7	42.1	44.8	43.2	43.2	<0.03gm/k w-hr	0.010
NOx	650 ppmv	302.0	268.0	286.0	286.0	257.35	327.5	254.18	254.18	0.67 gm/kw-hr	0.42
NMHC	100 mg/Nm ³	20.56	26.8	24.15	32.13	42.8	25.4	35.76	35.76	HC <0.19 gm/kw-hr	BDL

Test results- Sep'24

Parameter	Limit	DG-1 (2000 KVA)	DG-2 (2000 KVA)	DG-3 (2000 KVA)	DG-4 (2000 KVA)	DG-5 (2000 KVA)	DG-6 (2000 KVA)	DG-7 (2000 KVA)	DG-8 (2000 KVA)	Limit	DG-9 (750 KVA)
CO	100 mg/Nm ³	87.35	77.12	71.4	84.71	89.35	85.36	68.35	88.68	<3.5 gm/kw-hr	0.36
PM	50 mg/Nm ³	33.7	40.8	42.8	43.2	43	42.9	44.7	38.4	<0.03gm/k w-hr	0.012
NOx	650 ppmv	304.0	270.0	289	292	258.45	329.3	258.25	320.6	0.67 gm/kw-hr	0.46
NMHC	100 mg/Nm ³	21.58	28.4	27.24	35.18	44.3	27.8	36.84	38.54	HC <0.19 gm/kw-hr	BDL

ii) The project proponent shall undertake rain water harvesting measures which shall comprise of rain water collection from the built up and open area in the plant premises. Action plan and road map for implementation shall be submitted to the Ministry within six months.		Each DG set has separate stack of height 30 m right from the commissioning and we carried out DG stack monitoring on quarterly basis through MoEF approved lab and the test results were within the prescribed norms. These test reports along with compliance report is regularly submitted to your good office on half yearly basis. We are continuously getting Grid supply from Govt. of Rajasthan without interruption and continuously using it to meet our electricity requirement from day first. So, we have kept DG sets only for back up i.e. in case of Grid failure. In last twelve years, DG sets are being operated for very less time either in case of Grid failure or to Crank themselves. Also, each DG is <5MVA. So based on above facts, online monitoring is not feasible because our DG sets are kept for back up only but we are doing DG stack testing through approved MoEF laboratory and will continue. There is no source of surface water in the plant. HMSI is using ground water from its own bore wells only. The record of quantity of ground water abstracted is being maintained. Quality monitoring of the ground water is being carried out on quarterly basis. Test reports of the same enclosed under Annexure-II for your kind reference.
iii) Stack of 30 m height shall be installed and provided with continuous online monitoring equipments for SO_x, NO_x, and PM_{2.5} & PM₁₀.		
iv) Monitoring of surface water quantity and quality shall also be regularly conducted and records maintained. The monitored data shall be submitted to the Ministry regularly. Further, monitoring points shall be located between the plant and drainage in the direction of flow of ground water and records maintained. Monitoring for heavy metals in ground		

water shall be undertaken.

Test results- Apr'24

Parameter	Unit	Limit	Borewell 1	Borewell 2	Borewell 3	Borewell 4	Borewell 5	Borewell 6	Borewell 7	Borewell 8	Borewell 9
Colour	Hazen	15	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Turbidity	NTU	05	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH	-	6.5-8.5	7.24	7.50	7.48	8.12	7.83	7.80	7.36	7.55	7.52
Dissolved solids	mg/l	2000	698.1	695.1	785.6	749.7	538.5	542.7	988	735.5	732.5
Hardness as CaCO3	mg/l	600	260	255	285	310	132	135	380	265	260
Calcium as Ca	mg/l	200	55.8	54.1	58.1	48	29.8	30	76.1	53.8	54.1
Magnesium	mg/l	100	49.5	48	34	46.1	13.8	14.5	46.1	29.4	30.3
Manganese	mg/l	0.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorides as Cl	mg/l	1000	126	124	141.4	134	108	109.1	227.9	136.5	138.3
Residual free Cl2	mg/l	1.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Sulphate	mg/l	400	37.34	38.11	54.25	91.76	22.45	21.37	169.4	27.12	28.23
Nitrate	mg/l	45	5.25	5.12	5.68	6.18	4.90	4.87	6.49	6.05	6.03
Total Alkalinity	mg/l	600	290	285	335	270	248	250	310	273	275
Fluoride	mg/l	1.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Phenolic Comp.	mg/l	0.002	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Selenium	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Boron	mg/l	1.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Sulphide	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Iron as Fe	mg/l	0.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Copper	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Cadmium	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Arsenic	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Nickel	mg/l	0.02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Lead	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Zinc	mg/l	15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chromium	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Aluminium	mg/l	0.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Barium	mg/l	0.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chromines	Mg/l	-	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Oil & Grease	mg/l	-	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Phosphorous	mg/l	-	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Potassium	mg/l	-	29.1	28.4	32.3	31.1	26.3	25.4	56.3	32.8	30.1
Ammonical Nitrogen	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
E-Coli	MPN/1	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent

[illegible]

[illegible]

(vi) Waste water generated from the plant shall be treated before discharge to comply limits prescribed by the SPCB.

There is no effluent generation from the DG cooling and we had demolished the Propane tanks after surrender of license. Copy of letter is already submitted in last May '21 EC compliance report.

vi) Well designed acoustic enclosures for the DG sets and noise emitting equipment to achieve the desirable insertion loss viz. 25 dB (A) should be provided.

Acoustic enclosure has been provided in the DG room to achieve the desirable insertion loss viz. 25 dB (A). Test report is attached as **Annexure-III** for your kind reference.

Testing date	Inside the acoustic enclosure	Outside the acoustic enclosure	Difference
30.06.2024	100.5 dB	73.6 dB	26.9 dB

On site emergency preparedness plan has already been submitted to your esteemed office.

(vii) A detailed onsite and offsite emergency preparedness plan shall be immediately formulated and shall be submitted to the Ministry within three months.

viii) Green Belt comprising of 33% of plant area shall be developed. The density of trees shall not less than 2500 per ha with survival rate not less than 80%.

Green belt development is our ongoing process. We have developed the Green Belt (inside plant - 76476 and outside plant - 81441) comprises of 157917 sq. m area against the requirement of 78,481 sq. m area i.e. 33% of plant area till now. The details are given below:-

Planation Details

Type of Tree	Location	Nos.	Plant Name	Total Area (m2)
Big Tree	Inside	1	Terminalia Arjuna	10150
		2	Alstonia Scholaris	6350
		3	Ziziphus Mauritiana	25
		4	Callistemon	700
		5	Chukrasia Tabularis	2700
		6	Azadirachta Indica	9100
		7	Ficus Religiosa	275
		8	Juniperus	275
		9	Thevetia	11250
		10	Dalbergia Sissoo	8500
		11	Albizia Lebbeck	3425
		12	Polyalthia Longifolia	2650
		13	Syzygium Cumini	1000
		14	Ficus Bengalensis	1425

50-11-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-104

	Small Tree	Inside	15	Holoptelea integrifolia	3400		
			16	Delonix regia	325		
			17	Cluster fig	400		
			18	Morus alba	400		
			19	Indian gooseberry	300		
			20	Moringa	1900		
			21	Pongame oiltree	600		
			22	Guava	300		
			23	Neolamarckia cadamba	100		
			Outside	1	Alstonia Scholaris	6625	
				2	Azadirachta Indica	7625	
				3	Thevetia	13300	
				4	Pongamia glabra	8125	
				5	Mangiferi	3125	
				6	Holoptelea integrifolia	40625	
				Inside	1	Hamelia Patens	873
					2	Tabernaemontana Divaricata	1170
					3	Ficus Benjaminia	1872
					4	Mimusops Elengi	1116
					5	Plumeria	2628
					6	Elaeis Guineensis	36
					7	Duranta Erecta	405
					8	Hibiscu	1926
	9	Holoptelea integrifolia			900		
	Outside	1	Bogenvellia	1035			
		2	Plumeria	981			
				Total	157917		

CSR activity has been identified through the request letter from ITI – Suheta, Khairthal for planting of 250 trees for enhancing the ambient air quality in the village. 4 Water cooler were distributed in near by schools in summer season. Further photos of the activity is attached as Annexure-IV for ready reference.

Noted & Being Complied. We have in-built monitoring mechanism for CSR schemes and post completion regularly have its social audit conducted from Gram Panchayat.

ix) CSR scheme shall be identified based on need based assessment in and around the villages.

x) It shall be ensured that an in-built monitoring mechanism for the CSR schemes identified is in place and annual social audit shall be got done from the nearest government institute of repute in the region. The project proponent shall also

Environmental Clearance – Letter No. J-13012/122/2010-IA. II (T) dated 21.03.2012

submit the status of implementation of the scheme from time to time. The achievements should be put on company's website.	
xi) An amount of Rs 0.08 Crores shall be earmarked as one-time capital cost for CSR programme as committed by the project proponent subsequently a recurring expenditure of Rs 0.02 Crores per annum till the life of plant shall be earmarked as recurring expenditure. for CSR activities.	We have spent a sum of total Rs 3,48,000/- in FY 2024-25 (Apr'24 ~ Oct'24) on plantation of 250 trees inside campus of ITI Suheta for enhancing ambient air quality and water coolers in nearby schools. The Purchase Order & photos of these activities are attached for your reference as Annexure-IV .
xi) It shall be ensured that in-built monitoring mechanism for the schemes identified is in place and annual social audit shall be got done from the nearest government institute of repute in the region. The project proponent shall also submit the status of implementation of the scheme from time to time.	Noted & Being Complied.
General Conditions	
i) The treated effluents conforming to the prescribed standards only shall be re-circulated and reused with in the plant. Arrangements shall be made that effluent and storm water do not get mixed.	All the wastewater generated from industrial operations has been treated in ETP, all the treated water is used within the factory premises through reuse in process. Proper arrangement has been made so that effluent and storm water do not get mixed.
ii) A sewage treatment plant shall be provided (as applicable) and the treated sewage shall be used for raising green belt/plantation.	Sewage treatment plant has already been installed for treatment of domestic effluent and treated sewage water is being used in horticulture & plant process.
iii) Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.	Adequate safety measures like fire extinguishers in the plant area and fire hydrant line have been provided in the plant and we do not have any Coal yard.
iv) Storage facilities for auxiliary liquid fuel shall be made in the plant area in consultation with Department of	Auxiliary liquid fuel HSD is stored in the plant area. License for storage has been obtained from Department of explosives, Nagpur. Disaster Management Plan has been prepared. Sulphur content in

HSD fuel is 0.002%, which is less than 0.5%. The test report of HSD analysis is attached as Annexure-V.

First aid and sanitation arrangement are available at the site for the drivers and other contract workers.

We don't have any turbines. Noise level less than 75 dBA is being maintained at the boundary of the plant. Acoustic enclosure is provided in the DG room. Personal protective equipment like ear plug/ear muffs have been provided to the people working in the high noise area. Audiometric examination carried out annually and corrective action is taking accordingly.

Monitoring of ambient air is being carried out on monthly basis. The monitoring data is being displayed on the company website along with compliance report. Data of the ambient air & noise is enclosed under Annexure-VI for your kind reference.

Ambient Air:-

Month			Location												Aug 24			Sep 24		
Parameters	UoM	Limit	Apr'24			May'24			Jun'24			Jul'24			Aug 24			Sep 24		
			Near Main Gate	Near Env. Lab	Near Gate	Near Main Gate	Near Env. Lab	Near Gate	Near Main Gate	Near Env. Lab	Near Gate	Near Main Gate	Near Env. Lab	Near Gate	Near Main Gate	Near Env. Lab	Near Gate	Near Main Gate	Near Env. Lab	
Particulate Matter (PM10)	µg/m3	100	95.6	96.2	93.5	96.5	95.3	94.6	94.8	93.4	95.4	95.2	94.8	96.8	94.6	93.4	95.2	95.2	96.2	94.5
Particulate Matter (PM2.5)	µg/m3	60	55.4	54.8	54.5	56.2	55.4	53.6	54.7	53.8	55.4	55.8	54.7	56.7	54.2	53.5	55.8	55.6	55.2	54.7
Sulphur Dioxide as SO2	µg/m3	80	37.2	35.4	43.4	35.3	36.2	42.5	36.4	34.5	40.6	37.3	35.1	39.8	35.2	33.2	37.3	35.4	34.6	36.5
Nitrogen Dioxide as NO2	µg/m3	80	40.6	39.7	46.2	41.4	42.5	44.1	40.8	40.8	43.5	41.5	39.2	42.7	39.4	36.4	41.5	38.3	37.3	40.8
Ozone (O3)	µg/m3	100	24.6	22.7	23.6	25.8	24.5	22.8	24.5	22.4	23.4	23.2	24.8	24.5	25.3	23.2	23.8	23.4	25.3	24.7
Ammonia (NH3)	µg/m3	400	27.4	25.8	27.5	28.2	27.3	26.4	26.3	25.5	27.5	27.5	26.4	28.4	28.4	25.6	27.3	26.2	27.6	26.5

						Ambient Noise:-														
						Month				Location										
						Apr-'24		May-'24		Jun-'24		Jul-'24		Aug-'24		Sep-'24				
						Near	Near	Near	Near	Near	Near	Near	Near	Near	Near	Near	Near			
						Main/Mate Gate	Env Lab	Main/Mate Gate	Env Lab	Main/Mate Gate	Env Lab	Main/Mate Gate	Env Lab	Main/Mate Gate	Env Lab	Main/Mate Gate	Env Lab			
						Limit	UoM											Limit	UoM	
Carbon Monoxide (CO)	mg/m ³	02	0.82	1.53	0.60	0.84	1.55	0.62	0.86	1.58	0.65	0.89	1.64	0.68	0.87	1.66	0.67	0.89	1.68	0.70
Benzene (C ₆ H ₆)	µg/m ³	05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzo (a) Pyrene (BaP)	ng/m ³	01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Day time	Leq dB (A)	75	69.5	68.7	74.5	70.8	69.5	72.4	71.6	71.9	70.5	70.8	72.5	69.8	69.5	71.6	68.3	71.3	70.5	70.5
Night Time	Leq dB (A)	70	63.5	65.4	68.4	64.6	66.2	67.5	66.8	68.4	66.4	64.6	67.6	65.3	63.7	66.2	64.5	65.4	67.4	66.4

ix) A copy of the Clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, urban local body and the local NGO, if any, from whom suggestions/representations, if any received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

x) An Environment Cell comprising of at least one expert in environmental science/Engineering, Occupational health and social scientist, shall be created at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It

Copy of the environmental clearance has been uploaded in our website. Snapshot of the website is attached for your kind reference as Annexure – VII. Further you can visit our site via; <https://www.honda2wheelersindia.com/about-us/environment>

Separate environmental management cell has already been established with qualified personal to carry out various environmental management functions under the supervision of Division Head (Plant Engineering).

shall be ensured that the head of the cell shall directly report to the head of the organization and he shall be held responsible for the implementation of environmental regulations and social impact improvement/mitigation measures.	
xi) The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of the MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutants levels namely SPM, RSPM, (PM2.5 & PM10), SO2, NOx (ambient levels as well as stack emissions) shall be displayed at a convenient location near the main gate of the company in the public domain.	Status of compliance of EC conditions is being uploaded in company website www.honda2wheelersindia.com periodically. Compliance status is being sent to regional office, respective zonal office of the MoEF and respective zonal office of the CPCB and SPCB at regular interval. The criteria pollutant levels namely SPM, RSPM, (PM2.5 & PM10), SO2, NOx (ambient levels as well as stack emissions) is being displayed at a convenient location near the main gate of the company in the public domain.
xii) The Environment statement for the each financial year ending 31st March in Form -V as is mandated to the submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail	Being complied. The Environmental Statement for financial year 2023-24 has been submitted vide letter no HMSI/ENV/24-25/09-02 dated 23.09.2024. The evidence is enclosed as Annexure-VIII.
xiii) The Project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environmental and Forests, its Regional Office, Central Pollution Control Board and the State Pollution Control Board, The Project proponent shall upload the status of	Being complied.

Environmental Clearance – Letter No. J-13012/122/2010-IA. II (T) dated 21.03.2012

Board and the State Pollution Control Board, The Project proponent shall upload the status of compliance of the environment of the environmental clearance conditions on their website and update the same periodically and simultaneously send the same by email to the Regional Office, Ministry of Environment and Forests.	
xiv) Regional Office of the Ministry of Environment & status will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring Project Proponent will upload the compliance status in their website and up-date the same from time to time at least six monthly bases. Criteria Pollutants levels including NOx (from stack & ambient air) shall be displayed at the main gate of the power plant.	The copy of Environmental Impact Assessment Report and Environment Management Plan has already been submitted to your esteemed office.
xv) Separate funds shall be allocated for implementation of environmental protection measures along with items-wise breaks up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall be not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.	We have adequate fund and same is utilizing for implementation of environmental protection measures. We are maintaining a dedicated separate budget for environmental management activities on yearly basis for the plant. A copy of separate budget approved for purpose of environmental management activities is attached as Annexure-IX.
xvi) The project authorities shall be inform the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work and commissioning of plant.	We had already informed the Regional Office as well as the Ministry. Also, we have received the Consent to Operate (CTO) from Rajasthan State Pollution Control Board in 2015 initially, renewed CTO in 2020 and 2024 subsequently.
xvii) Full cooperation shall be extended to the Scientist/Officers from the Ministry/Regional Office of the	Full co-operation is being extended to all mentioned authorities during monitoring of the project.

Ministry/CPCB/SPCB who would be monitoring the compliance of environmental status.	
xviii) The Ministry of Environment and Forests reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the Ministry. The Ministry may also impose additional environmental conditions or modify the existing ones, if necessary.	Agreed
xix) The environmental clearance accorded shall be valid for a period of 5 years to start operations by the power plant.	Agreed
xx) Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract under the provisions of Environment (Protection) Act 1986.	Agreed
xxi) In Case of any deviation or alteration in the project proposed including coal transportation systems from those submitted to this Ministry for clearance, a fresh reference should be made to the Ministry to assess adequacy of the condition (s) imposed and to add additional environmental protection measures, if any.	Agreed
xxii) The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981 the Environment (Protection) Act, 1986 and rules there under, Hazardous Waste (Management, Handling & Trans boundary Movement) Rules, 2008 and its amendments, the Public Liability Insurance Act, 1991 and its amendments.	Agreed
xxiii) Any appeal against this environmental clearance shall be lie with the National Green Tribunal, If preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed