



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF FALL ARMYWORM IN VARIOUS VEGETABLE CROPS**

PERMIT NUMBER – PER89280

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 12 MARCH 2020 TO 31 MARCH 2023

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

DURIVO INSECTICIDE (APVMA No. 63936)

Containing: 100 g/L CHLORANTRANILIPROLE and 200 g/L THIAMETHOXAM as the only active constituents.

Restrains:

DO NOT apply more than one (1) application of Durivo or any other soil applied Group 4A insecticide per crop.

DO NOT apply any other Group 4A insecticide as a foliar spray after soil application of Durivo in that crop.

DO NOT transplant seedlings treated by seedling drench into hydroponic production systems.

Directions for Use:

Crop	Pest	Rate
Brassicas including broccoli, brussels sprouts, cabbage, cauliflower, brassica leafy vegetables	Fall Armyworm (<i>Spodoptera frugiperda</i>)	22-30 mL per 1000 seedlings
Leafy vegetables including lettuce, endive, silverbeet, spinach		15-30 mL per 1000 seedlings
Fruiting vegetables (excluding cucurbits) including tomatoes, capsicum, eggplant		37-50 mL per 1000 seedlings

Critical Use Comments:

- Follow all instructions on the product label
- DO NOT apply as a seedling tray application using equipment carried on the back of the user.
- DO NOT handle treated seedlings until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves.
- Refer to the Resistance Warning statement on the product label to prevent or delay the development of insecticide resistance.
- Highly toxic to bees. Refer to 'Protections' statement on the product label.

Withholding Period:

Follow the withholding periods for each crop on the product label.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Export of treated produce

MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard)*

Instrument 2019. MRLs apply only to produce marketed and consumed in Australia. If treated

produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority