



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF FRUIT SPOTTING BUGS, GARDEN WEEVIL AND
LEPIDOPTERAN PESTS INCLUDING LOOPERS AND LEAF ROLLERS IN AVOCADO**

PERMIT NUMBER – PER93099

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 08 JUNE 2023 TO 30 APRIL 2031

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

VAYEGO 200 SC INSECTICIDE (APVMA No. 86756)

Containing: 200 g/L TETRANILIPROLE as the only active constituent.

RESTRAINTS:

DO NOT apply by aircraft.

DO NOT apply by a boom sprayer.

DO NOT apply if heavy rains or storms are forecast within 3 days.

DO NOT irrigate to the point of runoff for at least 3 days after application.

SPRAY DRIFT RESTRAINTS

Refer to the product label.

Directions for Use:

Crop	Pest	Rate
Avocado	Fruit spotting bug (<i>Amblypelta</i> spp.)	12.5 mL/100 L*
	Garden weevil (<i>Phlyctinus callosus</i>)	10 mL/100 L
	Lepidopteran pests including Loopers and Leaf rollers (Geometridae, Tortricidae)	7.5 mL/100 L*

*Use in conjunction with a non-ionic wetter at label rates.

Critical Use Comments:

- Monitor the pest population and commence applications when active in canopy, when pests have reached local thresholds.
- DO NOT apply before or during flowering.
- Apply as a foliar spray by air-blast sprayer or equivalent.
- Use a minimum spray volume of 1000 L/ha. Apply in sufficient water to ensure thorough coverage.
- DO NOT apply more than 300 mL of Vayego per hectare in a single application.
- Do not apply at greater than 2X concentrate spray volume.
- A follow up application at a 14-28 day interval may be required under known high pest pressure situations or in situations where tolerance levels are low. Thorough coverage of foliage is required to ensure control.
- DO NOT apply more than 2 applications per season.
- DO NOT apply less than 10 days after the initial treatment.
- Vayego 200 SC should be used as part of an integrated pest management approach which should include the use of other measures for control of avocado pests.

Withholding Period:

Harvest: Do not harvest for 7 days after application.

Grazing: Do not graze treated orchard or cut treated area for stock food

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. An MRL has been established for Tetraniliprole in Avocado. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Protection of Honey Bees and Other Insect Pollinators

Highly toxic to bees. Tetraniliprole has a systemic action. DO NOT apply to crops prebloom or from the onset of flowering until flowering is complete. DO NOT allow spray drift to flowering weeds or flowering crops in the vicinity of the treatment area. Before spraying, notify beekeepers to move hives to a safe location with an untreated source of nectar and pollen, if there is potential for managed hives to be affected by the spray or spray drift. Risk to bees is reduced by spraying in early morning or late evening while bees are not foraging.

Other Matters

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

17/04/2026 – Permit updated to decrease re-treatment interval from 14 days to 10 days. Permit expiry extended to 30/04/2031. Permit issued as Version 2.