



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT TO BREAK DORMANCY OR ADVANCE BLOOM IN CHERRIES**

**PERMIT NUMBER – PER96824**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 21 APRIL 2026 TO 30 APRIL 2031**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LIMITED  
Level 7, 141 Walker Street  
NORTH SYDNEY NSW 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

NUFARM DORMEX PLANT GROWTH REGULATOR (APVMA No. 49200)  
PLUS OTHER REGISTERED PRODUCTS  
Containing: 520 g/L CYANAMIDE as the only active constituent.

### RESTRAINT:

DO NOT apply after natural bud break has commenced.

### SPRAY DRIFT RESTRAINTS:

Specific definitions for terms used in this section can be found at [apvma.gov.au/spraydrift](http://apvma.gov.au/spraydrift).

**DO NOT** allow bystanders to come into contact with the spray cloud.

**DO NOT** apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

**DO NOT** apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

**DO NOT** apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings 1 to 2 hours before sunset and persist until 1 to 2 hours after sunrise.

### Directions for Use:

Crop	Purpose	Rate
Cherries	Dormancy breaker / to advance bloom	30 L / ha

### Critical Use Comments:

- Apply during July or August, prior to bud break.
- Apply using an airblast sprayer during dry weather.
- Use a spray volume of 1000 L/ha.
- DO NOT apply more than 1 foliar application per season.
- DO NOT apply with rain covers on, ensure they are retracted or removed prior to application.
- Higher temperatures immediately before and in the 3-5 days following application will improve the response. Conversely, cold weather following application will reduce the response.

### Withholding Period:

Harvest: Not required when used as directed.

Grazing: Do not graze any treated area or cut for stock food.

### Jurisdiction:

All States and Territories.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

*To Avoid Crop Damage*

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority