



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF ERINOSE MITE AND WHITE LOUSE SCALE IN
LYCHEE**

PERMIT NUMBER – PER91169

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 30 AUGUST 2021 TO 31 MAY 2031

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

APPARENT SULFUR 800 WG FUNGICIDE/ MITICIDE/ INSECTICIDE (APVMA No. 66641)

PLUS OTHER REGISTERED PRODUCTS

Containing: 800 g/kg SULPHUR as the only active constituent.

RESTRAINT:

DO NOT apply within 3 weeks of an oil spray or mix with oils or formulation containing mineral oil

DO NOT use in hot weather.

SPRAY DRIFT RESTRAINTS:

Specific definitions for terms used in this section can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings 1 to 2 hours before sunset and persist until 1 to 2 hours after sunrise.

Directions for Use:

Crop	Pest	Rate
Lychee	Erinose mite (<i>Aceria litchii</i>)	450 g/100 L
	White louse scale (<i>Unaspis citri</i>)	

Critical Use Comments:

- Apply just before growth flush and repeat after 14-21 days until all new growth is damage free.
- Apply using airblast or hand lance sprayers.
- Apply in sufficient volume to ensure adequate coverage of all plant surfaces.
- DO NOT apply more than 3-4 sprays per year with a minimum re-treatment interval of 14-21 days between applications.
- Application of petroleum oils within one month of a sulphur application may result in phytotoxicity. Care should be taken when using both actives in a spray program to minimise any potential for phytotoxicity.

Withholding Period:

Harvest: Not required when used as directed.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 25/05/2026 – s161 condition and general spray drift restraints added to permit. Permit expiry extended to 31/05/2031. Permit issued as version 2.