

MATERIALS

Extruded vinyl profiles comply with the performance requirements of AAMA 303-97. Color is White.

FRAME

All frames are assembled utilizing fusion-welded technology for added strength and durability. Frame jamb depth is 3-1/4" (83mm), and the exterior wall thickness is 0.65mm of an inch. Frames come standard with an accessory groove to accommodate exterior mouldings and with an open integrated 1/2-3/4" return. A closed version is also available for replacement purposes.

SASH

Sashes are 1-1/2" (nominal) or (38.1mm) thick, and are assembled utilizing fusion-welded technology for added strength and durability.

GLAZING

3/4" (19mm) insulating glass consists of two lites of glass sealed around a warm edge spacer. All insulating glass units comply with the performance requirements of the IGMAC in accordance with either CAN/CGSB-12.8.-97.

GLAZING OPTIONS

3/4" (19mm) insulated glass available in clear, Low-E with Argon, tinted, frosted, or other specialty insulating glass as specified. All glass is available tempered.

WEATHER-STRIPPING

Fin pile weatherstrip applied along the full perimeter of operating sashes. Weatherstrip meet the AAMA 701 or AAMA 702.

HARDWARE

Double Hung utilize coil balance with corrosion resistant coating to slide up and down the tracks. Mortised tilt latches and pivot bars permit both sashes to tilt in and stay in desired position for ease or cleaning. A white metal cast camlock is surface mounted. For a width of 31 1/16" or more, 2 camlocks are installed.

EXTERIOR INSECT SCREENS

Fiberglass charcoal color insect screen in an aluminum frame to match the color of the unit. Insect screens are intended to allow air and light in and to keep insects out. They are not intended to keep anyone or anything from falling through an open window. For safety screens or other security devices contact your local building supply retailer.

GRILLES

Vinyl SDL (Simulated Divided Lite) - 7/8" (23mm) permanently applied on both sides of insulating glass with or without spacer bar between the glass panes.

Internal Grilles (Grilles between the Glass) - Georgian, pencil bar, square or flat mounted between the glass panes suspended within the air cavity.

Please note: Removable grilles are not available in the hung series nor false mullions.

INSTALLATION

Installation per JELD-WEN Installation Method for All Vinyl Windows. See www.jeld-wen.com/resources for instructions.

PERFORMANCE

CSA-Certified - (rated and labeled in accordance with CSA) certification program
NFRC Certified - (rated and labeled in accordance with NFRC)

Quick SPEC Guide

Specification	Standard features	Optional features Some options may require additional lead times. Consult your JELD-WEN Sales Representative.
Colour	White	Painted exterior - white interior A-06 Maize A-71 Dark Clay A-34 Savanna A-72 Canyon Clay A-42 Hickory A-74 Sandalwood A-43 Cashmere A-75 Wicker A-44 Mist Blue A-79 Tan A-51 Sumac CL-025 Clay A-53 Arcadian IV-050 Almond
Size	- Width: 15 3/4" to 48" - Height: 22" to 78"	• Any size with minimum and maximum parameters
Frame	<ul style="list-style-type: none"> • Exterior accessory groove • Open frame 1/2-3/4" return 	
Exterior Trim	<ul style="list-style-type: none"> • Exterior accessory groove 	#401 - Exterior finish trim #411 - 1" x 2" brickmould with nailing flange (no 'J' channel) #412 - 1" x 2" brickmould with 'J' channel and nailing flange #413 - 1" x 2" brickmould #414 - 1 5/16" extension with brickmould, 'J' channel and nailing flange (for 4 9/16" frame) #415 - 2 5/8" extension #422 - Brickmould and nailing flange (no 'J' channel) #423 - Brickmould, 'J' channel and nailing flange (integral) #426 - Brickmould #427 - 1 5/16" extension (integral) #428 - 1 5/16" exterior finish trim and nailing flange #569 - 1" x 3 1/2" brickmould with nailing flange (no 'J' channel) #570 - 1" x 3 1/2" brickmould with 'J' channel and nailing flange #571 - 1" x 3 1/2" brickmould finish trim #210 - Adaptor for sill expander (in 16 foot lengths only) not installed #211 - 3 3/4" sill expander (in 16 foot lengths only) not installed
Glazing	<ul style="list-style-type: none"> • Insulating Clear with warm edge spacer 	- Low-E - Satin - Bronze - Grey - Frosted (pinhead Morocco) - Gluechip - Laminated - All glass available tempered
Hardware	<ul style="list-style-type: none"> • Coil Balances • Tilt latches • Camlock 	
Hardware Colour	<ul style="list-style-type: none"> • White 	
Screens	<ul style="list-style-type: none"> • Fiberglass 	

Quick SPEC Guide


Specification	Standard features	Optional features Some options may require additional lead times. Consult your JELD-WEN Sales Representative.		
Screen Frame Colour	<ul style="list-style-type: none"> White 			
Grilles		<ul style="list-style-type: none"> 5/8" White Internal Georgian (grilles between the glass) 7/8", SDL (simulated divided lite) with or without spacer bar <table style="width: 100%; border: none;"> <tr> <td style="vertical-align: top;"> Georgian 5/8" Light oak/White 5/8" Dark oak/White 5/8" Amber oak/White 5/8" Cherry/White 5/8" Black/White 5/8" Ivory/White 5/8" Wicker/White 5/8" Sablon/White 5/8" Clay 5/8" Clay/White 5/8" Brown/White 5/8" Commercial brown/White 5/8" Brass 1" White </td> <td style="vertical-align: top; padding-left: 20px;"> Pencil Bar White Brass Grey Pewter Square Black Pewter White Brass Flat 5/8" Ivory/White 5/8" White 5/8" Clay/White 5/8" Clay 1" White </td> </tr> </table>	Georgian 5/8" Light oak/White 5/8" Dark oak/White 5/8" Amber oak/White 5/8" Cherry/White 5/8" Black/White 5/8" Ivory/White 5/8" Wicker/White 5/8" Sablon/White 5/8" Clay 5/8" Clay/White 5/8" Brown/White 5/8" Commercial brown/White 5/8" Brass 1" White	Pencil Bar White Brass Grey Pewter Square Black Pewter White Brass Flat 5/8" Ivory/White 5/8" White 5/8" Clay/White 5/8" Clay 1" White
Georgian 5/8" Light oak/White 5/8" Dark oak/White 5/8" Amber oak/White 5/8" Cherry/White 5/8" Black/White 5/8" Ivory/White 5/8" Wicker/White 5/8" Sablon/White 5/8" Clay 5/8" Clay/White 5/8" Brown/White 5/8" Commercial brown/White 5/8" Brass 1" White	Pencil Bar White Brass Grey Pewter Square Black Pewter White Brass Flat 5/8" Ivory/White 5/8" White 5/8" Clay/White 5/8" Clay 1" White			
Jamb Depth	<ul style="list-style-type: none"> 3 1/4" 	<ul style="list-style-type: none"> Vinyl clad interior jamb extension up to 8 7/8" Natural interior jamb extension up to 4 3/4" clear or finger jointed pine 		

General Information

OTHER SPLIT OPTIONS

Basically the hung window is made with a 50/50 split sash look. It is also possible to have a 2/5 - 3/5 or 3/5 - 2/5 split option. The Oriel style would have the smaller sash at the bottom while the Cottage style would have it at the top.


* The venting sash can not exceed 39".



General Information


MULTIPLE ASSEMBLIES

All vinyl double-hung windows may be mullied beside other All vinyl double-hungs or All vinyl picture windows, or below All vinyl transom windows, to fulfill a wide variety of needs. Factory assembled mulls are limited in height (99"), width (150"), and a total area (60 square feet).




All vinyl

Handing & Operation



SASH TILTING FOR WASHING

The Double-Hung window will allow the sashes to be tilted or removed for easy cleaning.




All vinyl

EZ Spec Guide

ELEVATION DRAWINGS UTILIZE A LIMITED NUMBER OF PROJECTED LINES TO PRODUCE A RUDIMENTARY DRAWING INTENDED TO BE USED IN A SMALL GRAPHICAL SCALE. ELEVATIONS ARE VIEWED PERPENDICULAR FROM THE EXTERIOR OF THE STRUCTURE. IF MORE DIMENSIONS ARE NEEDED, USE THE SECTION DRAWINGS FOR MORE COMPLETE DEPICTIONS.

Height:
 Rough Opening 58 3/4" - 1492mm
 Frame Size 58" - 1473mm
 Glass Size 25 7/16" - 646mm

Width:
 Rough Opening 31 3/4" - 807mm
 Frame Size 31" - 787mm
 Glass Size 24 11/16" - 627mm



Window meets Egress as per Canadian NBC

OUTSIDE OF FRAME

VDA1T031058

BOOK CODE

'VDA' INDICATES ALL VINYL DOUBLE-HUNG DF3604

THE NUMBER INDICATES THE NUMBER OF UNITS MULLED TOGETHER

'T' INDICATES DUAL GLAZED PRODUCT

THE NEXT THREE NUMBERS INDICATE THE UNIT HEIGHT IN INCHES

THE FIRST THREE NUMBERS INDICATE THE UNIT WIDTH IN INCHES


GENERAL SUDER NOTES

1. UNIT ELEVATIONS ARE SHOWN WITHOUT EXTERIOR TRIM.

ELEVATION SYMBOL LEGEND:

- E** BASIC UNIT CLEAR OPENING EXCEEDS 15" IN WIDTH, 15" IN HEIGHT & A MINIMUM OF 3.77 SQ. FT. UNOBSTRUCTED OPENING BASED ON CANADIAN NBC

DOUBLE-HUNG PICTURE COMBINATION



VDA3T084054

INDICATES IN 3 UNEVEN SECTIONS

Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim.Col. RSO CADRE FRAME VERRE GLASS	19 3/4"•502mm 19"•483mm 12 11/16"•322mm	38 3/4"•984mm 38"•965mm 12 11/16"•322mm	Dim.Col. RSO CADRE FRAME VERRE GLASS	19 3/4"•502mm 19"•483mm 12 11/16"•322mm	38 3/4"•984mm 38"•965mm 12 11/16"•322mm	Dim.Col. RSO CADRE FRAME VERRE GLASS	19 3/4"•502mm 19"•483mm 12 11/16"•322mm	38 3/4"•984mm 38"•965mm 12 11/16"•322mm
22 3/4"•578mm 22"•559mm 7 7/16"•189mm			54 3/4"•1391mm 54"•1372mm 23 7/16"•595mm			74 3/4"•1899mm 74"•1880mm 33 7/16"•849mm		
26 3/4"•679mm 26"•660mm 9 7/16"•240mm			58 3/4"•1492mm 58"•1473mm 25 7/16"•646mm			78 3/4"•2000mm 78"•1981mm 35 7/16"•900mm		
30 3/4"•781mm 30"•762mm 11 7/16"•291mm			62 3/4"•1594mm 62"•1575mm 27 7/16"•697mm					
34 3/4"•883mm 34"•864mm 13 7/16"•341mm			66 3/4"•1695mm 66"•1676mm 29 7/16"•748mm					
38 3/4"•984mm 38"•965mm 15 7/16"•392mm			70 3/4"•1797mm 70"•1778mm 31 7/16"•799mm					
42 3/4"•1086mm 42"•1067mm 17 7/16"•443mm								
46 3/4"•1187mm 46"•1168mm 19 7/16"•494mm								
50 3/4"•1289mm 50"•1270mm 21 7/16"•545mm								

Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim.Col. 23 3/4"•603mm
RSO 23"•584mm
FRAME CADRE 16 11/16"•424mm
GLASS VERRE 16 11/16"•424mm

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm

Dim.Col. 23 3/4"•603mm
RSO 23"•584mm
FRAME CADRE 16 11/16"•424mm
GLASS VERRE 16 11/16"•424mm

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm


Dim.Col. 23 3/4"•603mm
RSO 23"•584mm
FRAME CADRE 16 11/16"•424mm
GLASS VERRE 16 11/16"•424mm

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm

22 3/4"•578mm
22"•559mm
7 7/16"•189mm




VDA1T023022




VDA2T046022

54 3/4"•1391mm
54"•1372mm
23 7/16"•595mm




VDA1T023054




VDA2T046054

74 3/4"•1899mm
74"•1880mm
33 7/16"•849mm



VDA1T023074




VDA2T046074

26 3/4"•679mm
26"•660mm
9 7/16"•240mm



VDA1T023026




VDA2T046026

30 3/4"•781mm
30"•762mm
11 7/16"•291mm




VDA1T023030




VDA2T046030

58 3/4"•1492mm
58"•1473mm
25 7/16"•646mm




VDA1T023058




VDA2T046058

78 3/4"•2000mm
78"•1981mm
35 7/16"•900mm



VDA1T023078



VDA2T046078

34 3/4"•883mm
34"•864mm
13 7/16"•341mm



VDA1T023034



VDA2T046034

38 3/4"•984mm
38"•965mm
15 7/16"•392mm




VDA1T023038




VDA2T046038

62 3/4"•1594mm
62"•1575mm
27 7/16"•697mm



VDA1T023062



VDA2T046062

42 3/4"•1086mm
42"•1067mm
17 7/16"•443mm




VDA1T023042




VDA2T046042

66 3/4"•1695mm
66"•1676mm
29 7/16"•748mm



VDA1T023066



VDA2T046066

46 3/4"•1187mm
46"•1168mm
19 7/16"•494mm



VDA1T023046



VDA2T046046

50 3/4"•1289mm
50"•1270mm
21 7/16"•545mm




VDA1T023050




VDA2T046050

70 3/4"•1797mm
70"•1778mm
31 7/16"•798mm



VDA1T023070



VDA2T046070

Architectural detail manual


Double-Hung window DF3604

All vinyl

DF Windows® Collection

Dim. Col.
RSO CADRE
FRAM. VERRRE
GLAS


48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm



VDA2T048022


22 3/4" • 578mm
22" • 559mm
7 7/16" • 189mm

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm




VDA2T048026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 291mm




VDA2T048030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm




VDA2T048034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 391mm




VDA2T048038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 441mm




VDA2T048042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 491mm



VDA2T048046


50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 541mm



VDA2T048050


Dim. Col.
RSO CADRE
FRAM. VERRRE
GLAS

48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm




VDA2T048054

54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 595mm




VDA2T048058

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm




VDA2T048062

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 697mm



VDA2T048066

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 748mm




VDA2T048070

70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 799mm


Dim. Col.
RSO CADRE
FRAM. VERRRE
GLAS

48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm



VDA2T048074

74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 849mm



















VDA2T048078











78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm





Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim.Col. CADRE FRAME GLASS VERRE	27 3/4"•705mm 27"•686mm 20 11/16"•525mm	54 3/4"•1391mm 54"•1372mm 20 11/16"•525mm
	22 3/4"•578mm 27"•686mm 7 7/16"•189mm	
		
	VDA1T027022	VDA2T054022
		
	VDA1T027026	VDA2T054026
		
	VDA1T027030	VDA2T054030
		
	VDA1T027034	VDA2T054034
		
	VDA1T027038	VDA2T054038
		
	VDA1T027042	VDA2T054042
		
	VDA1T027046	VDA2T054046
		
	VDA1T027050	VDA2T054050

Dim.Col. CADRE FRAME GLASS VERRE	27 3/4"•705mm 27"•686mm 20 11/16"•525mm	54 3/4"•1391mm 54"•1372mm 20 11/16"•525mm
	54 3/4"•1391mm 54"•1372mm 23 7/16"•595mm	
		
	VDA1T027054	VDA2T054054
		
	VDA1T027058	VDA2T054058
		
	VDA1T027062	VDA2T054062
		
	VDA1T027066	VDA2T054066
		
	VDA1T027070	VDA2T054070

Dim.Col. CADRE FRAME GLASS VERRE	27 3/4"•705mm 27"•686mm 20 11/16"•525mm	54 3/4"•1391mm 54"•1372mm 20 11/16"•525mm
	74 3/4"•1899mm 74"•1880mm 33 7/16"•849mm	
		
	VDA1T027074	VDA2T054074
		
	VDA1T027078	VDA2T054078

Architectural detail manual

Double-Hung window DF3604

All vinyl


DF Windows® Collection

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS GLASS


31 3/4"•806mm
31"•787mm
24 11/16"•627mm

62 3/4"•1584mm
62"•1575mm
24 11/16"•627mm

22 3/4"•578mm
22"•559mm
7 7/16"•189mm




VDA1T031022




VDA2T062022

26 3/4"•679mm
26"•660mm
9 7/16"•240mm




VDA1T031026




VDA2T062026

30 3/4"•781mm
30"•762mm
11 7/16"•291mm




VDA1T031030




VDA2T062030

34 3/4"•883mm
34"•864mm
13 7/16"•341mm




VDA1T031034




VDA2T062034

38 3/4"•984mm
38"•965mm
15 7/16"•392mm




VDA1T031038




VDA2T062038

42 3/4"•1086mm
42"•1067mm
17 7/16"•443mm




VDA1T031042




VDA2T062042

46 3/4"•1187mm
46"•1168mm
19 7/16"•494mm




VDA1T031046




VDA2T062046

50 3/4"•1289mm
50"•1270mm
21 7/16"•545mm



VDA1T031050




VDA2T062050

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS GLASS


31 3/4"•806mm
31"•787mm
24 11/16"•627mm

62 3/4"•1584mm
62"•1575mm
24 11/16"•627mm

54 3/4"•1392mm
54"•1372mm
23 7/16"•595mm




VDA1T031054




VDA2T062054

58 3/4"•1492mm
58"•1473mm
25 7/16"•646mm




VDA1T031058




VDA2T062058

62 3/4"•1594mm
62"•1575mm
27 7/16"•697mm




VDA1T031062




VDA2T062062

66 3/4"•1695mm
66"•1676mm
29 7/16"•748mm




VDA1T031066




VDA2T062066

70 3/4"•1797mm
70"•1778mm
31 7/16"•799mm



VDA1T031070



VDA2T062070

Architectural detail manual


Double-Hung window DF3604

All vinyl


Dim. Col. 31 3/4" • 806mm
 CADRE 31" • 787mm
 FRAME 24 11/16" • 627mm
 GLASS VERRE 24 11/16" • 627mm

62 3/4" • 1594mm
 62" • 1575mm
 24 11/16" • 627mm

74 3/4" • 1899mm
 74" • 1880mm
 33 7/16" • 843mm




VDA1T031074




VDA2T062074

78 3/4" • 2000mm
 78" • 1981mm
 35 7/16" • 900mm



VDA1T031078



VDA2T062078

Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim. Col. RSO 36 3/4" • 933mm
CADRE 36" • 914mm
FRAME 29 11/16" • 754mm
GLASS VERRRE 29 11/16" • 754mm

22 3/4" • 578mm
22" • 559mm
7 7/16" • 189mm

VDA1T036022

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm

VDA1T036026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 291mm

VDA1T036030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm

VDA1T036034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 392mm

VDA1T036038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 443mm

VDA1T036042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 494mm

VDA1T036046

50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 545mm

VDA1T036050

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

VDA2T072022

VDA2T072026

VDA2T072030

VDA2T072034

VDA2T072038

VDA2T072042

VDA2T072046

VDA2T072050

Dim. Col. RSO 36 3/4" • 933mm
CADRE 36" • 914mm
FRAME 29 11/16" • 754mm
GLASS VERRRE 29 11/16" • 754mm

54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 593mm

VDA1T036054

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm

VDA1T036058

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 697mm

VDA1T036062

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 746mm

VDA1T036066

70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 795mm

VDA1T036070

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

VDA2T072054

VDA2T072058

VDA2T072062

VDA2T072066

VDA2T072070

Architectural detail manual

Double-Hung window DF3604


All vinyl

Dim. Col.
FRS CADRE
FRAM. VERRE
GLASS


36 3/4" • 933mm
36" • 914mm
29 11/16" • 754mm

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 848mm




VDA1T036074




VDA2T072074

78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm



VDA1T036078



VDA2T072078

Architectural detail manual

Double-Hung window DF3604

All vinyl


DF Windows® Collection

RSO
FRAME
GLASS
CADRE
VERRE


39 3/4"•1010mm
39"•991mm
32 11/16"•830mm

78 3/4"•2000mm
78"•1981mm
32 11/16"•830mm

22 3/4"•578mm
22"•559mm
7 7/16"•189mm




VDA1T039022




VDA2T078022

26 3/4"•679mm
26"•660mm
9 7/16"•240mm




VDA1T039026




VDA2T078026

30 3/4"•781mm
30"•762mm
11 7/16"•291mm




VDA1T039030




VDA2T078030

34 3/4"•883mm
34"•864mm
13 7/16"•341mm




VDA1T039034




VDA2T078034

38 3/4"•984mm
38"•965mm
15 7/16"•392mm




VDA1T039038




VDA2T078038

42 3/4"•1089mm
42"•1070mm
17 7/16"•443mm




VDA1T039042




VDA2T078042

46 3/4"•1187mm
46"•1168mm
19 7/16"•494mm




VDA1T039046




VDA2T078046

50 3/4"•1289mm
50"•1270mm
21 7/16"•545mm



VDA1T039050




VDA2T078050

Dim.Col.
FRAME
GLASS
CADRE
VERRE


39 3/4"•1010mm
39"•991mm
32 11/16"•830mm

78 3/4"•2000mm
78"•1981mm
32 11/16"•830mm

54 3/4"•1391mm
54"•1372mm
23 7/16"•595mm




VDA1T039054




VDA2T078054

58 3/4"•1492mm
58"•1473mm
25 7/16"•646mm




VDA1T039058




VDA2T078058

62 3/4"•1594mm
62"•1575mm
27 7/16"•697mm




VDA1T039062




VDA2T078062

66 3/4"•1695mm
66"•1676mm
29 7/16"•748mm




VDA1T039066




VDA2T078066

70 3/4"•1797mm
70"•1778mm
31 7/16"•799mm



VDA1T039070



VDA2T078070

Architectural detail manual


Double-Hung window DF3604

All vinyl


RSO Dim.Col.
CADRE 39 3/4"•1010mm
FRAME VERRE 39"•991mm
GLASS 32 11/16"•830mm

78 3/4"•2000mm
78"•1981mm
32 11/16"•830mm

74 3/4"•1890mm
74"•1880mm
33 7/16"•849mm




VDA1T039074




VDA2T078074

78 3/4"•2000mm
78"•1981mm
35 7/16"•900mm



VDA1T039078



VDA2T078078

Architectural detail manual

Double-Hung window DF3604


All vinyl

Dim. Col.
RSC CADRE
FRAME
GLASS VERRE


43 3/4"•1111mm
43"•1092mm
36 11/16"•932mm

86 3/4"•2203mm
86"•2184mm
36 11/16"•932mm

22 3/4"•578mm
22"•559mm
7 7/16"•189mm




VDA1T043022




VDA2T086022

26 3/4"•679mm
26"•660mm
9 7/16"•240mm




VDA1T043026




VDA2T086026

30 3/4"•781mm
30"•762mm
11 7/16"•291mm




VDA1T043030




VDA2T086030

34 3/4"•893mm
34"•874mm
13 7/16"•341mm




VDA1T043034




VDA2T086034

38 3/4"•984mm
38"•965mm
15 7/16"•392mm




VDA1T043038




VDA2T086038

42 3/4"•1086mm
42"•1067mm
17 7/16"•443mm




VDA1T043042




VDA2T086042

46 3/4"•1187mm
46"•1168mm
19 7/16"•494mm




VDA1T043046




VDA2T086046

50 3/4"•1289mm
50"•1270mm
21 7/16"•545mm



VDA1T043050




VDA2T086050

Dim. Col.
RSC CADRE
FRAME
GLASS VERRE


43 3/4"•1111mm
43"•1092mm
36 11/16"•932mm

86 3/4"•2203mm
86"•2184mm
36 11/16"•932mm

54 3/4"•1391mm
54"•1372mm
23 7/16"•595mm




VDA1T043054




VDA2T086054

58 3/4"•1492mm
58"•1473mm
25 7/16"•646mm




VDA1T043058




VDA2T086058

62 3/4"•1594mm
62"•1575mm
27 7/16"•697mm




VDA1T043062




VDA2T086062

66 3/4"•1695mm
66"•1676mm
29 7/16"•748mm




VDA1T043066




VDA2T086066

70 3/4"•1797mm
70"•1778mm
31 7/16"•799mm



VDA1T043070



VDA2T086070

Architectural detail manual

Double-Hung window DF3604


All vinyl

Dim.Col.
RSC
CADRE
FIN.
GLASS
VERRE


43 3/4" • 1111mm
43" • 1092mm
36 11/16" • 932mm

86 3/4" • 2203mm
86" • 2184mm
36 11/16" • 932mm

74 3/4" • 1896mm
74" • 1880mm
33 7/16" • 849mm




VDA1T043074




VDA2T086074

78 3/4" • 2000mm
78" • 1984mm
35 7/16" • 900mm



VDA1T043078



VDA2T086078

Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS

48 3/4"•1238mm
48"•1219mm
41 11/16"•1059mm


96 3/4"•2457mm
96"•2438mm
41 11/16"•1059mm

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS


48 3/4"•1238mm
48"•1219mm
41 11/16"•1059mm

96 3/4"•2457mm
96"•2438mm
41 11/16"•1059mm

22 3/4"•578mm
22"•559mm
7 7/16"•189mm




VDA1T048022




VDA2T096022

54 3/4"•1391mm
54"•1372mm
23 7/16"•595mm




VDA1T048054




VDA2T096054

26 3/4"•679mm
26"•660mm
9 7/16"•240mm




VDA1T048026




VDA2T096026

56 3/4"•1432mm
56"•1413mm
25 7/16"•646mm




VDA1T048056




VDA2T096056

30 3/4"•781mm
30"•762mm
11 7/16"•291mm




VDA1T048030




VDA2T096030

34 3/4"•883mm
34"•864mm
13 7/16"•341mm




VDA1T048034




VDA2T096034

38 3/4"•984mm
38"•965mm
15 7/16"•392mm




VDA1T048038




VDA2T096038

62 3/4"•1594mm
62"•1575mm
27 7/16"•697mm




VDA1T048062




VDA2T096062

42 3/4"•1086mm
42"•1067mm
17 7/16"•443mm




VDA1T048042




VDA2T096042

66 3/4"•1695mm
66"•1676mm
29 7/16"•748mm




VDA1T048066




VDA2T096066

46 3/4"•1187mm
46"•1168mm
19 7/16"•494mm




VDA1T048046




VDA2T096046

70 3/4"•1797mm
70"•1778mm
31 7/16"•799mm




VDA1T048070




VDA2T096070

50 3/4"•1289mm
50"•1270mm
21 7/16"•545mm



VDA1T048050



VDA2T096050

Architectural detail manual

Double-Hung window DF3604


All vinyl

Dim. Col.
RSC CADRE
FRAME VERRE
GLASS VERRE


48 3/4" • 1238mm
48" • 1219mm
41 11/16" • 1059mm

96 3/4" • 2457mm
96" • 2438mm
41 11/16" • 1059mm

74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 843mm




VDA1T048074




VDA2T096074

78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm



VDA1T048078



VDA2T096078

Architectural detail manual

Double-Hung window DF3604


All vinyl

DF Windows® Collection

Dim.Col.
RSO
CADRE
FRAME
GLASS
VERRE


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

22 3/4" • 578mm
22" • 559mm
7 7/16" • 189mm




VDA3LT076022

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm




VDA3LT076026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 291mm




VDA3LT076030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm




VDA3LT076034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 392mm




VDA3LT076038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 443mm




VDA3LT076042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 494mm



VDA3LT076046

50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 545mm




VDA3LT076050

Dim.Col.
RSO
CADRE
FRAME
GLASS
VERRE


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 593mm




VDA3LT076054

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm




VDA3LT076058

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 699mm




VDA3LT076062

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 752mm



VDA3LT076066

70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 805mm




VDA3LT076070

Dim.Col.
RSO
CADRE
FRAME
GLASS
VERRE


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

74 3/4" • 1898mm
74" • 1880mm
33 7/16" • 849mm



VDA3LT076074

78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm



VDA3LT076078

Frame: 19" - 38" - 19"
Cadre: 483mm-965mm-483mm

Architectural detail manual


Double-Hung window DF3604

All vinyl

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


22 3/4" • 576mm
22" • 559mm
7 7/16" • 189mm

84 3/4" • 2153mm
84" • 2134mm
12 11/16" - 42 1/4" - 12 11/16"
322mm-1073mm-322mm




VDA3LT084022

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm




VDA3LT084026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 293mm




VDA3LT084030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm




VDA3LT084034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 392mm




VDA3LT084038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 443mm




VDA3LT084042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 494mm



VDA3LT084046

50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 545mm




VDA3LT084050

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 595mm

84 3/4" • 2153mm
84" • 2134mm
12 11/16" - 42 1/4" - 12 11/16"
322mm-1073mm-322mm




VDA3LT084054

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm




VDA3LT084058

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 697mm




VDA3LT084062

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 748mm



VDA3LT084066

70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 799mm




VDA3LT084070

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 849mm

84 3/4" • 2153mm
84" • 2134mm
12 11/16" - 42 1/4" - 12 11/16"
322mm-1073mm-322mm



VDA3LT084074

78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm



VDA3LT084078

Frame: 19" - 46" - 19"
Cadre: 483mm-1168mm-483mm


Architectural detail manual

Double-Hung window DF3604

All vinyl

Dim.Col
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm



VDA3LT092022


22 3/4" • 576mm
22" • 559mm
7 7/16" • 189mm

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm




VDA3LT092026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 291mm




VDA3LT092030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm




VDA3LT092034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 392mm




VDA3LT092038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 443mm




VDA3LT092042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 494mm



VDA3LT092046


50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 545mm



VDA3LT092050

Dim.Col
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm



VDA3LT092054


54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 585mm

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm




VDA3LT092058

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 697mm




VDA3LT092062

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 748mm



VDA3LT092066


70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 799mm



VDA3LT092070

Dim.Col
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm



VDA3LT092074

74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 849mm

78 3/4" • 2000mm
78" • 1981mm
35 7/16" • 900mm



VDA3LT092078

Frame: 23" - 46" - 23"
Cadre: 584mm-1168mm-584mm

Architectural detail manual


Double-Hung window DF3604

All vinyl

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS


100 3/4"•2559mm
100"•2540mm
16 11/16"•50 1/4"•16 11/16"
424mm-1276mm-424mm

22 3/4"•578mm
7 7/16"•189mm




VDA3LT100022

26 3/4"•679mm
9 7/16"•240mm




VDA3LT100026

30 3/4"•781mm
11 7/16"•291mm




VDA3LT100030

34 3/4"•883mm
13 7/16"•341mm




VDA3LT100034

38 3/4"•984mm
15 7/16"•392mm




VDA3LT100038

42 3/4"•1086mm
17 7/16"•443mm




VDA3LT100042

46 3/4"•1187mm
19 7/16"•494mm



VDA3LT100046

50 3/4"•1289mm
21 7/16"•545mm




VDA3LT100050

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS


100 3/4"•2559mm
100"•2540mm
16 11/16"•50 1/4"•16 11/16"
424mm-1276mm-424mm

54 3/4"•1391mm
23 7/16"•595mm




VDA3LT100054

56 3/4"•1409mm
25 7/16"•646mm




VDA3LT100058

62 3/4"•1594mm
27 7/16"•697mm




VDA3LT100062

66 3/4"•1695mm
29 7/16"•748mm



VDA3LT100066

70 3/4"•1797mm
31 7/16"•799mm




VDA3LT100070

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS


100 3/4"•2559mm
100"•2540mm
16 11/16"•50 1/4"•16 11/16"
424mm-1276mm-424mm

74 3/4"•1889mm
33 7/16"•849mm



VDA3LT100074

78 3/4"•2000mm
35 7/16"•900mm



VDA3LT100078

Frame: 23"- 54"- 23"
Cadre: 584mm-1372mm-584mm

Architectural detail manual

Double-Hung window DF3604

All vinyl


DF Windows® Collection

Frame: 27"- 54"- 27"
Cadre: 686mm-1372mm-686mm

Dim.Col
RSO
CADRE
VERRE


108 3/4" • 2762mm
108" • 2743mm
20 11/16" • 50 1/4" • 20 11/16"
525mm-1276mm-525mm

22 3/4" • 578mm
7 7/16" • 188mm




VDA3LT108022

26 3/4" • 679mm
9 7/16" • 240mm




VDA3LT108026

30 3/4" • 781mm
11 7/16" • 291mm




VDA3LT108030

34 3/4" • 883mm
13 7/16" • 341mm




VDA3LT108034

38 3/4" • 984mm
15 7/16" • 392mm




VDA3LT108038

42 3/4" • 1086mm
17 7/16" • 443mm




VDA3LT108042

46 3/4" • 1187mm
19 7/16" • 494mm



VDA3LT108046

50 3/4" • 1289mm
21 7/16" • 545mm




VDA3LT108050

Dim.Col
RSO
CADRE
VERRE


108 3/4" • 2762mm
108" • 2743mm
20 11/16" • 50 1/4" • 20 11/16"
525mm-1276mm-525mm

54 3/4" • 1391mm
54" • 1372mm
23 7/16" • 695mm




VDA3LT108054

58 3/4" • 1492mm
58" • 1473mm
25 7/16" • 646mm




VDA3LT108058

62 3/4" • 1594mm
62" • 1575mm
27 7/16" • 697mm




VDA3LT108062

66 3/4" • 1695mm
66" • 1676mm
29 7/16" • 748mm



VDA3LT108066

70 3/4" • 1797mm
70" • 1778mm
31 7/16" • 799mm



VDA3LT108070

Architectural detail manual


Double-Hung window DF3604

All vinyl

Dim.Col.
CADRE
FRAME
GLASS
VERRE


108 3/4" = 2762mm
108" = 2743mm
20 11/16" = 50 1/4" = 20 11/16"
525mm-1276mm-525mm

74 3/4" = 1899mm
74" = 1880mm
33 7/16" = 849mm



VDA3LT108074

78 3/4" = 2000mm
78" = 1981mm
35 7/16" = 900mm



VDA3LT108078

Frame: 27"- 54"- 27"
Cadre: 686mm-1372mm-686mm

Architectural detail manual

Double-Hung window DF3604

All vinyl


DF Windows® Collection

Frame: 27"- 62"- 27"
Cadre: 686mm-1575mm-686mm

Dim. Col.
RISQ CADRE
FRAME VERRE
GLASS


116 3/4" • 2965mm
116" • 2946mm
20 11/16" - 58 1/4" - 20 11/16"
525mm-1480mm-525mm

22 3/4" • 578mm
22" • 559mm
7 7/16" • 189mm




VDA3LT116022

26 3/4" • 679mm
26" • 660mm
9 7/16" • 240mm




VDA3LT116026

30 3/4" • 781mm
30" • 762mm
11 7/16" • 291mm




VDA3LT116030

34 3/4" • 883mm
34" • 864mm
13 7/16" • 341mm




VDA3LT116034

38 3/4" • 984mm
38" • 965mm
15 7/16" • 392mm




VDA3LT116038

42 3/4" • 1086mm
42" • 1067mm
17 7/16" • 443mm




VDA3LT116042

46 3/4" • 1187mm
46" • 1168mm
19 7/16" • 494mm



VDA3LT116046

50 3/4" • 1289mm
50" • 1270mm
21 7/16" • 545mm




VDA3LT116050

Dim. Col.
RISQ CADRE
FRAME VERRE
GLASS


116 3/4" • 2965mm
116" • 2946mm
20 11/16" - 58 1/4" - 20 11/16"
525mm-1480mm-525mm

54 9/16" • 1391mm
54" • 1372mm
23 7/16" • 495mm




VDA3LT116054

58 9/16" • 1489mm
58" • 1473mm
25 7/16" • 646mm




VDA3LT116058

62 9/16" • 1584mm
62" • 1575mm
27 7/16" • 697mm




VDA3LT116062

66 9/16" • 1685mm
66" • 1676mm
29 7/16" • 748mm



VDA3LT116066

70 9/16" • 1787mm
70" • 1778mm
31 7/16" • 799mm



VDA3LT116070

Architectural detail manual


Double-Hung window DF3604

All vinyl

Dim. Col.
FRAM. CADRE
GLASS VERRE

116 3/4" • 2965mm
116" • 2946mm
20 11/16" • 58 1/4" • 20 11/16"
525mm • 1480mm • 525mm

74 3/4" • 1899mm
74" • 1880mm
33 7/16" • 849mm




VDA3LT116074


Frame: 27" - 62" - 27"
Cadre: 686mm - 1575mm - 686mm

DOUBLE-HUNG GLAZING OPTIONS


Carrelage scellé
Internal grilles




Georgian 1"




Georgian




Plat 1"
 1" Flat




Plat
 Flat




Intercalaire
 Spacer bar



Tubulaire
 Pencil bar




Carré
 Square




verre
 glass

GLAZING OPTIONS CASEMENT


Simili barrotin avec intercalaire
Simulated divided lite with spacer-bar



Simili barrotin
Simulated divided lite




DOUBLE-HUNG TRIM OPTIONS




3 1/4" #400
3 1/4" flush frame #400

DOUBLE-HUNG TRIM OPTIONS




3 1/4" avec 401
 3 1/4" with 401



3 1/4" avec 401-210-211
 3 1/4" with 401-210-211



DOUBLE-HUNG TRIM OPTIONS



3 1/4" avec 411-412-413

3 1/4" with 411-412-413


DOUBLE-HUNG TRIM OPTIONS



4 9/16" avec 414
 4 9/16" with 414

4 9/16" avec 415
 4 9/16" with 415


DOUBLE-HUNG TRIM OPTIONS



3 1/4" avec 422-423-426


3 1/4" with 422-423-426

DOUBLE-HUNG TRIM OPTIONS




3 1/4" avec 427-428
 3 1/4" with 427-428

DOUBLE-HUNG TRIM OPTIONS






3 1/4" avec 569-570-571
3 1/4" with 569-570-571


NATURAL JAMB EXTENDER OPTIONS



VINYL CLAD JAMB EXTENDER OPTIONS




STANDARD MULLION DETAILS



Imposte verre scellé fixe
Cadre de vinyle
Transom with fixed lite
Vinyl frame

OTHER MULLION DETAILS




Imposte volet fixe
Cadre de vinyle
Transom with fixed sash
Vinyl frame

LITE CUT INFORMATION

All vinyl double-hung windows are available with, GBG (Grilles between the Glass), and 7/8" Simulated Divided Lites.


LITE CUT OPTIONS

Special lite cut patterns can include a wide variety of straight line and radius patterns. The illustrations shown here represent just a few of the possibilities. Rectangular, horizontal, vertical and Prairie lite patterns are available in all Double-Hung windows. Uneven, diamond, radius and Gothic lite cuts are available, subject to approval. Approvals are based on the ability to fulfill the design requirement while maintaining the construction integrity of the finished product.



BAR ALIGNMENT

Alignment of muntin bars from one window to the next is often required by fine architectural design. GBG (Grilles between the Glass), and Simulated Divided Lites may be specified with muntin bars aligned.




All vinyl

Combination Assemblies


Combination Units - All vinyl Double-Hung

JELD-WEN vinyl Double-Hung Windows can be grouped in almost an infinite number of combinations. They can be mullied directly alongside other operating or fixed windows. Stack them on top or below one another or as part of an elegant Half Round or Quarter Round assembly. Combining them with angular or rectangular Geometrics can create a majestic look. Adding "SDL" (simulated divided lites) or grilles, will accent or provide special effects to your assembly. If standard sizes do not meet your opening requirements, custom sizes may be specified.

Where applications require structural support in the assembly it self, or in the wall section, units may be separated by a specified dimension. If the separation is desired for appearance only, the specified dimension is considered a "spreadmull" and contain filler blocks between the units. In either case, the units are factory assembled and come with exterior and interior mull covers.



Reinforcement: Imposte verre scellé fixe
Cadre vinyle
Reinforcement: Transom with fixed lite
Vinyl frame



Reinforcement: Imposte volet fixe
Cadre de vinyle
Reinforcement: Transom with fixed sash
Vinyl frame

• How to determine Rough Openings of Multiple Assemblies:

JELD-WEN uses a Rough Opening allowance of 3/4" wider and 3/4" higher than the window assembly. (Contact your Dealer or JELD-WEN for special considerations for angular unit rough openings.)

1. Obtain Frame Dimensions of the units to be mullied.
2. Add Frames together along with any spread mulls.
3. Add 3/4" to the width and 3/4" to the height.

• Example:

R.O. for D3T093062 with a VD3T093022 stacked above.

#1: **Width:** The frame width 93"; add 3/4" for R.O. allowance = 93 3/4"

Height: Add the frame height 22" to the frame height 62"; add 3/4" for R.O. allowance = 84 3/4"

#2: **Width:** The frame width 93"; add 3/4" for R.O. allowance = 93 3/4"

Height: Add the frame height 22" to the frame height 62"; add 1 5/8" for reinforcement; add 3/4" for R.O. allowance = 86 3/8"

Clear Opening and Daylight Specifications
DF3604 All vinyl

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
			Width		Height							
	Sq. Ft	Sq. met.	inch	mm	inch	mm	Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
VDA1T 019 022	0,46	0,04	14,6	370	4,6	116	1,3	0,12	7,0	2,1	2,9	0,27
VDA1T 019 026	0,66	0,06	14,6	370	6,6	167	1,7	0,15	7,6	2,3	3,4	0,32
VDA1T 019 030	0,87	0,08	14,6	370	8,6	217	2,0	0,19	8,3	2,5	4,0	0,37
VDA1T 019 034	1,07	0,10	14,6	370	10,6	268	2,4	0,22	9,0	2,7	4,5	0,42
VDA1T 019 038	1,27	0,12	14,6	370	12,6	319	2,7	0,25	9,6	2,9	5,0	0,47
VDA1T 019 042	1,47	0,14	14,6	370	14,6	370	3,1	0,29	10,3	3,1	5,5	0,51
VDA1T 019 046	1,67	0,16	14,6	370	16,6	421	3,4	0,32	11,0	3,3	6,1	0,56
VDA1T 019 050	1,88	0,17	14,6	370	18,6	471	3,8	0,35	11,6	3,5	6,6	0,61
VDA1T 019 054	2,08	0,19	14,6	370	20,6	522	4,1	0,38	12,3	3,7	7,1	0,66
VDA1T 019 058	2,28	0,21	14,6	370	22,6	573	4,5	0,42	13,0	4,0	7,7	0,71
VDA1T 019 062	2,48	0,23	14,6	370	24,6	624	4,8	0,45	13,6	4,2	8,2	0,76
VDA1T 019 066	2,69	0,25	14,6	370	26,6	675	5,2	0,48	14,3	4,4	8,7	0,81
VDA1T 019 070	2,89	0,27	14,6	370	28,6	725	5,5	0,51	15,0	4,6	9,2	0,86
VDA1T 019 074	3,09	0,29	14,6	370	30,6	776	5,9	0,55	15,6	4,8	9,8	0,91
VDA1T 019 078	3,29	0,31	14,6	370	32,6	827	6,2	0,58	16,3	5,0	10,3	0,96
VDA1T 023 022	0,59	0,05	18,6	471	4,6	116	1,7	0,16	8,0	2,4	3,5	0,33
VDA1T 023 026	0,85	0,08	18,6	471	6,6	167	2,2	0,20	8,6	2,6	4,2	0,39
VDA1T 023 030	1,10	0,10	18,6	471	8,6	217	2,6	0,25	9,3	2,8	4,8	0,45
VDA1T 023 034	1,36	0,13	18,6	471	10,6	268	3,1	0,29	10,0	3,0	5,4	0,50
VDA1T 023 038	1,62	0,15	18,6	471	12,6	319	3,6	0,33	10,6	3,2	6,1	0,56
VDA1T 023 042	1,88	0,17	18,6	471	14,6	370	4,0	0,38	11,3	3,4	6,7	0,62
VDA1T 023 046	2,14	0,20	18,6	471	16,6	421	4,5	0,42	12,0	3,6	7,3	0,68
VDA1T 023 050	2,39	0,22	18,6	471	18,6	471	5,0	0,46	12,6	3,8	8,0	0,74
VDA1T 023 054	2,65	0,25	18,6	471	20,6	522	5,4	0,50	13,3	4,1	8,6	0,80
VDA1T 023 058	2,91	0,27	18,6	471	22,6	573	5,9	0,55	14,0	4,3	9,3	0,86
VDA1T 023 062	3,17	0,29	18,6	471	24,6	624	6,4	0,59	14,6	4,5	9,9	0,92
VDA1T 023 066	3,42	0,32	18,6	471	26,6	675	6,8	0,63	15,3	4,7	10,5	0,98
VDA1T 023 070	3,68	0,34	18,6	471	28,6	725	7,3	0,68	16,0	4,9	11,2	1,04
VDA1T 023 074	3,94	0,37	18,6	471	30,6	776	7,8	0,72	16,6	5,1	11,8	1,10
VDA1T 023 078	4,20	0,39	18,6	471	32,6	827	8,2	0,76	17,3	5,3	12,5	1,16
VDA1T 027 022	0,71	0,07	22,6	573	4,6	116	2,1	0,20	9,0	2,7	4,1	0,38
VDA1T 027 026	1,03	0,10	22,6	573	6,6	167	2,7	0,25	9,6	2,9	4,9	0,45
VDA1T 027 030	1,34	0,12	22,6	573	8,6	217	3,3	0,30	10,3	3,1	5,6	0,52
VDA1T 027 034	1,65	0,15	22,6	573	10,6	268	3,9	0,36	11,0	3,3	6,4	0,59
VDA1T 027 038	1,97	0,18	22,6	573	12,6	319	4,4	0,41	11,6	3,5	7,1	0,66
VDA1T 027 042	2,28	0,21	22,6	573	14,6	370	5,0	0,47	12,3	3,7	7,9	0,73
VDA1T 027 046	2,60	0,24	22,6	573	16,6	421	5,6	0,52	13,0	4,0	8,6	0,80
VDA1T 027 050	2,91	0,27	22,6	573	18,6	471	6,2	0,57	13,6	4,2	9,4	0,87
VDA1T 027 054	3,22	0,30	22,6	573	20,6	522	6,7	0,63	14,3	4,4	10,1	0,94
VDA1T 027 058	3,54	0,33	22,6	573	22,6	573	7,3	0,68	15,0	4,6	10,9	1,01
VDA1T 027 062	3,85	0,36	22,6	573	24,6	624	7,9	0,73	15,6	4,8	11,6	1,08
VDA1T 027 066	4,16	0,39	22,6	573	26,6	675	8,5	0,79	16,3	5,0	12,4	1,15
VDA1T 027 070	4,48	0,42	22,6	573	28,6	725	9,0	0,84	17,0	5,2	13,1	1,22
VDA1T 027 074	4,79	0,44	22,6	573	30,6	776	9,6	0,89	17,6	5,4	13,9	1,29
VDA1T 027 078	5,10	0,47	22,6	573	32,6	827	10,2	0,95	18,3	5,6	14,6	1,36
VDA1T 031 022	0,84	0,08	26,6	675	4,6	116	2,5	0,24	10,0	3,0	4,7	0,44
VDA1T 031 026	1,21	0,11	26,6	675	6,6	167	3,2	0,30	10,6	3,2	5,6	0,52
VDA1T 031 030	1,58	0,15	26,6	675	8,6	217	3,9	0,36	11,3	3,4	6,5	0,60
VDA1T 031 034	1,95	0,18	26,6	675	10,6	268	4,6	0,43	12,0	3,6	7,3	0,68
VDA1T 031 038	2,32	0,22	26,6	675	12,6	319	5,3	0,49	12,6	3,8	8,2	0,76
VDA1T 031 042	2,69	0,25	26,6	675	14,6	370	6,0	0,56	13,3	4,1	9,0	0,84
VDA1T 031 046	3,06	0,28	26,6	675	16,6	421	6,7	0,62	14,0	4,3	9,9	0,92
VDA1T 031 050	3,42	0,32	26,6	675	18,6	471	7,3	0,68	14,6	4,5	10,8	1,00
VDA1T 031 054	3,79	0,35	26,6	675	20,6	522	8,0	0,75	15,3	4,7	11,6	1,08
VDA1T 031 058	4,16	0,39	26,6	675	22,6	573	8,7	0,81	16,0	4,9	12,5	1,16
VDA1T 031 062	4,53	0,42	26,6	675	24,6	624	9,4	0,87	16,6	5,1	13,3	1,24
VDA1T 031 066	4,90	0,46	26,6	675	26,6	675	10,1	0,94	17,3	5,3	14,2	1,32
VDA1T 031 070	5,27	0,49	26,6	675	28,6	725	10,8	1,00	18,0	5,5	15,1	1,40
VDA1T 031 074	5,64	0,52	26,6	675	30,6	776	11,5	1,07	18,6	5,7	15,9	1,48
VDA1T 031 078	6,01	0,56	26,6	675	32,6	827	12,2	1,13	19,3	5,9	16,8	1,56