

MATERIALS

Extruded vinyl profiles comply with the performance requirements of AAMA 303-97. Color is White.

FRAME

All frames are assembled utilizing fusion-welded technology for added strength and durability. Frame jamb depth is 3-1/4" (83mm), and the exterior wall thickness is 0.070 of an inch. Frames come standard with an accessory groove to accommodate exterior mouldings and with an open integrated 1/2-3/4" return. A closed version is also available for replacement purposes.

SASH

Operating sash is 1-1/2" (nominal) or (38.1mm) thick, and is assembled utilizing fusion-welded technology for added strength and durability.

GLAZING

3/4" (19mm) insulating glass consists of two lites of glass sealed around a warm edge spacer. All insulating glass units comply with the performance requirements of the IGMAC in accordance with either CAN/CGSB-12.8.-97.

GLAZING OPTIONS

3/4" (19mm) insulated glass available in clear, Low-E with Argon, tinted, frosted, or other specialty insulating glass as specified. All glass is available tempered.

WEATHER-STRIPPING

Fin pile weatherstrip applied along the full perimeter of operating sash. Weatherstrips meet the AAMA 701 or AAMA 702.

HARDWARE

Single Hung utilize coil balance with corrosion resistant coating to slide up and down the tracks. Mortised tilt latches and pivot bars permit the bottom sash to tilt in and stay in desired position for ease or cleaning. A white metal cast camlock is surface mounted. For a width of 31 1/16" or more, 2 camlocks are installed.

EXTERIOR INSECT SCREENS

Fiberglass charcoal color insect screen in an aluminum frame to match the color of the unit. Insect screens are intended to allow air and light in and to keep insects out. They are not intended to keep anyone or anything from falling through an open window. For safety screens or other security devices contact your local building supply retailer.

GRILLES

Vinyl SDL (Simulated Divided Lite) - 7/8" (23mm) permanently applied on both sides of insulating glass with or without spacer bar between the glass panes.

Internal Grilles (Grilles between the Glass) - Georgian, pencil bar, square or flat mounted between the glass panes suspended within the air cavity.

Please note: Removable grilles are not available in the hung series nor false mullions.

INSTALLATION

Installation per JELD-WEN Installation Method for All Vinyl Windows. See www.jeld-wen.com/resources for instructions.

PERFORMANCE

CSA-Certified - (rated and labeled in accordance with CSA) certification program

NFRC Certified - (rated and labeled in accordance with NFRC)

Quick SPEC Guide

Specification	Standard features	Optional features Some options may require additional lead times. Consult your JELD-WEN Sales Representative.
Colour	White	Painted exterior - white interior A-06 Maize A-71 Dark Clay A-34 Savanna A-72 Canyon Clay A-42 Hickory A-74 Sandalwood A-43 Cashmere A-75 Wicker A-44 Mist Blue A-79 Tan A-51 Sumac CL-025 Clay A-53 Arcadian IV-050 Almond
Size	- Width: 15 3/4" to 48" - Height: 22" to 78"	• Any size with minimum and maximum parameters
Frame	<ul style="list-style-type: none"> • Exterior accessory groove • Open frame 1/2-3/4" return 	
Exterior Trim	<ul style="list-style-type: none"> • Exterior accessory groove 	#401 - Exterior finish trim #411 - 1" x 2" brickmould with nailing flange (no 'J' channel) #412 - 1" x 2" brickmould with 'J' channel and nailing flange #413 - 1" x 2" brickmould #414 - 1 5/16" extension with brickmould, 'J' channel and nailing flange (for 4 9/16" frame) #415 - 2 5/8" extension #422 - Brickmould and nailing flange (no 'J' channel) #423 - Brickmould, 'J' channel and nailing flange (integral) #426 - Brickmould #427 - 1 5/16" extension (integral) #428 - 1 5/16" exterior finish trim and nailing flange #569 - 1" x 3 1/2" brickmould with nailing flange (no 'J' channel) #570 - 1" x 3 1/2" brickmould with 'J' channel and nailing flange #571 - 1" x 3 1/2" brickmould finish trim #210 - Adaptor for sill expander (in 16 foot lengths only) not installed #211 - 3 3/4" sill expander (in 16 foot lengths only) not installed
Glazing	<ul style="list-style-type: none"> • Insulating Clear with warm edge spacer 	- Low-E - Satin - Bronze - Grey - Frosted (pinhead Morocco) - Gluechip - Laminated - All glass available tempered
Hardware	<ul style="list-style-type: none"> • Coil Balances • Tilt latches • Camlock 	
Hardware Colour	<ul style="list-style-type: none"> • White 	
Screens	<ul style="list-style-type: none"> • Fiberglass 	

Quick SPEC Guide


Specification	Standard features	Optional features Some options may require additional lead times. Consult your JELD-WEN Sales Representative.																																				
Screen Frame Colour	<ul style="list-style-type: none"> White 																																					
Grilles		<ul style="list-style-type: none"> 5/8" White Internal Georgian (grilles between the glass) 7/8", SDL (simulated divided lite) with or without spacer bar <table border="0"> <tr> <td>Georgian</td> <td>Pencil Bar</td> </tr> <tr> <td>5/8" Light oak/White</td> <td>White</td> </tr> <tr> <td>5/8" Dark oak/White</td> <td>Brass</td> </tr> <tr> <td>5/8" Amber oak/White</td> <td>Grey</td> </tr> <tr> <td>5/8" Cherry/White</td> <td>Pewter</td> </tr> <tr> <td>5/8" Black/White</td> <td></td> </tr> <tr> <td>5/8" Ivory/White</td> <td>Square</td> </tr> <tr> <td>5/8" Wicker/White</td> <td>Black</td> </tr> <tr> <td>5/8" Sablon/White</td> <td>Pewter</td> </tr> <tr> <td>5/8" Clay</td> <td>White</td> </tr> <tr> <td>5/8" Clay/White</td> <td>Brass</td> </tr> <tr> <td>5/8" Brown/White</td> <td></td> </tr> <tr> <td>5/8" Commercial brown/White</td> <td>Flat</td> </tr> <tr> <td>5/8" Brass</td> <td>5/8" Ivory/White</td> </tr> <tr> <td>1" White</td> <td>5/8" White</td> </tr> <tr> <td></td> <td>5/8" Clay/White</td> </tr> <tr> <td></td> <td>5/8" Clay</td> </tr> <tr> <td></td> <td>1" White</td> </tr> </table>	Georgian	Pencil Bar	5/8" Light oak/White	White	5/8" Dark oak/White	Brass	5/8" Amber oak/White	Grey	5/8" Cherry/White	Pewter	5/8" Black/White		5/8" Ivory/White	Square	5/8" Wicker/White	Black	5/8" Sablon/White	Pewter	5/8" Clay	White	5/8" Clay/White	Brass	5/8" Brown/White		5/8" Commercial brown/White	Flat	5/8" Brass	5/8" Ivory/White	1" White	5/8" White		5/8" Clay/White		5/8" Clay		1" White
Georgian	Pencil Bar																																					
5/8" Light oak/White	White																																					
5/8" Dark oak/White	Brass																																					
5/8" Amber oak/White	Grey																																					
5/8" Cherry/White	Pewter																																					
5/8" Black/White																																						
5/8" Ivory/White	Square																																					
5/8" Wicker/White	Black																																					
5/8" Sablon/White	Pewter																																					
5/8" Clay	White																																					
5/8" Clay/White	Brass																																					
5/8" Brown/White																																						
5/8" Commercial brown/White	Flat																																					
5/8" Brass	5/8" Ivory/White																																					
1" White	5/8" White																																					
	5/8" Clay/White																																					
	5/8" Clay																																					
	1" White																																					
Jamb Depth	<ul style="list-style-type: none"> 3 1/4" 	<ul style="list-style-type: none"> Vinyl clad interior jamb extension up to 8 7/8" Natural interior jamb extension up to 4 3/4" clear or finger jointed pine 																																				

General Information

OTHER SPLIT OPTIONS


Basically the hung window is made with a 50/50 split sash look. It is also possible to have a 2/5 - 3/5 or 3/5 - 2/5 split option. The Oriel style would have the smaller sash at the bottom while the Cottage style would have it at the top.

* The venting sash can not exceed 39".



CAMBERED TOP OPTION


Hung window with cambered top is available in single-hung only.




General Information

MULTIPLE ASSEMBLIES

All vinyl single-hung windows may be mullied beside other All vinyl single-hungs or All vinyl picture windows, or below All vinyl transom windows, to fulfill a wide variety of needs. Factory assembled mulls are limited in height (99"), width (150"), and a total area (60 square feet).




Handing & Operation



SINGLE-HUNG OPERATION:


When the bottom sash is locked at the check rail, the sash is closed and sealed in the sash opening of the frame.

When the sash is unlocked, the lower sash travels vertically to any position desired.



SASH TILTING FOR WASHING

The Single-Hung window will allow the bottom sash to be tilted or removed for easy cleaning.



All vinyl

EZ Spec Guide


ELEVATION DRAWINGS UTILIZE A LIMITED NUMBER OF PROJECTED LINES TO PRODUCE A RUDIMENTARY DRAWING INTENDED TO BE USED IN A SMALL GRAPHICAL SCALE. ELEVATIONS ARE VIEWED PERPENDICULAR FROM THE EXTERIOR OF THE STRUCTURE. IF MORE DIMENSIONS ARE NEEDED, USE THE SECTION DRAWINGS FOR MORE COMPLETE DEPICTIONS.

Height:

Rough Opening 58 3/4" - 1492mm
 Frame Size 58" - 1473mm
 Glass Size 25 1/2" - 648mm

Width:

Rough Opening 31 3/4" - 807mm
 Frame Size 31" - 787mm
 Glass Size 24 11/16" - 627mm



Window meets Egress as per Canadian NBC

OUTSIDE OF FRAME

VF1T031058

BOOK CODE

'VF' INDICATES VINYL SINGLE-HUNG DF3613

THE NUMBER INDICATES THE NUMBER OF UNITS MULLED TOGETHER

'T' INDICATES DUAL GLAZED PRODUCT

THE NEXT THREE NUMBERS INDICATE THE UNIT HEIGHT IN INCHES

THE FIRST THREE NUMBERS INDICATE THE UNIT WIDTH IN INCHES


GENERAL SUDER NOTES

1. UNIT ELEVATIONS ARE SHOWN WITHOUT EXTERIOR TRIM.

ELEVATION SYMBOL LEGEND:

- E** BASIC UNIT CLEAR OPENING EXCEEDS 15" IN WIDTH, 15" IN HEIGHT & A MINIMUM OF 3.77 SQ. FT. UNOBSTRUCTED OPENING BASED ON CANADIAN NBC

SINGLE-HUNG PICTURE COMBINATION



VF3T084054

INDICATES IN 3 UNEVEN SECTIONS

Architectural detail manual

Single-Hung window DF3613

All vinyl

DF Windows® Collection


Dim.Col.
RSO 19 3/4"•502mm
CADRE 19"•483mm
FRAME 12 11/16"•322mm
GLASS 7 1/2"•191mm



VF1T019022


22 3/4"•578mm
9 1/2"•241mm

26 3/4"•679mm
9 1/2"•241mm




VF1T019026

30 3/4"•781mm
11 1/2"•292mm




VF1T019030

34 3/4"•883mm
13 1/2"•343mm




VF1T019034

38 3/4"•984mm
15 1/2"•394mm




VF1T019038

42 3/4"•1086mm
17 1/2"•445mm




VF1T019042

46 3/4"•1187mm
19 1/2"•496mm




VF1T019046

50 3/4"•1289mm
21 1/2"•546mm




VF1T019050


38 3/4"•984mm
38"•965mm
12 11/16"•322mm




VF2T038022




VF2T038026




VF2T038030




VF2T038034




VF2T038038



VF2T038042



VF2T038046




VF2T038050


Dim.Col.
RSO 19 3/4"•502mm
CADRE 19"•483mm
FRAME 12 11/16"•322mm
GLASS 7 1/2"•191mm




VF1T019054




VF1T019058



VF1T019062



VF1T019066



VF1T019070

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm


56 3/4"•1492mm
58"•1473mm
25 1/2"•648mm

62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm


66 3/4"•1695mm
66"•1676mm
29 1/2"•749mm

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm


38 3/4"•984mm
38"•965mm
12 11/16"•322mm




VF2T038054




VF2T038058



VF2T038062



VF2T038066




VF2T038070

Dim.Col.
RSO 19 3/4"•502mm
CADRE 19"•483mm
FRAME 12 11/16"•322mm
GLASS 7 1/2"•191mm



VF1T019074




VF1T019078


74 3/4"•1889mm
33 1/2"•851mm

78 3/4"•2000mm
35 1/2"•892mm

38 3/4"•984mm
38"•965mm
12 11/16"•322mm



VF2T038074



VF2T038078

Architectural detail manual

Single-Hung window DF3613

All vinyl

Dim.Col. 23 3/4"•603mm
CADRE 23"•584mm
FRAME 16 11/16"•424mm
GLASS

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm

Dim.Col. 23 3/4"•603mm
CADRE 23"•584mm
FRAME 16 11/16"•424mm
GLASS

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm


Dim.Col. 23 3/4"•603mm
CADRE 23"•584mm
FRAME 16 11/16"•424mm
GLASS

46 3/4"•1187mm
46"•1168mm
16 11/16"•424mm

22 3/4"•578mm
22"•559mm
7 1/2"•191mm




VF1T023022




VF2T046022

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF1T023054




VF2T046054

74 3/4"•1898mm
74"•1880mm
33 1/2"•851mm




VF1T023074




VF2T046074

26 3/4"•679mm
26"•660mm
9 1/2"•241mm




VF1T023026




VF2T046026

30 3/4"•781mm
30"•762mm
11 1/2"•282mm




VF1T023030




VF2T046030

56 3/4"•1432mm
56"•1413mm
25 1/2"•646mm




VF1T023056




VF2T046056

78 3/4"•2000mm
78"•1982mm
35 1/2"•902mm




VF1T023078




VF2T046078

34 3/4"•883mm
34"•864mm
13 1/2"•343mm




VF1T023034




VF2T046034

38 3/4"•984mm
38"•965mm
15 1/2"•394mm




VF1T023038




VF2T046038

62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm




VF1T023062




VF2T046062

42 3/4"•1086mm
42"•1067mm
17 1/2"•443mm




VF1T023042




VF2T046042

66 3/4"•1695mm
66"•1676mm
29 1/2"•748mm




VF1T023066




VF2T046066

46 3/4"•1187mm
46"•1168mm
19 1/2"•495mm




VF1T023046




VF2T046046

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm




VF1T023070




VF2T046070

50 3/4"•1289mm
50"•1270mm
21 1/2"•546mm



VF1T023050



VF2T046050

Architectural detail manual

Single-Hung window DF3613


All vinyl

DF Windows® Collection

RSO Dim.Col.
FRAME CADRE
GLASS VERRRE


48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm

22 3/4" • 576mm
7 1/2" • 191mm
7 1/2" • 191mm




VF2T048022

26 3/4" • 679mm
9 1/2" • 241mm
9 1/2" • 241mm




VF2T048026

30 3/4" • 781mm
11 1/2" • 292mm
11 1/2" • 292mm




VF2T048030

34 3/4" • 883mm
13 1/2" • 343mm
13 1/2" • 343mm




VF2T048034

38 3/4" • 984mm
15 1/2" • 394mm
15 1/2" • 394mm




VF2T048038

42 3/4" • 1086mm
17 1/2" • 445mm
17 1/2" • 445mm




VF2T048042

46 3/4" • 1187mm
19 1/2" • 495mm
19 1/2" • 495mm



VF2T048046

50 3/4" • 1289mm
21 1/2" • 546mm
21 1/2" • 546mm




VF2T048050

RSO Dim.Col.
FRAME CADRE
GLASS VERRRE


48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm

54 3/4" • 1391mm
23 1/2" • 597mm
23 1/2" • 597mm




VF2T048054

58 3/4" • 1492mm
25 1/2" • 648mm
25 1/2" • 648mm




VF2T048058

62 3/4" • 1594mm
27 1/2" • 699mm
27 1/2" • 699mm




VF2T048062

66 3/4" • 1695mm
29 1/2" • 749mm
29 1/2" • 749mm



VF2T048066

70 3/4" • 1797mm
31 1/2" • 800mm
31 1/2" • 800mm




VF2T048070

RSO Dim.Col.
FRAME CADRE
GLASS VERRRE


48 3/4" • 1238mm
48" • 1219mm
17 11/16" • 449mm

74 3/4" • 1889mm
33 1/2" • 857mm
33 1/2" • 857mm



VF2T048074

78 3/4" • 2000mm
35 1/2" • 902mm
35 1/2" • 902mm



VF2T048078


Architectural detail manual

Single-Hung window DF3613

All vinyl


DF Windows® Collection

Dim. Col.
RSO 27 3/4"•705mm
a FRAME 27"•686mm
b CADRE 20 11/16"•525mm
c GLASS




VF1T027022

54 3/4"•1391mm
54"•1372mm
20 11/16"•525mm




VF2T054022

22 3/4"•576mm
26 3/4"•679mm
27"•686mm
7 1/2"•191mm
9 1/2"•241mm




VF1T027026




VF2T054026

30 3/4"•781mm
34 3/4"•883mm
35"•891mm
11 1/2"•292mm
13 1/2"•343mm




VF1T027030



VF2T054030

34 3/4"•883mm
38 3/4"•985mm
39"•993mm
13 1/2"•343mm
15 1/2"•394mm




VF1T027034



VF2T054034

38 3/4"•985mm
42 3/4"•1087mm
43"•1095mm
15 1/2"•394mm
17 1/2"•445mm




VF1T027038



VF2T054038

42 3/4"•1087mm
46 3/4"•1189mm
47"•1197mm
17 1/2"•445mm
19 1/2"•496mm




VF1T027042



VF2T054042

46 3/4"•1187mm
50 3/4"•1289mm
51"•1297mm
19 1/2"•496mm
21 1/2"•547mm




VF1T027046



VF2T054046

50 3/4"•1289mm
54 3/4"•1391mm
55"•1399mm
21 1/2"•547mm
23 1/2"•598mm




VF1T027050




VF2T054050

Dim. Col.
RSO 27 3/4"•705mm
a FRAME 27"•686mm
b CADRE 20 11/16"•525mm
c GLASS



VF1T027054

54 3/4"•1391mm
54"•1372mm
20 11/16"•525mm



VF2T054054

54 3/4"•1391mm
58"•1475mm
23 1/2"•597mm


58 3/4"•1492mm
62"•1575mm
25 1/2"•646mm

62 3/4"•1594mm
66"•1676mm
27 1/2"•699mm

66 3/4"•1696mm
70"•1778mm
29 1/2"•749mm


70 3/4"•1797mm
74"•1879mm
31 1/2"•800mm

Dim. Col.
RSO 27 3/4"•705mm
a FRAME 27"•686mm
b CADRE 20 11/16"•525mm
c GLASS



VF1T027074


54 3/4"•1391mm
54"•1372mm
20 11/16"•525mm



VF2T054074

74 3/4"•1899mm
78"•1980mm
33 1/2"•851mm

78 3/4"•2000mm
82"•2081mm
35 1/2"•902mm



VF1T027078



VF2T054078

Architectural detail manual

Single-Hung window DF3613

All vinyl

DF Windows® Collection

RSO Dim Col FRAME VERRE	31 3/4"•502mm 31"•483mm 24 11/16"•627mm	62 3/4"•1594mm 62"•1575mm 24 11/16"•627mm	RSO Dim Col FRAME VERRE	31 3/4"•502mm 31"•483mm 24 11/16"•627mm	62 3/4"•1594mm 62"•1575mm 24 11/16"•627mm
22 3/4"•576mm 7 1/2"•191mm			54 3/4"•1391mm 24"•610mm 23 1/2"•597mm		
26 3/4"•679mm 9 1/2"•241mm			58 3/4"•1492mm 25"•635mm 25 1/2"•646mm		
30 3/4"•781mm 11 1/2"•292mm			62 3/4"•1594mm 27"•686mm 27 1/2"•699mm		
34 3/4"•883mm 13 1/2"•343mm			66 3/4"•1695mm 29"•738mm 29 1/2"•749mm		
38 3/4"•984mm 15 1/2"•394mm			70 3/4"•1797mm 31"•787mm 31 1/2"•800mm		
42 3/4"•1086mm 17 1/2"•445mm					
46 3/4"•1187mm 19 1/2"•495mm					
50 3/4"•1289mm 21 1/2"•546mm					

Architectural detail manual

Single-Hung window DF3613


All vinyl

Dim.Col
CADRE
FRAME
GLASS
VERRE


31 3/4" • 502mm
31" • 483mm
24 11/16" • 627mm

62 3/4" • 1594mm
62" • 1575mm
24 11/16" • 627mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm




VF1T031074




VF2T062074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF1T031078



VF2T062078

Architectural detail manual

Single-Hung window DF3613

All vinyl

DF Windows® Collection

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


36 3/4" • 933mm
36" • 914mm
29 11/16" • 754mm

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

22 3/4" • 576mm
22" • 559mm
7 1/2" • 191mm




VF1T036022




VF2T072022

26 3/4" • 679mm
26" • 660mm
9 1/2" • 241mm




VF1T036026




VF2T072026

30 3/4" • 781mm
30" • 762mm
11 1/2" • 292mm




VF1T036030




VF2T072030

34 3/4" • 883mm
34" • 864mm
13 1/2" • 343mm




VF1T036034




VF2T072034

38 3/4" • 984mm
38" • 965mm
15 1/2" • 384mm




VF1T036038




VF2T072038

42 3/4" • 1086mm
42" • 1067mm
17 1/2" • 443mm




VF1T036042




VF2T072042

46 3/4" • 1187mm
46" • 1168mm
19 1/2" • 493mm




VF1T036046




VF2T072046

50 3/4" • 1289mm
50" • 1270mm
21 1/2" • 546mm



VF1T036050




VF2T072050

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


36 3/4" • 933mm
36" • 914mm
29 11/16" • 754mm

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

54 3/4" • 1397mm
54" • 1372mm
23 1/2" • 597mm




VF1T036054




VF2T072054

58 3/4" • 1492mm
58" • 1473mm
25 1/2" • 648mm




VF1T036058




VF2T072058

62 3/4" • 1594mm
62" • 1575mm
27 1/2" • 699mm




VF1T036062




VF2T072062

66 3/4" • 1695mm
66" • 1676mm
29 1/2" • 749mm




VF1T036066




VF2T072066

70 3/4" • 1797mm
70" • 1778mm
31 1/2" • 800mm



VF1T036070



VF2T072070

Architectural detail manual

Single-Hung window DF3613


All vinyl

RSO Dim Col.
CADRE
FRAM: VERRE
GLASS


36 3/4" • 933mm
36" • 914mm
29 11/16" • 754mm

72 3/4" • 1848mm
72" • 1829mm
29 11/16" • 754mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm




VF1T036074




VF2T072074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF1T036078



VF2T072078

Architectural detail manual

Single-Hung window DF3613

All vinyl

DF Windows® Collection

RSO Dim Col
CADRE
FRAME
GLASS
VERRE


39 3/4"•1010mm
39"•991mm
32 11/16"•830mm

78 3/4"•2000mm
78"•1981mm
32 11/16"•830mm

22 3/4"•576mm
12"•305mm
7 1/2"•191mm




VF1T039022




VF2T078022

26 3/4"•679mm
12"•305mm
9 1/2"•241mm




VF1T039026




VF2T078026

30 3/4"•781mm
12"•305mm
11 1/2"•292mm



VF1T039030




VF2T078030

34 3/4"•883mm
12"•305mm
13 1/2"•343mm



VF1T039034




VF2T078034

38 3/4"•984mm
12"•305mm
15 1/2"•394mm



VF1T039038




VF2T078038

42 3/4"•1086mm
12"•305mm
17 1/2"•445mm



VF1T039042



VF2T078042

46 3/4"•1187mm
12"•305mm
19 1/2"•496mm



VF1T039046



VF2T078046

50 3/4"•1289mm
12"•305mm
21 1/2"•546mm



VF1T039050



VF2T078050

RSO Dim Col
CADRE
FRAME
GLASS
VERRE


39 3/4"•1010mm
39"•991mm
32 11/16"•830mm

78 3/4"•2000mm
78"•1981mm
32 11/16"•830mm

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm



VF1T039054




VF2T078054

58 3/4"•1492mm
58"•1473mm
25 1/2"•646mm




VF1T039058




VF2T078058

62 3/4"•1594mm
62"•1575mm
27 1/2"•696mm




VF1T039062




VF2T078062

66 3/4"•1695mm
66"•1676mm
29 1/2"•746mm



VF1T039066




VF2T078066

70 3/4"•1797mm
70"•1778mm
31 1/2"•796mm



VF1T039070



VF2T078070

Architectural detail manual

Single-Hung window DF3613


All vinyl

RSC Dim.Col.
CADRE
FRAM. VERRE
GLASS VERRE


39 3/4" • 1010mm
39" • 991mm
32 11/16" • 830mm

78 3/4" • 2000mm
78" • 1981mm
32 11/16" • 830mm

74 3/4" • 1899mm
74" • 1850mm
33 1/2" • 851mm




VF1T039074




VF2T078074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF1T039078



VF2T078078

Architectural detail manual

Single-Hung window DF3613

All vinyl

Dim. Col.
CADRE
FRAME
GLASS
VERRE

43 3/4"•1111mm
43"•1092mm
36 11/16"•932mm


86 3/4"•2203mm
86"•2184mm
36 11/16"•932mm

Dim. Col.
CADRE
FRAME
GLASS
VERRE


43 3/4"•1111mm
43"•1092mm
36 11/16"•932mm

86 3/4"•2203mm
86"•2184mm
36 11/16"•932mm

22 3/4"•578mm
22"•559mm
7 1/2"•191mm




VF1T043022




VF2T086022

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF1T043054




VF2T086054

26 3/4"•679mm
26"•660mm
9 1/2"•241mm




VF1T043026




VF2T086026

30 3/4"•781mm
30"•762mm
11 1/2"•292mm




VF1T043030




VF2T086030

58 3/4"•1492mm
58"•1473mm
25 1/2"•648mm




VF1T043058




VF2T086058

34 3/4"•883mm
34"•864mm
13 1/2"•343mm




VF1T043034




VF2T086034

38 3/4"•984mm
38"•965mm
15 1/2"•394mm




VF1T043038




VF2T086038

62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm




VF1T043062




VF2T086062

42 3/4"•1086mm
42"•1067mm
17 1/2"•445mm




VF1T043042




VF2T086042

66 3/4"•1695mm
66"•1676mm
29 1/2"•749mm




VF1T043066




VF2T086066

46 3/4"•1187mm
46"•1168mm
19 1/2"•495mm




VF1T043046




VF2T086046

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm




VF1T043070




VF2T086070

50 3/4"•1289mm
50"•1270mm
21 1/2"•546mm



VF1T043050



VF2T086050

Architectural detail manual

Single-Hung window DF3613


All vinyl

RSO Dim.Col.
FRAM: CADRE
GLASS: VERRE


43 3/4" • 1111mm
43" • 1092mm
36 11/16" • 932mm

86 3/4" • 2203mm
86" • 2184mm
36 11/16" • 932mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm




VF1T043074




VF2T086074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF1T043078



VF2T086078

Architectural detail manual

Single-Hung window DF3613

All vinyl

Dim.Col.
RSO CADRE
FRAME VERRE
GLASS


48 3/4"•1238mm
48"•1219mm
41 11/16"•1059mm

96 3/4"•2457mm
96"•2438mm
41 11/16"•1059mm


Dim.Col.
RSO CADRE
FRAME VERRE
GLASS

48 3/4"•1238mm
48"•1219mm
41 11/16"•1059mm


96 3/4"•2457mm
96"•2438mm
41 11/16"•1059mm




VF1T048022




VF2T096022




VF1T048054



VF2T096054




VF1T048026




VF2T096026


54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF1T048058



VF2T096058




VF1T048030




VF2T096030


56 3/4"•1432mm
56"•1413mm
25 1/2"•648mm




VF1T048062



VF2T096062




VF1T048034




VF2T096034


62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm




VF1T048066



VF2T096066




VF1T048038




VF2T096038


66 3/4"•1693mm
66"•1674mm
29 1/2"•749mm




VF1T048070




VF2T096070




VF1T048042



VF2T096042



VF1T048046



VF2T096046

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm



VF1T048050



VF2T096050

Architectural detail manual

Single-Hung window DF3613


All vinyl

Dim. Col.
FRAME CADRE
GLASS VERRRE


48 3/4" • 1238mm
46" • 1219mm
41 11/16" • 1059mm

96 3/4" • 2457mm
96" • 2438mm
41 11/16" • 1059mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm




VF1T048074




VF2T096074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF1T048078




VF2T096078

Dim.Col.
RSO
CADRE
VERRE
FRAME
GLASS


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

22 3/4" • 578mm
7 1/2" • 191mm




VF3LT076022

26 3/4" • 679mm
9 1/2" • 241mm




VF3LT076026

30 3/4" • 781mm
11 1/2" • 292mm




VF3LT076030

34 3/4" • 883mm
13 1/2" • 343mm




VF3LT076034

38 3/4" • 984mm
15 1/2" • 394mm




VF3LT076038

42 3/4" • 1086mm
17 1/2" • 445mm




VF3LT076042

46 3/4" • 1187mm
19 1/2" • 496mm



VF3LT076046

50 3/4" • 1288mm
21 1/2" • 546mm




VF3LT076050

Dim.Col.
RSO
CADRE
VERRE
FRAME
GLASS


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

54 3/4" • 1391mm
54" • 1372mm
23 1/2" • 597mm




VF3LT076054

56 3/4" • 1492mm
58" • 1473mm
25 1/2" • 648mm




VF3LT076058

62 3/4" • 1594mm
62" • 1575mm
27 1/2" • 699mm




VF3LT076062

66 3/4" • 1695mm
66" • 1676mm
29 1/2" • 749mm



VF3LT076066

70 3/4" • 1797mm
70" • 1778mm
31 1/2" • 800mm




VF3LT076070

Dim.Col.
RSO
CADRE
VERRE
FRAME
GLASS


76 3/4" • 1949mm
76" • 1930mm
12 11/16" • 34 1/4" • 12 11/16"
322mm • 870mm • 322mm

74 3/4" • 1889mm
74" • 1870mm
33 1/2" • 851mm



VF3LT076074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF3LT076078

Frame: 19" - 38" - 19"
Cadre: 483mm-965mm-483mm

Architectural detail manual

Single-Hung window DF3613


All vinyl

DF Windows® Collection

Dim.Col.
RSO
CADRE
FRAME
VERRE
GLASS


84 3/4"•2153mm
84"•2134mm
12 11/16"- 42 1/4"- 12 11/16"
322mm-1073mm-322mm

22 3/4"•578mm
22"•559mm
7 1/2"•191mm




VF3LT084022

26 3/4"•679mm
26"•660mm
9 1/2"•241mm



VF3LT084026

30 3/4"•781mm
30"•762mm
11 1/2"•292mm



VF3LT084030

34 3/4"•883mm
34"•864mm
13 1/2"•343mm




VF3LT084034

38 3/4"•984mm
38"•965mm
15 1/2"•394mm




VF3LT084038

42 3/4"•1086mm
42"•1067mm
17 1/2"•445mm




VF3LT084042

46 3/4"•1187mm
46"•1168mm
19 1/2"•495mm



VF3LT084046

50 3/4"•1289mm
50"•1270mm
21 1/2"•546mm



VF3LT084050

Dim.Col.
RSO
CADRE
FRAME
VERRE
GLASS


84 3/4"•2153mm
84"•2134mm
12 11/16"- 42 1/4"- 12 11/16"
322mm-1073mm-322mm

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF3LT084054

58 3/4"•1492mm
58"•1473mm
25 1/2"•646mm




VF3LT084058

62 3/4"•1594mm
62"•1575mm
27 1/2"•698mm




VF3LT084062

66 3/4"•1695mm
66"•1676mm
29 1/2"•749mm



VF3LT084066

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm




VF3LT084070

Dim.Col.
RSO
CADRE
FRAME
VERRE
GLASS


84 3/4"•2153mm
84"•2134mm
12 11/16"- 42 1/4"- 12 11/16"
322mm-1073mm-322mm

74 3/4"•1899mm
74"•1880mm
33 1/2"•851mm



VF3LT084074

78 3/4"•2000mm
78"•1981mm
35 1/2"•902mm



VF3LT084078

Frame: 19"- 46"- 19"
Cadre: 483mm-1168mm-483mm

Architectural detail manual

Single-Hung window DF3613


All vinyl

DF Windows® Collection

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm

22 3/4" • 578mm
7 1/2" • 191mm




VF3LT092022

26 3/4" • 679mm
9 1/2" • 241mm




VF3LT092026

30 3/4" • 781mm
11 1/2" • 292mm




VF3LT092030

34 3/4" • 883mm
13 1/2" • 343mm




VF3LT092034

38 3/4" • 984mm
15 1/2" • 394mm




VF3LT092038

42 3/4" • 1086mm
17 1/2" • 445mm




VF3LT092042

46 3/4" • 1187mm
19 1/2" • 496mm



VF3LT092046

50 3/4" • 1289mm
21 1/2" • 546mm




VF3LT092050

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm

54 3/4" • 1391mm
54" • 1372mm
23 1/2" • 597mm




VF3LT092054

58 3/4" • 1492mm
56" • 1473mm
25 1/2" • 646mm




VF3LT092058

62 3/4" • 1594mm
58" • 1575mm
27 1/2" • 695mm




VF3LT092062

66 3/4" • 1695mm
60" • 1676mm
29 1/2" • 749mm



VF3LT092066

70 3/4" • 1797mm
70" • 1778mm
31 1/2" • 800mm




VF3LT092070

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


92 3/4" • 2356mm
16 11/16" • 42 1/4" • 16 11/16"
424mm • 1073mm • 424mm

74 3/4" • 1890mm
74" • 1880mm
33 1/2" • 851mm



VF3LT092074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF3LT092078

Frame: 23" - 46" - 23"
Cadre: 584mm-1168mm-584mm

Architectural detail manual

Single-Hung window DF3613

All vinyl

DF Windows® Collection

Dim.Col. RSO 100 3/4"•2559mm
CADRE 100"•2540mm
FRAME 16 11/16"•50 1/4"•16 11/16"
GLASS 424mm-1276mm-424mm
VERRE

22 3/4"•576mm
7 1/2"•191mm

VF3LT100022

26 3/4"•679mm
25"•635mm
9 1/2"•241mm

VF3LT100026

30 3/4"•781mm
29"•738mm
11 1/2"•292mm

VF3LT100030

34 3/4"•883mm
33"•813mm
13 1/2"•343mm

VF3LT100034

38 3/4"•984mm
37"•914mm
15 1/2"•394mm

VF3LT100038

42 3/4"•1086mm
41"•1016mm
17 1/2"•443mm

VF3LT100042

46 3/4"•1187mm
45"•1118mm
19 1/2"•493mm

VF3LT100046

50 3/4"•1289mm
49"•1219mm
21 1/2"•546mm

VF3LT100050

Dim.Col. RSO 100 3/4"•2559mm
CADRE 100"•2540mm
FRAME 16 11/16"•50 1/4"•16 11/16"
GLASS 424mm-1276mm-424mm
VERRE

54 3/4"•1391mm
54"•1372mm
23 1/2"•691mm

VF3LT100054

56 3/4"•1492mm
56"•1473mm
25 1/2"•746mm

VF3LT100058

62 3/4"•1594mm
62"•1575mm
27 1/2"•799mm

VF3LT100062

66 3/4"•1695mm
66"•1576mm
29 1/2"•749mm

VF3LT100066

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm

VF3LT100070

Dim.Col. RSO 100 3/4"•2559mm
CADRE 100"•2540mm
FRAME 16 11/16"•50 1/4"•16 11/16"
GLASS 424mm-1276mm-424mm
VERRE

74 3/4"•1899mm
74"•1880mm
33 1/2"•851mm

VF3LT100074

78 3/4"•2000mm
78"•1981mm
35 1/2"•902mm

VF3LT100078

Frame: 23"-54"-23"
Cadre: 584mm-1372mm-584mm

Frame: 27"- 54"- 27"
Cadre: 686mm-1372mm-686mm

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


108 3/4"•2762mm
108"•2743mm
20 11/16"- 50 1/4"- 20 11/16"
525mm-1276mm-525mm

22 3/4"•578mm
22"•559mm
7 1/2"•191mm




VF3LT108022

26 3/4"•679mm
26"•660mm
9 1/2"•241mm




VF3LT108026

30 3/4"•781mm
30"•762mm
11 1/2"•292mm




VF3LT108030

34 3/4"•883mm
34"•864mm
13 1/2"•343mm




VF3LT108034

38 3/4"•984mm
38"•965mm
15 1/2"•394mm




VF3LT108038

42 3/4"•1086mm
42"•1067mm
17 1/2"•445mm




VF3LT108042

46 3/4"•1187mm
46"•1168mm
19 1/2"•495mm



VF3LT108046

50 3/4"•1289mm
50"•1270mm
21 1/2"•546mm




VF3LT108050

Dim. Col.
RSO CADRE
FRAME VERRE
GLASS


108 3/4"•2762mm
108"•2743mm
20 11/16"- 50 1/4"- 20 11/16"
525mm-1276mm-525mm

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF3LT108054

58 3/4"•1492mm
58"•1473mm
25 1/2"•648mm




VF3LT108058

62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm




VF3LT108062

66 3/4"•1695mm
66"•1676mm
29 1/2"•749mm



VF3LT108066

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm



VF3LT108070

Architectural detail manual


Single-Hung window DF3613

All vinyl

Dim. Col.
CADRE
FRAME
GLASS
VERRE


108 3/4" • 2762mm
108" • 2743mm
20 11/16" • 50 1/4" • 20 11/16"
525mm • 1276mm • 525mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm



VF3LT108074

78 3/4" • 2000mm
78" • 1981mm
35 1/2" • 902mm



VF3LT108078

Frame: 27" - 54" - 27"
Cadre: 686mm - 1372mm - 686mm

Architectural detail manual

Single-Hung window DF3613


All vinyl

Frame: 27"- 62"- 27"
Cadre: 686mm-1575mm-686mm

Dim.Col.
R.S.O. CADRE
FRAME VERRE
FRASSE VERRER
GLASS


116 3/4"•2965mm
116"•2946mm
20 11/16"•58 1/4"•20 11/16"
525mm-1480mm-525mm

22 3/4"•578mm
22"•559mm
7 1/2"•191mm




VF3LT116022

26 3/4"•679mm
26"•660mm
9 1/2"•241mm




VF3LT116026

30 3/4"•781mm
30"•762mm
11 1/2"•292mm




VF3LT116030

34 3/4"•883mm
34"•864mm
13 1/2"•343mm




VF3LT116034

38 3/4"•984mm
38"•965mm
15 1/2"•394mm




VF3LT116038

42 3/4"•1086mm
42"•1067mm
17 1/2"•445mm




VF3LT116042

46 3/4"•1187mm
46"•1168mm
19 1/2"•495mm



VF3LT116046

50 3/4"•1289mm
50"•1270mm
21 1/2"•546mm




VF3LT116050

Dim.Col.
R.S.O. CADRE
FRAME VERRE
FRASSE VERRER
GLASS


116 3/4"•2965mm
116"•2946mm
20 11/16"•58 1/4"•20 11/16"
525mm-1480mm-525mm

54 3/4"•1391mm
54"•1372mm
23 1/2"•597mm




VF3LT116054

58 3/4"•1492mm
58"•1473mm
25 1/2"•648mm




VF3LT116058

62 3/4"•1594mm
62"•1575mm
27 1/2"•699mm




VF3LT116062

66 3/4"•1696mm
66"•1677mm
29 1/2"•749mm



VF3LT116066

70 3/4"•1797mm
70"•1778mm
31 1/2"•800mm



VF3LT116070

Architectural detail manual


Single-Hung window DF3613

All vinyl

Dim.Col.
RISO CADRE
FRAME VERRE
GLASS

116 3/4" • 2965mm
116" • 2946mm
20 11/16" • 58 1/4" • 20 11/16"
525mm • 1480mm • 525mm

74 3/4" • 1899mm
74" • 1880mm
33 1/2" • 851mm





VF3LT116074

Frame: 27" - 62" - 27"
Cadre: 686mm-1575mm-686mm

Architectural detail manual










Single-Hung window DF3613

All vinyl



Frame: 23" - 38" - 23"
 Cadre: 584mm-965mm-584mm

Visible glass: 16 11/16" - 34 1/4" - 16 11/16"
 Verre visible: 424mm-870mm-424mm




Architectural detail manual

Single-Hung window DF3613











All vinyl

DF Windows® Collection



Frame: 23"- 46"- 23"
Cadre: 584mm-1168mm-584mm

Visible glass: 16 11/16"- 42 1/4"- 16 11/16"
Verre visible: 424mm-1073mm-424mm




Architectural detail manual

Single-Hung window DF3613



All vinyl

DF Windows® Collection




Frame: 23" - 54" - 23"
Cadre: 584mm-1372mm-584mm


Visible glass: 16 11/16" - 50 1/4" - 16 11/16"
Verre visible: 424mm-1276mm-424mm




VFBT30100046




VFBT30100050




VFBT30100054




VFBT30100058




VFBT30100062




VFBT30100066



VFBT30100070



VFBT30100074




VFBT30100078

Architectural detail manual



Single-Hung window DF3613

All vinyl




Frame: 23" - 38" - 23"
Cadre: 584mm-965mm-584mm


Visible glass: 16 11/16" - 34 1/4" - 16 11/16"
Verre visible: 424mm-870mm-424mm




VFBT45084046




VFBT45084050




VFBT45084054




VFBT45084058




VFBT45084062




VFBT45084066



VFBT45084070



VFBT45084074




VFBT45084078

Architectural detail manual

Single-Hung window DF3613











All vinyl

DF Windows® Collection



Frame: 23" - 46" - 23"
Cadre: 584mm-1168mm-584mm

Visible glass: 16 11/16" - 42 1/4" - 16 11/16"
Verre visible: 424mm-1073mm-424mm




Architectural detail manual

Single-Hung window DF3613



All vinyl

DF Windows® Collection




Frame: 23" - 54" - 23"
Cadre: 584mm-1372mm-584mm


Visible glass: 16 11/16" - 50 1/4" - 16 11/16"
Verre visible: 424mm-1276mm-424mm




VFBT45100046




VFBT45100050




VFBT45100054




VFBT45100058




VFBT45100062




VFBT45100066



VFBT45100070




VFBT45100074




VFBT45100078

SINGLE-HUNG GLAZING OPTIONS


Carrelage scellé
Internal grilles




Georgian 1"




Georgian 3/4"
[19mm]




Plat 1"
1" Flat




Plat 5/8"
Flat [16mm]



Intercalaire
Spacer bar




Tubulaire
Pencil bar




Carré
Square

SINGLE-HUNG GLAZING OPTIONS


Simili barrotin avec intercalaire
Simulated divided lite with spacer-bar



Simili barrotin
Simulated divided lite




SINGLE-HUNG TRIM OPTIONS




3 1/4" #400
3 1/4" flush frame #400

SINGLE-HUNG TRIM OPTIONS




3 1/4" avec 401
3 1/4" with 401



3 1/4" avec 401-210-211
3 1/4" with 401-210-211



SINGLE-HUNG TRIM OPTIONS



3 1/4" avec 411-412-413

3 1/4" with 411-412-413


SINGLE-HUNG TRIM OPTIONS



4 9/16" avec 414
4 9/16" with 414

4 9/16" avec 415
4 9/16" with 415


SINGLE-HUNG TRIM OPTIONS



3 1/4" avec 422-423-426

3 1/4" with 422-423-426


SINGLE-HUNG TRIM OPTIONS



3 1/4" avec 427-428

3 1/4" with 427-428



SINGLE-HUNG TRIM OPTIONS






3 1/4" avec 569-570-571

3 1/4" with 569-570-571


NATURAL JAMB EXTENDER OPTIONS



VINYL CLAD JAMB EXTENDER OPTIONS




STANDARD MULLION DETAILS




Imposte verre scellé fixe
Cadre de vinyle
Transom with fixed lite
Vinyl frame

OTHER MULLION DETAILS



Imposte volet fixe
Cadre de vinyle
Transom with fixed sash
Vinyl frame

90° CORNER MULLION




Vinyle
Vinyl

LITE CUT INFORMATION

All vinyl single-hung windows are available with, GBG (Grilles between the Glass), and 7/8" Simulated Divided Lites.


LITE CUT OPTIONS

Special lite cut patterns can include a wide variety of straight line and radius patterns. The illustrations shown here represent just a few of the possibilities. Rectangular, horizontal, vertical and Prairie lite patterns are available in all single-hung windows. Uneven, diamond, radius and Gothic lite cuts are available, subject to approval. Approvals are based on the ability to fulfill the design requirement while maintaining the construction integrity of the finished product.



BAR ALIGNMENT


Alignment of muntin bars from one window to the next is often required by fine architectural design. GBG (Grilles between the Glass), and Simulated Divided Lites may be specified with muntin bars aligned.



All vinyl

Angle Bay Spec Guide: 1" Scale

30° VINYL ANGLE BAY




BAY 30°

Unit No.	Window option	Rough Opening		Angle	Unit size		Center Unit size		Int. Projection		Ext. Projection		Overall molding to molding		Overall frame size	
		INCH	MM		INCH	MM	INCH	MM	INCH	MM	INCH	MM	INCH	MM	INCH	MM
VFBT30 084 xx	Flush #400	80 3/4	2051	30°	23,0	584	38,0	965	11 1/2	292	12 7/8	327	81 1/8	2061	80	2032
	B.M. #426	80 3/4	2051	30°	23,0	584	38,0	965	11 1/2	292	12 7/8	327	84 1/8	2137	80	2032
	B.M. #427	80 3/4	2051	30°	23,0	584	38,0	965	11 1/2	292	12 7/8	327	82 7/16	2094	80	2032
VFBT30 092 xx	Flush #400	88 3/4	2254	30°	23,0	584	46,0	1168	11 1/2	292	12 7/8	327	89 1/16	2262	88	2235
	B.M. #426	88 3/4	2254	30°	23,0	584	46,0	1168	11 1/2	292	12 7/8	327	92 1/8	2340	88	2235
	B.M. #427	88 3/4	2254	30°	23,0	584	46,0	1168	11 1/2	292	12 7/8	327	90 3/8	2296	88	2235
VFBT30 100 xx	Flush #400	96 3/4	2457	30°	23,0	584	54,0	1372	11 1/2	292	12 7/8	327	97 1/8	2467	96	2438
	B.M. #426	96 3/4	2457	30°	23,0	584	54,0	1372	11 1/2	292	12 7/8	327	100 3/16	2545	96	2438
	B.M. #427	96 3/4	2457	30°	23,0	584	54,0	1372	11 1/2	292	12 7/8	327	98 7/16	2500	96	2438

Angle Bay Spec Guide: 1" Scale

45° VINYL ANGLE BAY



BAY 45°


Unit No.	Window option	Rough Opening		Angle	Unit size		Center Unit size		Int. Projection		Ext. Projection		Overall molding to molding		Overall frame size	
		INCH	MM		INCH	MM	INCH	MM	INCH	MM	INCH	MM	INCH	MM	INCH	MM
VFBT45 084 xx	Flush #400	73 15/16	1878	45°	23,0	584	38,0	965	16 1/4	413	18 3/16	462	75 1/8	1908	73 3/16	1859
	B.M. #426	73 15/16	1878	45°	23,0	584	38,0	965	16 1/4	413	18 3/16	462	78 7/16	1992	73 3/16	1859
	B.M. #427	73 15/16	1878	45°	23,0	584	38,0	965	16 1/4	413	18 3/16	462	77	1956	73 3/16	1859
VFBT45 092 xx	Flush #400	81 7/8	2080	45°	23,0	584	46,0	1168	16 1/4	413	18 3/16	462	83 1/8	2111	81 1/8	2061
	B.M. #426	81 7/8	2080	45°	23,0	584	46,0	1168	16 1/4	413	18 3/16	462	86 7/16	2196	81 1/8	2061
	B.M. #427	81 7/8	2080	45°	23,0	584	46,0	1168	16 1/4	413	18 3/16	462	85	2159	81 1/8	2061
VFBT45 100 xx	Flush #400	89 15/16	2284	45°	23,0	584	54,0	1372	16 1/4	413	18 3/16	462	91 3/16	2316	89 3/16	2265
	B.M. #426	89 15/16	2284	45°	23,0	584	54,0	1372	16 1/4	413	18 3/16	462	94 7/16	2399	89 3/16	2265
	B.M. #427	89 15/16	2284	45°	23,0	584	54,0	1372	16 1/4	413	18 3/16	462	93	2362	89 3/16	2265

Combination Assemblies


Combination Units - All vinyl Single-Hung

JELD-WEN vinyl Single-Hung Windows can be grouped in almost an infinite number of combinations. They can be mulled directly alongside other operating or fixed windows. Stack them on top or below one another or as part of an elegant Half Round or Quarter Round assembly. Combining them with angular or rectangular Geometrics can create a majestic look. Adding "SDL" (simulated divided lites) or grilles, will accent or provide special effects to your assembly. If standard sizes do not meet your opening requirements, custom sizes may be specified.

Where applications require structural support in the assembly it self, or in the wall section, units may be separated by a specified dimension. If the separation is desired for appearance only, the specified dimension is considered a "spreadmull" and contain filler blocks between the units. In either case, the units are factory assembled and come with exterior and interior mull covers.



Reinforcement: Imposte verre scellé fixe
Cadre vinyle
Reinforcement: Transom with fixed lite
Vinyl frame



Reinforcement: Imposte volet fixe
Cadre de vinyle
Reinforcement: Transom with fixed sash
Vinyl frame

• How to determine Rough Openings of Multiple Assemblies:

JELD-WEN uses a Rough Opening allowance of 3/4" wider and 3/4" higher than the window assembly. (Contact your Dealer or JELD-WEN for special considerations for angular unit rough openings.)

1. Obtain Frame Dimensions of the units to be mulled.
2. Add Frames together along with any spread mulls.
3. Add 3/4" to the width and 3/4" to the height.

• Example:

R.O. for VF3T093062 with a VF3T093022 stacked above.

#1: **Width:** The frame width 93"; add 3/4" for R.O. allowance = 93 3/4"

Height: Add the frame height 22" to the frame height 62"; add 3/4" for R.O. allowance = 84 3/4"

#2: **Width:** The frame width 93"; add 3/4" for R.O. allowance = 93 3/4"

Height: Add the frame height 22" to the frame height 62"; add 1 5/8" for reinforcement; add 3/4" for R.O. allowance = 86 3/8"

Clear Opening and Daylight Specifications
DF3613 All vinyl

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
	Sq. Ft	Sq. met.	Width		Height		Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
			inch	mm	inch	mm						
VF1T 019 022	0,42	0,04	12,8	324	4,7	119	1,3	0,12	4,2	1,3	2,9	0,27
VF1T 019 026	0,59	0,06	12,8	324	6,7	170	1,7	0,16	4,5	1,4	3,4	0,32
VF1T 019 030	0,77	0,07	12,8	324	8,7	221	2,0	0,19	4,8	1,5	4,0	0,37
VF1T 019 034	0,95	0,09	12,8	324	10,7	271	2,4	0,22	5,2	1,6	4,5	0,42
VF1T 019 038	1,12	0,10	12,8	324	12,7	322	2,7	0,25	5,5	1,7	5,0	0,47
VF1T 019 042	1,30	0,12	12,8	324	14,7	373	3,1	0,29	5,8	1,8	5,5	0,51
VF1T 019 046	1,48	0,14	12,8	324	16,7	424	3,4	0,32	6,2	1,9	6,1	0,56
VF1T 019 050	1,65	0,15	12,8	324	18,7	475	3,8	0,35	6,5	2,0	6,6	0,61
VF1T 019 054	1,83	0,17	12,8	324	20,7	525	4,1	0,38	6,8	2,1	7,1	0,66
VF1T 019 058	2,01	0,19	12,8	324	22,7	576	4,5	0,42	7,2	2,2	7,7	0,71
VF1T 019 062	2,19	0,20	12,8	324	24,7	627	4,8	0,45	7,5	2,3	8,2	0,76
VF1T 019 066	2,36	0,22	12,8	324	26,7	678	5,2	0,48	7,8	2,4	8,7	0,81
VF1T 019 070	2,54	0,24	12,8	324	28,7	729	5,6	0,52	8,2	2,5	9,2	0,86
VF1T 019 074	2,72	0,25	12,8	324	30,7	779	5,9	0,55	8,5	2,6	9,8	0,91
VF1T 019 078	2,89	0,27	12,8	324	32,7	830	6,3	0,58	8,8	2,7	10,3	0,96
VF1T 023 022	0,55	0,05	16,8	425	4,7	119	1,7	0,16	4,8	1,5	3,5	0,33
VF1T 023 026	0,78	0,07	16,8	425	6,7	170	2,2	0,20	5,2	1,6	4,2	0,39
VF1T 023 030	1,01	0,09	16,8	425	8,7	221	2,7	0,25	5,5	1,7	4,8	0,45
VF1T 023 034	1,24	0,12	16,8	425	10,7	271	3,1	0,29	5,8	1,8	5,4	0,50
VF1T 023 038	1,48	0,14	16,8	425	12,7	322	3,6	0,33	6,2	1,9	6,1	0,56
VF1T 023 042	1,71	0,16	16,8	425	14,7	373	4,1	0,38	6,5	2,0	6,7	0,62
VF1T 023 046	1,94	0,18	16,8	425	16,7	424	4,5	0,42	6,8	2,1	7,3	0,68
VF1T 023 050	2,17	0,20	16,8	425	18,7	475	5,0	0,46	7,2	2,2	8,0	0,74
VF1T 023 054	2,41	0,22	16,8	425	20,7	525	5,4	0,51	7,5	2,3	8,6	0,80
VF1T 023 058	2,64	0,25	16,8	425	22,7	576	5,9	0,55	7,8	2,4	9,3	0,86
VF1T 023 062	2,87	0,27	16,8	425	24,7	627	6,4	0,59	8,2	2,5	9,9	0,92
VF1T 023 066	3,10	0,29	16,8	425	26,7	678	6,8	0,64	8,5	2,6	10,5	0,98
VF1T 023 070	3,34	0,31	16,8	425	28,7	729	7,3	0,68	8,8	2,7	11,2	1,04
VF1T 023 074	3,57	0,33	16,8	425	30,7	779	7,8	0,72	9,2	2,8	11,8	1,10
VF1T 023 078	3,80	0,35	16,8	425	32,7	830	8,2	0,76	9,5	2,9	12,5	1,16
VF1T 027 022	0,68	0,06	20,8	527	4,7	119	2,1	0,20	5,5	1,7	4,1	0,38
VF1T 027 026	0,96	0,09	20,8	527	6,7	170	2,7	0,25	5,8	1,8	4,9	0,45
VF1T 027 030	1,25	0,12	20,8	527	8,7	221	3,3	0,31	6,2	1,9	5,6	0,52
VF1T 027 034	1,54	0,14	20,8	527	10,7	271	3,9	0,36	6,5	2,0	6,4	0,59
VF1T 027 038	1,83	0,17	20,8	527	12,7	322	4,4	0,41	6,8	2,1	7,1	0,66
VF1T 027 042	2,12	0,20	20,8	527	14,7	373	5,0	0,47	7,2	2,2	7,9	0,73
VF1T 027 046	2,40	0,22	20,8	527	16,7	424	5,6	0,52	7,5	2,3	8,6	0,80
VF1T 027 050	2,69	0,25	20,8	527	18,7	475	6,2	0,57	7,8	2,4	9,4	0,87
VF1T 027 054	2,98	0,28	20,8	527	20,7	525	6,7	0,63	8,2	2,5	10,1	0,94
VF1T 027 058	3,27	0,30	20,8	527	22,7	576	7,3	0,68	8,5	2,6	10,9	1,01
VF1T 027 062	3,56	0,33	20,8	527	24,7	627	7,9	0,73	8,8	2,7	11,6	1,08
VF1T 027 066	3,85	0,36	20,8	527	26,7	678	8,5	0,79	9,2	2,8	12,4	1,15
VF1T 027 070	4,13	0,38	20,8	527	28,7	729	9,0	0,84	9,5	2,9	13,1	1,22
VF1T 027 074	4,42	0,41	20,8	527	30,7	779	9,6	0,89	9,8	3,0	13,9	1,29
VF1T 027 078	4,71	0,44	20,8	527	32,7	830	10,2	0,95	10,2	3,1	14,6	1,36
VF1T 031 022	0,81	0,07	24,8	629	4,7	119	2,6	0,24	6,2	1,9	4,7	0,44
VF1T 031 026	1,15	0,11	24,8	629	6,7	170	3,3	0,30	6,5	2,0	5,6	0,52
VF1T 031 030	1,49	0,14	24,8	629	8,7	221	3,9	0,37	6,8	2,1	6,5	0,60
VF1T 031 034	1,84	0,17	24,8	629	10,7	271	4,6	0,43	7,2	2,2	7,3	0,68
VF1T 031 038	2,18	0,20	24,8	629	12,7	322	5,3	0,49	7,5	2,3	8,2	0,76
VF1T 031 042	2,52	0,23	24,8	629	14,7	373	6,0	0,56	7,8	2,4	9,0	0,84
VF1T 031 046	2,87	0,27	24,8	629	16,7	424	6,7	0,62	8,2	2,5	9,9	0,92
VF1T 031 050	3,21	0,30	24,8	629	18,7	475	7,4	0,68	8,5	2,6	10,8	1,00
VF1T 031 054	3,56	0,33	24,8	629	20,7	525	8,1	0,75	8,8	2,7	11,6	1,08
VF1T 031 058	3,90	0,36	24,8	629	22,7	576	8,7	0,81	9,2	2,8	12,5	1,16
VF1T 031 062	4,24	0,39	24,8	629	24,7	627	9,4	0,88	9,5	2,9	13,3	1,24
VF1T 031 066	4,59	0,43	24,8	629	26,7	678	10,1	0,94	9,8	3,0	14,2	1,32
VF1T 031 070	4,93	0,46	24,8	629	28,7	729	10,8	1,00	10,2	3,1	15,1	1,40
VF1T 031 074	5,27	0,49	24,8	629	30,7	779	11,5	1,07	10,5	3,2	15,9	1,48
VF1T 031 078	5,62	0,52	24,8	629	32,7	830	12,2	1,13	10,8	3,3	16,8	1,56

Clear Opening and Daylight Specifications
DF3613 All vinyl

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
	Sq. Ft	Sq. met.	Width		Height		Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
			inch	mm	inch	mm						
VF1T 036 022	0,97	0,09	29,8	756	4,7	119	3,1	0,29	7,0	2,1	5,5	0,51
VF1T 036 026	1,38	0,13	29,8	756	6,7	170	3,9	0,36	7,3	2,2	6,5	0,60
VF1T 036 030	1,79	0,17	29,8	756	8,7	221	4,7	0,44	7,7	2,3	7,5	0,70
VF1T 036 034	2,21	0,21	29,8	756	10,7	271	5,6	0,52	8,0	2,4	8,5	0,79
VF1T 036 038	2,62	0,24	29,8	756	12,7	322	6,4	0,59	8,3	2,5	9,5	0,88
VF1T 036 042	3,03	0,28	29,8	756	14,7	373	7,2	0,67	8,7	2,6	10,5	0,98
VF1T 036 046	3,45	0,32	29,8	756	16,7	424	8,0	0,75	9,0	2,7	11,5	1,07
VF1T 036 050	3,86	0,36	29,8	756	18,7	475	8,9	0,82	9,3	2,8	12,5	1,16
VF1T 036 054	4,27	0,40	29,8	756	20,7	525	9,7	0,90	9,7	2,9	13,5	1,25
VF1T 036 058	4,69	0,44	29,8	756	22,7	576	10,5	0,98	10,0	3,0	14,5	1,35
VF1T 036 062	5,10	0,47	29,8	756	24,7	627	11,3	1,05	10,3	3,1	15,5	1,44
VF1T 036 066	5,51	0,51	29,8	756	26,7	678	12,2	1,13	10,7	3,2	16,5	1,53
VF1T 036 070	5,93	0,55	29,8	756	28,7	729	13,0	1,21	11,0	3,3	17,5	1,63
VF1T 036 074	6,34	0,59	29,8	756	30,7	779	13,8	1,28	11,3	3,5	18,5	1,72
VF1T 036 078	6,75	0,63	29,8	756	32,7	830	14,6	1,36	11,7	3,6	19,5	1,81
VF1T 039 022	1,07	0,10	32,8	832	4,7	119	3,4	0,32	7,5	2,3	6,0	0,55
VF1T 039 026	1,52	0,14	32,8	832	6,7	170	4,3	0,40	7,8	2,4	7,0	0,65
VF1T 039 030	1,98	0,18	32,8	832	8,7	221	5,2	0,48	8,2	2,5	8,1	0,75
VF1T 039 034	2,43	0,23	32,8	832	10,7	271	6,1	0,57	8,5	2,6	9,2	0,86
VF1T 039 038	2,89	0,27	32,8	832	12,7	322	7,0	0,65	8,8	2,7	10,3	0,96
VF1T 039 042	3,34	0,31	32,8	832	14,7	373	7,9	0,74	9,2	2,8	11,4	1,06
VF1T 039 046	3,80	0,35	32,8	832	16,7	424	8,8	0,82	9,5	2,9	12,5	1,16
VF1T 039 050	4,25	0,39	32,8	832	18,7	475	9,8	0,91	9,8	3,0	13,5	1,26
VF1T 039 054	4,70	0,44	32,8	832	20,7	525	10,7	0,99	10,2	3,1	14,6	1,36
VF1T 039 058	5,16	0,48	32,8	832	22,7	576	11,6	1,07	10,5	3,2	15,7	1,46
VF1T 039 062	5,61	0,52	32,8	832	24,7	627	12,5	1,16	10,8	3,3	16,8	1,56
VF1T 039 066	6,07	0,56	32,8	832	26,7	678	13,4	1,24	11,2	3,4	17,9	1,66
VF1T 039 070	6,52	0,61	32,8	832	28,7	729	14,3	1,33	11,5	3,5	19,0	1,76
VF1T 039 074	6,98	0,65	32,8	832	30,7	779	15,2	1,41	11,8	3,6	20,0	1,86
VF1T 039 078	7,43	0,69	32,8	832	32,7	830	16,1	1,50	12,2	3,7	21,1	1,96
VF1T 043 022	1,20	0,11	36,8	933	4,7	119	3,8	0,35	8,2	2,5	6,6	0,61
VF1T 043 026	1,71	0,16	36,8	933	6,7	170	4,8	0,45	8,5	2,6	7,8	0,72
VF1T 043 030	2,22	0,21	36,8	933	8,7	221	5,8	0,54	8,8	2,7	9,0	0,83
VF1T 043 034	2,73	0,25	36,8	933	10,7	271	6,9	0,64	9,2	2,8	10,2	0,94
VF1T 043 038	3,24	0,30	36,8	933	12,7	322	7,9	0,73	9,5	2,9	11,3	1,05
VF1T 043 042	3,75	0,35	36,8	933	14,7	373	8,9	0,83	9,8	3,0	12,5	1,17
VF1T 043 046	4,26	0,40	36,8	933	16,7	424	9,9	0,92	10,2	3,1	13,7	1,28
VF1T 043 050	4,77	0,44	36,8	933	18,7	475	10,9	1,02	10,5	3,2	14,9	1,39
VF1T 043 054	5,28	0,49	36,8	933	20,7	525	12,0	1,11	10,8	3,3	16,1	1,50
VF1T 043 058	5,79	0,54	36,8	933	22,7	576	13,0	1,21	11,2	3,4	17,3	1,61
VF1T 043 062	6,30	0,59	36,8	933	24,7	627	14,0	1,30	11,5	3,5	18,5	1,72
VF1T 043 066	6,81	0,63	36,8	933	26,7	678	15,0	1,40	11,8	3,6	19,7	1,83
VF1T 043 070	7,32	0,68	36,8	933	28,7	729	16,0	1,49	12,2	3,7	20,9	1,94
VF1T 043 074	7,83	0,73	36,8	933	30,7	779	17,1	1,59	12,5	3,8	22,1	2,05
VF1T 043 078	8,34	0,78	36,8	933	32,7	830	18,1	1,68	12,8	3,9	23,3	2,16
VF1T 048 022	1,36	0,13	41,8	1060	4,7	119	4,3	0,40	9,0	2,7	7,3	0,68
VF1T 048 026	1,94	0,18	41,8	1060	6,7	170	5,5	0,51	9,3	2,8	8,7	0,81
VF1T 048 030	2,52	0,23	41,8	1060	8,7	221	6,6	0,62	9,7	2,9	10,0	0,93
VF1T 048 034	3,10	0,29	41,8	1060	10,7	271	7,8	0,73	10,0	3,0	11,3	1,05
VF1T 048 038	3,68	0,34	41,8	1060	12,7	322	9,0	0,83	10,3	3,1	12,7	1,18
VF1T 048 042	4,26	0,40	41,8	1060	14,7	373	10,1	0,94	10,7	3,2	14,0	1,30
VF1T 048 046	4,84	0,45	41,8	1060	16,7	424	11,3	1,05	11,0	3,3	15,3	1,42
VF1T 048 050	5,42	0,50	41,8	1060	18,7	475	12,4	1,16	11,3	3,5	16,7	1,55
VF1T 048 054	6,00	0,56	41,8	1060	20,7	525	13,6	1,26	11,7	3,6	18,0	1,67
VF1T 048 058	6,58	0,61	41,8	1060	22,7	576	14,8	1,37	12,0	3,7	19,3	1,80
VF1T 048 062	7,16	0,66	41,8	1060	24,7	627	15,9	1,48	12,3	3,8	20,7	1,92
VF1T 048 066	7,74	0,72	41,8	1060	26,7	678	17,1	1,59	12,7	3,9	22,0	2,04
VF1T 048 070	8,32	0,77	41,8	1060	28,7	729	18,2	1,69	13,0	4,0	23,3	2,17
VF1T 048 074	8,90	0,83	41,8	1060	30,7	779	19,4	1,80	13,3	4,1	24,7	2,29
VF1T 048 078	9,48	0,88	41,8	1060	32,7	830	20,5	1,91	13,7	4,2	26,0	2,42