
TABLE OF CONTENTS

Specifications.....	1 - 2
Quick Spec Guide	1 - 3
Clear Opening and Daylight Specifications.....	1 - 5
General Information	
Multiple Assemblies	1 - 8
Handing and Operation	1 - 9
Elevation Drawing Guide	1 - 10
Elevation Drawings	
17" Units (1-2 sections)	1 - 11
19" Units (1-2-3-4 sections).....	1 - 12
19" Units (5 sections)	1 - 15
21" Units (1-2-3 sections).....	1 - 16
23" Units (1-2-3-4 sections).....	1 - 19
23" Units (5 sections)	1 - 23
25" Units (1 section).....	1 - 24
27" Units (1-2-3-4 sections).....	1 - 27
31" Units (1-2-3 sections).....	1 - 30
31" Units (4 sections)	1 - 33
35" Units (1-2-3 sections).....	1 - 35
36" Units (1-2-3 sections)	1 - 38
76" Units (3 uneven sections).....	1 - 41
84" Units (3 uneven sections).....	1 - 42
92" Units (3 uneven sections).....	1 - 43
100" Units (3 uneven sections).....	1 - 44
108" Units (3 uneven sections).....	1 - 45
116" Units (3 uneven sections).....	1 - 47
124" Units (3 uneven sections).....	1 - 49
76" Units (30° Bay)	1 - 50
84" Units (30° Bay)	1 - 51
92" Units (30° Bay)	1 - 52
100" Units (30° Bay)	1 - 53
108" Units (30° Bay)	1 - 54
116" Units (30° Bay)	1 - 56
76" Units (45° Bay)	1 - 58
84" Units (45° Bay)	1 - 59
92" Units (45° Bay)	1 - 60
100" Units (45° Bay)	1 - 61
108" Units (45° Bay)	1 - 62
116" Units (45° Bay)	1 - 64
Detail Drawings	
Glazing Options - Internal Grilles - Tripane	1 - 66
Glazing Options - Internal Grilles - Dualpane.....	1 - 67
Glazing Options - Simulated Divided Lites & False Mullions - Tripane	1 - 68
Glazing Options - Simulated Divided Lites & False Mullions - Dualpane.....	1 - 69
Jamb Extension Options - Aluminum	1 - 70
Jamb Extension Options - Wood	1 - 71
Mullion Details.....	1 - 72
Trim Options - Flush Frame with and without Flange	1 - 73
Trim Options - 1 1/2" Brickmould with and without Flange	1 - 74
Trim Options - 3 1/2" Brickmould with and without Flange	1 - 75
90° Corner Mullion.....	1 - 76

SPECIFICATIONS

MATERIAL

The vinyl and extruded aluminum window profiles meet the AAMA 303-97 performance requirements.

WINDOW FRAME

Vinyl:

All frames are assembled using a fusion welding technology for strength and durability. The depth of the frame is 3 1/4" (83 mm), and the thickness of the outer wall 0.065 inch. The frames are provided with groove for attaching external moldings and come with a built-in adaptor for 1/2-3/4 inch. Closed frame version is also available for replacement.

Aluminum:

The frame cladding is made of extruded aluminum and coated with a baked paint. A nailing fin is integrated into the frame for superior sealing. The mechanical connection with corner injection provides good rigidity and allows application of sealant. The double seal provides optimum sealing.

SASH

Vinyl:

The sash has a thickness of 2 1/4" (nominal) or (54.61 mm), it is assembled using a fusion welding technology for strength and durability.

Aluminum:

The aluminum sash cladding is screwed for easy replacement of parts. Limited points of contact between aluminum and pvc minimize thermal transmittance. The mechanical assembly with double corners on all 4 corners results in a very strong sash.

GLAZING

Sealed unit, 3/4" (19 mm) consists of two panes of glass sealed around an interlayer insulation with double sealing. All insulating glass meet the performance requirements of the standard under IGMAC CAN/CGSB-12.8-97.

GLAZING OPTIONS

The Sealed unit, 3/4 in. (19 mm) is available in clear glass, low-emissivity (low-E) with Argon, tinted or frosted, or any other type of architectural glass upon request. All glasses are available tempered. Sealed unit up to 7/8" is available in option also is a triple glass of 1 1/4" sealed unit.

WEATHERSTRIPPING

Weatherstripping with fin brush is applied around the perimeter of the sash. The double row of weatherstripping coextruded meets AAMA 701 or AAMA 702. A weatherstrip is applied to the entire perimeter of the frame.

HARDWARE

Awning windows have a double lever operator with anticorrosion coating and a multipoint locking system. The finish of the operators is a hardware brand offered by Truth with a folding handle.

WINDOW SCREEN

The insect screen is made in fiberglass (tread 18 x 16) installed in a folded aluminum painted frame, adjusted within the window. The screens are designed to bring air and light while keeping insects out, not to prevent a person or object falling through an open window. For more information on screens or other security devices, contact your retailer of building materials locally.

GRILLES

Simulated divided lite (SDL) made of vinyl inside and outside aluminum, 7/8 in. (23 mm) and 1 3/8 (35 mm) or SDL vinyl inside and aluminum outside 2 5/16 inch (59 mm) fixed permanently on each side of the insulating pane with or without spacer between the glass panes.

Sealed grilles (grilles between the glass) - Georgian style, tubular, square or flat mounted between the glass panes suspended within the empty space.

INSTALLATION

Install vinyl windows in accordance with JELD-WEN installation method. Visit www.jeld-wen.com/resources for instructions.

PERFORMANCE

CSA certified - classified and labeled in accordance with CSA certification program NFRC Certified - (classified and labeled in accordance with NFRC certification program). EnergyStar certified - (classified and labeled according to EnergyStar certification program).

QUICK SPEC GUIDE

SPECIFICATIONS	STANDARD FEATURES	OPTIONAL FEATURES
Colour	<ul style="list-style-type: none"> • White • Black • Commercial Brown • Pebble • Slate 	DF Colour Chart
Module Dimension	<ul style="list-style-type: none"> • Width: 22" to 60" • Height: 23" to 42 	The modules can be mulled together to a maximum of 60sq/ft. All dimensions including the minimum and maximum parameters.
Frame	<ul style="list-style-type: none"> • Exterior Groove • 1 1/2"-3/4" Integrated Adaptor • Mechanical assembly with injections corners 	
Exterior Moulding	<ul style="list-style-type: none"> • Exterior Groove • 1 1/2" Moulding with or without nailing fin • 3 1/2" Moulding with or without nailing fin 	
Glazing	• Clear glazing with insulating spacer	<ul style="list-style-type: none"> - Triple pane - Low emissivity with argon gas - Frosted - Bronze - Grey - Glue chip - Satin - Laminated - All glasses are available tempered
Hardware	<ul style="list-style-type: none"> • Double lever operator • Multi-point locking system • Truth Encore folding handle 	
Hardware Colour	• White (device is visible when window is closed)	
Screen	• Fibreglass mesh	
Colour of Screen Frame	• White	
Grilles		<ul style="list-style-type: none"> - Simulated divided lite (SDL) of 7/8" and 1 3/8" with or without spacer bar - False mullion of 2 5/16" with or without spacer bar <p>Georgian sealed grilles</p> <ul style="list-style-type: none"> - White - Commercial Brown/White - Pebble/White - Slate/White - Black/White - Other colours available upon request <p>Tubular sealed grilles</p> <ul style="list-style-type: none"> - White - Brass - Grey - Pewter

QUICK SPEC GUIDE CONT'D

SPECIFICATIONS	STANDARD FEATURES	OPTIONAL FEATURES
Grilles cont'd		Square sealed grilles - White - Brass - Grey - Pewter Flat sealed grilles - White - Other colours available in duo/white
Frame depth	• 4 9/16" behind nailing fin. Overall frame depth of 5 13/16"	- Closed or opened interior frame - Interior vinyl clad frame extension

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103



CLEAR OPENING AND DAYLIGHT SPECIFICATIONS

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
			Width		Height							
	Sq. Ft	Sq. met.	inch	mm	inch	mm	Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
VK1T 017 022	0,98	0,09	8,2	208	17,3	438	1,2	0,11	5,7	1,7	2,6	0,24
VK1T 017 026	1,21	0,11	8,2	208	21,3	540	1,4	0,13	6,3	1,9	3,1	0,29
VK1T 017 030	1,44	0,13	8,2	208	25,3	641	1,7	0,16	7,0	2,1	3,5	0,33
VK1T 017 034	1,66	0,15	8,2	208	29,3	743	2,0	0,19	7,7	2,3	4,0	0,37
VK1T 017 036	1,78	0,17	8,2	208	31,3	794	2,2	0,20	8,0	2,4	4,3	0,39
VK1T 017 038	1,89	0,18	8,2	208	33,3	845	2,3	0,22	8,3	2,5	4,5	0,42
VK1T 017 042	2,12	0,20	8,2	208	37,3	946	2,6	0,24	9,0	2,7	5,0	0,46
VK1T 017 046	2,35	0,22	8,2	208	41,3	1048	2,9	0,27	9,7	2,9	5,4	0,50
VK1T 017 048	2,46	0,23	8,2	208	43,3	1099	3,1	0,29	10,0	3,0	5,7	0,53
VK1T 017 050	2,57	0,24	8,2	208	45,3	1149	3,2	0,30	10,3	3,1	5,9	0,55
VK1T 017 054	2,80	0,26	8,2	208	49,3	1251	3,5	0,33	11,0	3,4	6,4	0,59
VK1T 017 058	3,03	0,28	8,2	208	53,3	1353	3,8	0,35	11,7	3,6	6,8	0,64
VK1T 017 060	3,14	0,29	8,2	208	55,3	1403	4,0	0,37	12,0	3,7	7,1	0,66
VK1T 017 062	3,26	0,30	8,2	208	57,3	1454	4,1	0,38	12,3	3,8	7,3	0,68
VK1T 017 066	3,48	0,32	8,2	208	61,3	1556	4,4	0,41	13,0	4,0	7,8	0,72
VK1T 017 070	3,71	0,34	8,2	208	65,3	1657	4,7	0,44	13,7	4,2	8,3	0,77
VK1T 017 074	3,94	0,37	8,2	208	69,3	1759	5,0	0,46	14,3	4,4	8,7	0,81
VK1T 017 078	4,16	0,39	8,2	208	73,3	1861	5,3	0,49	15,0	4,6	9,2	0,86
VK1T 019 022	1,22	0,11	10,2	259	17,3	438	1,4	0,13	6,0	1,8	2,9	0,27
VK1T 019 026	1,50	0,14	10,2	259	21,3	540	1,7	0,16	6,7	2,0	3,4	0,32
VK1T 019 030	1,79	0,17	10,2	259	25,3	641	2,1	0,19	7,3	2,2	4,0	0,37
VK1T 019 034	2,07	0,19	10,2	259	29,3	743	2,4	0,22	8,0	2,4	4,5	0,42
VK1T 019 036	2,21	0,21	10,2	259	31,3	794	2,6	0,24	8,3	2,5	4,8	0,44
VK1T 019 038	2,35	0,22	10,2	259	33,3	845	2,8	0,26	8,7	2,6	5,0	0,47
VK1T 019 042	2,64	0,24	10,2	259	37,3	946	3,1	0,29	9,3	2,8	5,5	0,51
VK1T 019 046	2,92	0,27	10,2	259	41,3	1048	3,5	0,32	10,0	3,0	6,1	0,56
VK1T 019 048	3,06	0,28	10,2	259	43,3	1099	3,6	0,34	10,3	3,1	6,3	0,59
VK1T 019 050	3,20	0,30	10,2	259	45,3	1149	3,8	0,36	10,7	3,2	6,6	0,61
VK1T 019 054	3,48	0,32	10,2	259	49,3	1251	4,2	0,39	11,3	3,5	7,1	0,66
VK1T 019 058	3,77	0,35	10,2	259	53,3	1353	4,5	0,42	12,0	3,7	7,7	0,71
VK1T 019 060	3,91	0,36	10,2	259	55,3	1403	4,7	0,44	12,3	3,8	7,9	0,74
VK1T 019 062	4,05	0,38	10,2	259	57,3	1454	4,9	0,45	12,7	3,9	8,2	0,76
VK1T 019 066	4,33	0,40	10,2	259	61,3	1556	5,2	0,49	13,3	4,1	8,7	0,81
VK1T 019 070	4,62	0,43	10,2	259	65,3	1657	5,6	0,52	14,0	4,3	9,2	0,86
VK1T 019 074	4,90	0,46	10,2	259	69,3	1759	5,9	0,55	14,7	4,5	9,8	0,91
VK1T 019 078	5,18	0,48	10,2	259	73,3	1861	6,3	0,58	15,3	4,7	10,3	0,96
VK1T 021 022	1,46	0,14	12,2	310	17,3	438	1,6	0,15	6,3	1,9	3,2	0,30
VK1T 021 026	1,80	0,17	12,2	310	21,3	540	2,0	0,19	7,0	2,1	3,8	0,35
VK1T 021 030	2,14	0,20	12,2	310	25,3	641	2,4	0,22	7,7	2,3	4,4	0,41
VK1T 021 034	2,48	0,23	12,2	310	29,3	743	2,8	0,26	8,3	2,5	5,0	0,46
VK1T 021 036	2,64	0,25	12,2	310	31,3	794	3,0	0,28	8,7	2,6	5,3	0,49
VK1T 021 038	2,81	0,26	12,2	310	33,3	845	3,2	0,30	9,0	2,7	5,5	0,51
VK1T 021 042	3,15	0,29	12,2	310	37,3	946	3,6	0,34	9,7	2,9	6,1	0,57
VK1T 021 046	3,49	0,32	12,2	310	41,3	1048	4,0	0,37	10,3	3,1	6,7	0,62
VK1T 021 048	3,66	0,34	12,2	310	43,3	1099	4,2	0,39	10,7	3,2	7,0	0,65
VK1T 021 050	3,83	0,36	12,2	310	45,3	1149	4,4	0,41	11,0	3,4	7,3	0,68
VK1T 021 054	4,17	0,39	12,2	310	49,3	1251	4,8	0,45	11,7	3,6	7,9	0,73
VK1T 021 058	4,51	0,42	12,2	310	53,3	1353	5,2	0,49	12,3	3,8	8,5	0,79
VK1T 021 060	4,68	0,43	12,2	310	55,3	1403	5,4	0,51	12,7	3,9	8,8	0,81
VK1T 021 062	4,85	0,45	12,2	310	57,3	1454	5,6	0,52	13,0	4,0	9,0	0,84
VK1T 021 066	5,18	0,48	12,2	310	61,3	1556	6,1	0,56	13,7	4,2	9,6	0,89
VK1T 021 070	5,52	0,51	12,2	310	65,3	1657	6,5	0,60	14,3	4,4	10,2	0,95
VK1T 021 074	5,86	0,54	12,2	310	69,3	1759	6,9	0,64	15,0	4,6	10,8	1,00
VK1T 021 078	6,20	0,58	12,2	310	73,3	1861	7,3	0,68	15,7	4,8	11,4	1,06

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103



CLEAR OPENING AND DAYLIGHT SPECIFICATIONS cont'd

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
			Width		Height							
	Sq. Ft	Sq. met.	inch	mm	inch	mm	Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
VK1T 023 022	1,70	0,16	14,2	360	17,3	438	1,8	0,17	6,7	2,0	3,5	0,33
VK1T 023 026	2,09	0,19	14,2	360	21,3	540	2,3	0,21	7,3	2,2	4,2	0,39
VK1T 023 030	2,49	0,23	14,2	360	25,3	641	2,7	0,25	8,0	2,4	4,8	0,45
VK1T 023 034	2,88	0,27	14,2	360	29,3	743	3,2	0,30	8,7	2,6	5,4	0,50
VK1T 023 036	3,08	0,29	14,2	360	31,3	794	3,4	0,32	9,0	2,7	5,8	0,53
VK1T 023 038	3,28	0,30	14,2	360	33,3	845	3,7	0,34	9,3	2,8	6,1	0,56
VK1T 023 042	3,67	0,34	14,2	360	37,3	946	4,1	0,38	10,0	3,0	6,7	0,62
VK1T 023 046	4,06	0,38	14,2	360	41,3	1048	4,6	0,42	10,7	3,2	7,3	0,68
VK1T 023 048	4,26	0,40	14,2	360	43,3	1099	4,8	0,45	11,0	3,4	7,7	0,71
VK1T 023 050	4,46	0,41	14,2	360	45,3	1149	5,0	0,47	11,3	3,5	8,0	0,74
VK1T 023 054	4,85	0,45	14,2	360	49,3	1251	5,5	0,51	12,0	3,7	8,6	0,80
VK1T 023 058	5,25	0,49	14,2	360	53,3	1353	6,0	0,55	12,7	3,9	9,3	0,86
VK1T 023 060	5,44	0,51	14,2	360	55,3	1403	6,2	0,58	13,0	4,0	9,6	0,89
VK1T 023 062	5,64	0,52	14,2	360	57,3	1454	6,4	0,60	13,3	4,1	9,9	0,92
VK1T 023 066	6,03	0,56	14,2	360	61,3	1556	6,9	0,64	14,0	4,3	10,5	0,98
VK1T 023 070	6,43	0,60	14,2	360	65,3	1657	7,3	0,68	14,7	4,5	11,2	1,04
VK1T 023 074	6,82	0,63	14,2	360	69,3	1759	7,8	0,73	15,3	4,7	11,8	1,10
VK1T 023 078	7,22	0,67	14,2	360	73,3	1861	8,3	0,77	16,0	4,9	12,5	1,16
VK1T 025 022	1,94	0,18	16,2	411	17,3	438	2,0	0,19	7,0	2,1	3,8	0,35
VK1T 025 026	2,39	0,22	16,2	411	21,3	540	2,5	0,24	7,7	2,3	4,5	0,42
VK1T 025 030	2,84	0,26	16,2	411	25,3	641	3,1	0,28	8,3	2,5	5,2	0,48
VK1T 025 034	3,29	0,31	16,2	411	29,3	743	3,6	0,33	9,0	2,7	5,9	0,55
VK1T 025 036	3,51	0,33	16,2	411	31,3	794	3,8	0,36	9,3	2,8	6,3	0,58
VK1T 025 038	3,74	0,35	16,2	411	33,3	845	4,1	0,38	9,7	2,9	6,6	0,61
VK1T 025 042	4,19	0,39	16,2	411	37,3	946	4,6	0,43	10,3	3,1	7,3	0,68
VK1T 025 046	4,64	0,43	16,2	411	41,3	1048	5,1	0,48	11,0	3,4	8,0	0,74
VK1T 025 048	4,86	0,45	16,2	411	43,3	1099	5,4	0,50	11,3	3,5	8,3	0,77
VK1T 025 050	5,09	0,47	16,2	411	45,3	1149	5,6	0,52	11,7	3,6	8,7	0,81
VK1T 025 054	5,54	0,51	16,2	411	49,3	1251	6,2	0,57	12,3	3,8	9,4	0,87
VK1T 025 058	5,99	0,56	16,2	411	53,3	1353	6,7	0,62	13,0	4,0	10,1	0,94
VK1T 025 060	6,21	0,58	16,2	411	55,3	1403	6,9	0,64	13,3	4,1	10,4	0,97
VK1T 025 062	6,44	0,60	16,2	411	57,3	1454	7,2	0,67	13,7	4,2	10,8	1,00
VK1T 025 066	6,89	0,64	16,2	411	61,3	1556	7,7	0,72	14,3	4,4	11,5	1,06
VK1T 025 070	7,33	0,68	16,2	411	65,3	1657	8,2	0,76	15,0	4,6	12,2	1,13
VK1T 025 074	7,78	0,72	16,2	411	69,3	1759	8,7	0,81	15,7	4,8	12,8	1,19
VK1T 025 078	8,23	0,76	16,2	411	73,3	1861	9,3	0,86	16,3	5,0	13,5	1,26
VK1T 027 022	2,18	0,20	18,2	462	17,3	438	2,2	0,21	7,3	2,2	4,1	0,38
VK1T 027 026	2,68	0,25	18,2	462	21,3	540	2,8	0,26	8,0	2,4	4,9	0,45
VK1T 027 030	3,19	0,30	18,2	462	25,3	641	3,4	0,31	8,7	2,6	5,6	0,52
VK1T 027 034	3,69	0,34	18,2	462	29,3	743	4,0	0,37	9,3	2,8	6,4	0,59
VK1T 027 036	3,95	0,37	18,2	462	31,3	794	4,2	0,39	9,7	2,9	6,8	0,63
VK1T 027 038	4,20	0,39	18,2	462	33,3	845	4,5	0,42	10,0	3,0	7,1	0,66
VK1T 027 042	4,70	0,44	18,2	462	37,3	946	5,1	0,47	10,7	3,2	7,9	0,73
VK1T 027 046	5,21	0,48	18,2	462	41,3	1048	5,7	0,53	11,3	3,5	8,6	0,80
VK1T 027 048	5,46	0,51	18,2	462	43,3	1099	6,0	0,55	11,7	3,6	9,0	0,84
VK1T 027 050	5,72	0,53	18,2	462	45,3	1149	6,2	0,58	12,0	3,7	9,4	0,87
VK1T 027 054	6,22	0,58	18,2	462	49,3	1251	6,8	0,63	12,7	3,9	10,1	0,94
VK1T 027 058	6,73	0,62	18,2	462	53,3	1353	7,4	0,69	13,3	4,1	10,9	1,01
VK1T 027 060	6,98	0,65	18,2	462	55,3	1403	7,7	0,71	13,7	4,2	11,3	1,05
VK1T 027 062	7,23	0,67	18,2	462	57,3	1454	8,0	0,74	14,0	4,3	11,6	1,08
VK1T 027 066	7,74	0,72	18,2	462	61,3	1556	8,5	0,79	14,7	4,5	12,4	1,15
VK1T 027 070	8,24	0,77	18,2	462	65,3	1657	9,1	0,85	15,3	4,7	13,1	1,22
VK1T 027 074	8,75	0,81	18,2	462	69,3	1759	9,7	0,90	16,0	4,9	13,9	1,29
VK1T 027 078	9,25	0,86	18,2	462	73,3	1861	10,3	0,95	16,7	5,1	14,6	1,36


DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103




CLEAR OPENING AND DAYLIGHT SPECIFICATIONS cont'd

Unit No.	Clear opening		Clear opening				Daylight Opening		Length of wetherstrip		Unit	
			Width		Height							
	Sq. Ft	Sq. met.	inch	mm	inch	mm	Sq. Ft	Sq. met.	lin. Ft	lin. met.	Sq. Ft	Sq. met.
VK1T 031 022	2,66	0,25	22,2	564	17,3	438	2,7	0,25	8,0	2,4	4,7	0,44
VK1T 031 026	3,27	0,30	22,2	564	21,3	540	3,4	0,31	8,7	2,6	5,6	0,52
VK1T 031 030	3,89	0,36	22,2	564	25,3	641	4,0	0,38	9,3	2,8	6,5	0,60
VK1T 031 034	4,51	0,42	22,2	564	29,3	743	4,7	0,44	10,0	3,0	7,3	0,68
VK1T 031 036	4,81	0,45	22,2	564	31,3	794	5,1	0,47	10,3	3,1	7,8	0,72
VK1T 031 038	5,12	0,48	22,2	564	33,3	845	5,4	0,50	10,7	3,2	8,2	0,76
VK1T 031 042	5,74	0,53	22,2	564	37,3	946	6,1	0,57	11,3	3,5	9,0	0,84
VK1T 031 046	6,36	0,59	22,2	564	41,3	1048	6,8	0,63	12,0	3,7	9,9	0,92
VK1T 031 048	6,66	0,62	22,2	564	43,3	1099	7,1	0,66	12,3	3,8	10,3	0,96
VK1T 031 050	6,97	0,65	22,2	564	45,3	1149	7,5	0,69	12,7	3,9	10,8	1,00
VK1T 031 054	7,59	0,70	22,2	564	49,3	1251	8,1	0,76	13,3	4,1	11,6	1,08
VK1T 031 058	8,20	0,76	22,2	564	53,3	1353	8,8	0,82	14,0	4,3	12,5	1,16
VK1T 031 060	8,51	0,79	22,2	564	55,3	1403	9,2	0,85	14,3	4,4	12,9	1,20
VK1T 031 062	8,82	0,82	22,2	564	57,3	1454	9,5	0,88	14,7	4,5	13,3	1,24
VK1T 031 066	9,44	0,88	22,2	564	61,3	1556	10,2	0,95	15,3	4,7	14,2	1,32
VK1T 031 070	10,05	0,93	22,2	564	65,3	1657	10,9	1,01	16,0	4,9	15,1	1,40
VK1T 031 074	10,67	0,99	22,2	564	69,3	1759	11,6	1,07	16,7	5,1	15,9	1,48
VK1T 031 078	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 022	3,14	0,29	26,2	665	17,3	438	3,1	0,29	8,7	2,6	5,3	0,50
VK1T 035 026	3,86	0,36	26,2	665	21,3	540	3,9	0,36	9,3	2,8	6,3	0,59
VK1T 035 030	4,59	0,43	26,2	665	25,3	641	4,7	0,44	10,0	3,0	7,3	0,68
VK1T 035 034	5,32	0,49	26,2	665	29,3	743	5,5	0,51	10,7	3,2	8,3	0,77
VK1T 035 036	5,68	0,53	26,2	665	31,3	794	5,9	0,55	11,0	3,4	8,8	0,81
VK1T 035 038	6,05	0,56	26,2	665	33,3	845	6,3	0,58	11,3	3,5	9,2	0,86
VK1T 035 042	6,77	0,63	26,2	665	37,3	946	7,1	0,66	12,0	3,7	10,2	0,95
VK1T 035 046	7,50	0,70	26,2	665	41,3	1048	7,9	0,73	12,7	3,9	11,2	1,04
VK1T 035 048	7,87	0,73	26,2	665	43,3	1099	8,3	0,77	13,0	4,0	11,7	1,08
VK1T 035 050	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 054	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 058	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 060	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 062	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 066	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 070	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 074	-	-	-	-	-	-	-	-	-	-	-	-
VK1T 035 078	-	-	-	-	-	-	-	-	-	-	-	-


MULTIPLE ASSEMBLIES





HANDING AND OPERATION



LEFT
HAND



RIGHT
HAND




CASEMENT UNIT HANDING:
UNIT HANDING IS DEFINED (FROM
THE EXTERIOR) AS THE
DIRECTION THE SASH OPENS.

ELEVATION DRAWING GUIDE

Height:
 Rough Opening 54 3/4" - 1391mm
 Frame Size 54" - 1372mm
 Glass Size 47 5/8" - 1210mm

Width:
 Rough Opening 27 3/4" - 705mm
 Frame Size 27" - 686mm
 Glass Size 20 5/8" - 524mm



Window meets Egress as per Canadian NBC

OUTSIDE OF FRAME

'VK' INDICATES DF3103 HYBRID CASEMENT SERIES
 THE NUMBER INDICATES THE NUMBER OF UNITS MULLED TOGETHER
 'T' INDICATES DUAL GLAZED PRODUCT

VK1T027054

BOOK CODE

THE NEXT THREE NUMBERS INDICATE THE UNIT HEIGHT IN INCHES

THE FIRST THREE NUMBERS INDICATE THE UNIT WIDTH IN INCHES


GENERAL CASEMENT NOTES

1. ALL HYBRID CASMENT UNITS ARE AVAILABLE AS OPERATING OR STATIONARY UNITS.
2. UNIT ELEVATIONS ARE SHOWN WITHOUT EXTERIOR TRIM.

ELEVATION SYMBOL LEGEND:

- E** BASIC UNIT CLEAR OPENING EXCEEDS 15" IN WIDTH, 15" IN HEIGHT & A MINIMUM OF 3.77 SQ. FT. UNOBSTRUCTED OPENING BASED ON CANADIAN NBC
- E*** BASIC UNIT CLEAR OPENING REQUIRES EGRESS HINGES TO EXCEED 15" IN WIDTH, 15" IN HEIGHT & A MINIMUM OF 3.77 SQ. FT. UNOBSTRUCTED OPENING BASED ON CANADIAN NBC

CASEMENT PICTURE COMBINATIONS



VK3T108050

INDICATES IN 3 UNEVEN SECTIONS

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

17" Units (1-2 sections)

RSQ Dim Col. CARRE VERRE	FRAME CADRE GLASS	17 3/4"•451mm 17"•432mm 10 5/8"•270mm	34 3/4"•883mm 34"•864mm 11 1/16"•281mm	17 3/4"•451mm 17"•432mm 10 5/8"•270mm	34 3/4"•883mm 34"•864mm 11 1/16"•281mm	17 3/4"•451mm 17"•432mm 10 5/8"•270mm	34 3/4"•883mm 34"•864mm 11 1/16"•281mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

19" Units (1-2-3-4 sections)

RSD Dim. Col. CORE
 FRAME GLASS VERRE

19 3/4"•502mm
 19"•483mm
 12 5/8"•321mm

38 3/4"•984mm
 38"•965mm
 13 1/16"•332mm


57 3/4"•1487mm
 57"•1448mm
 13 1/4"•336mm

76 3/4"•1949mm
 76"•1930mm
 13 1/4"•336mm


22 3/4"•599mm
 22"•587mm
 15 5/8"•397mm




VK1T019022



VK2T038022



VK3T057022




VK4T076022


20 3/8"•610mm
 20"•600mm
 19 5/8"•488mm




VK1T019026



VK2T038026




VK3T057026




VK4T076026


30 3/4"•844mm
 30"•822mm
 23 5/8"•600mm




VK1T019030



VK2T038030




VK3T057030




VK4T076030


34 3/4"•864mm
 34"•844mm
 27 5/8"•702mm




VK1T019034



VK2T038034




VK3T057034




VK4T076034


36 3/4"•913mm
 36"•895mm
 29 5/8"•752mm




VK1T019036



VK2T038036




VK3T057036




VK4T076036


38 3/4"•964mm
 38"•945mm
 31 5/8"•833mm




VK1T019038



VK2T038038



VK3T057038




VK4T076038


42 3/4"•1080mm
 42"•1067mm
 35 5/8"•909mm




VK1T019042



VK2T038042



VK3T057042



VK4T076042

40 3/4"•1181mm
 40"•1168mm
 39 5/8"•1066mm



VK1T019046



VK2T038046



VK3T057046



VK4T076046

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

19" Units (1-2-3-4 sections) cont'd

K50 Dim.Coll.
 FRAME CADRE
 GLASS VERRE


19 3/4"•502mm
 19"•483mm
 12 5/8"•321mm

38 3/4"•984mm
 38"•965mm
 13 1/16"•322mm


57 3/4"•1467mm
 57"•1448mm
 13 1/4"•336mm

76 3/4"•1949mm
 76"•1930mm
 13 1/4"•336mm


4 3/4"•123mm
 48"•129mm
 41 5/8"•107mm




VK1T019048



VK2T038048




VK3T057048




VK4T076048


3 3/4"•125mm
 50"•127mm
 43 5/8"•108mm




VK1T019050



VK2T038050




VK3T057050




VK4T076050


3 3/4"•134mm
 54"•132mm
 47 5/8"•120mm




VK1T019054



VK2T038054




VK3T057054




VK4T076054


3 3/4"•149mm
 57"•147mm
 51 5/8"•131mm




VK1T019058



VK2T038058




VK3T057058




VK4T076058


3 3/4"•152mm
 60"•154mm
 53 5/8"•132mm




VK1T019060



VK2T038060




VK3T057060




VK4T076060


3 3/4"•159mm
 62"•157mm
 55 5/8"•133mm




VK1T019062



VK2T038062



VK3T057062



VK4T076062

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

19" Units (1-2-3-4 sections) cont'd

K50 Dim. Col.
 FRAME CADRE
 GLASS VERRE


19 3/4"•502mm
 19"•483mm
 12 5/8"•321mm

38 3/4"•984mm
 38"•965mm
 13 1/16"•332mm


57 3/4"•1467mm
 57"•1448mm
 13 1/4"•336mm

76 3/4"•1949mm
 76"•1930mm
 13 1/4"•336mm


DO 3/4"•185mm
 68"•177mm
 59 5/8"•154mm




VK1T019066



VK2T038066




VK3T057066




VK4T076066


DO 3/4"•177mm
 63 5/8"•161mm




VK1T019070



VK2T038070




VK3T057070




VK4T076070


DO 3/4"•185mm
 67 5/8"•171mm




VK1T019074



VK2T038074




VK3T057074




VK4T076074


DO 3/4"•191mm
 71 5/8"•181mm




VK1T019078



VK2T038078



VK3T057078




VK4T076078

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


19" Units (5 sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN®
 WINDOWS & DOORS

21" Units (1-2-3 sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103


JELD-WEN®
 WINDOWS & DOORS

21" Units (1-2-3 sections) cont'd


RSD Dim.Cd.
 FRAME CADRE
 GLASS VERRE
 21 3/4"•552mm
 21"•533mm
 14 5/8"•371mm

42 3/4"•1096mm
 42"•1067mm
 15 1/16"•383mm


64 3/4"•1645mm
 64"•1626mm
 15 9/16"•395mm



VK1T021048




VK2T042048




VK3T064048


30 3/4"•1289mm
 30"•1270mm
 43 5/8"•1108mm



VK1T021050




VK2T042050




VK3T064050


34 3/4"•1391mm
 34"•1372mm
 47 5/8"•1210mm



VK1T021054




VK2T042054




VK3T064054


36 3/4"•1482mm
 36"•1473mm
 51 5/8"•1311mm



VK1T021058




VK2T042058




VK3T064058


39 3/4"•1584mm
 39"•1575mm
 53 5/8"•1362mm



VK1T021060




VK2T042060




VK3T064060


42 3/4"•1694mm
 42"•1675mm
 55 5/8"•1413mm



VK1T021062



VK2T042062



VK3T064062

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

21" Units (1-2-3 sections) cont'd


RSO Dim.Col.
 FRAME CADRE
 GLASS VERRE

21 3/4"•552mm
 21"•533mm
 14 5/8"•371mm


42 3/4"•1086mm
 42"•1067mm
 15 1/16"•383mm

64 3/4"•1645mm
 64"•1626mm
 15 9/16"•395mm


166 3/4"•1690mm
 66"•1675mm
 59 5/8"•1514mm



VK1T021066




VK2T042066




VK3T064066


166 3/4"•1470mm
 66"•1455mm
 59 5/8"•1616mm



VK1T021070




VK2T042070




VK3T064070


166 3/4"•1394mm
 66"•1380mm
 59 5/8"•1718mm



VK1T021074




VK2T042074




VK3T064074


166 3/4"•1934mm
 66"•1911mm
 59 5/8"•1819mm



VK1T021078



VK2T042078




VK3T064078

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


23" Units (1-2-3-4 sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

23" Units (1-2-3-4 sections) cont'd



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

23" Units (1-2-3-4 sections) cont'd

HSU Dim. Col.
 FRAME CADRE
 GLASS VERRE


23 3/4"•603mm
 23"•584mm
 16 5/8"•422mm

46 3/4"•1187mm
 46"•1168mm
 17 1/16"•433mm


69 3/4"•1772mm
 69"•1753mm
 17 1/4"•438mm

92 3/4"•2356mm
 92"•2337mm
 17 1/4"•438mm


CD 3/4"•103mm
 66"•1676mm
 59 5/8"•1514mm




VK1T023066



VK2T046066




VK3T069066




VK4T092066


CD 3/4"•1179mm
 70"•1778mm
 63 5/8"•1616mm




VK1T023070



VK2T046070




VK3T069070




VK4T092070


CD 3/4"•1830mm
 74"•1830mm
 67 5/8"•1718mm




VK1T023074



VK2T046074




VK3T069074




VK4T092074


CD 3/4"•2194mm
 78"•1861mm
 71 5/8"•1819mm




VK1T023078



VK2T046078



VK3T069078




VK4T092078

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


23" Units (5 sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


23" Units (5 sections) cont'd



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


25" Units (1 section)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


25" Units (5 sections)



DF COLLECTION
Architectural Detail Guide
Hybrid Casement Window DF 3103

JELD-WEN
WINDOWS & DOORS

25" Units (5 sections) cont'd



VKT125066

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN®
 WINDOWS & DOORS

27" Units (1-2-3-4 sections)


RSD Dim.Cd.
27 3/4" * 705mm
20 5/8" * 524mm

FRAME CADRE
27" * 886mm
21 1/16" * 539mm


GLASS
54 3/4" * 1391mm
54" * 1372mm
21 1/4" * 539mm

81 3/4" * 2076mm
8" * 2057mm
21 1/4" * 539mm


22 3/4" * 520mm
15 5/8" * 397mm




VK1T027022



VK2T054022




VK3T081022




VK4T108022


20 3/4" * 510mm
19 5/8" * 398mm




VK1T027026



VK2T054026




VK3T081026



VK4T108026


30 3/4" * 710mm
23 5/8" * 600mm




VK1T027030



VK2T054030




VK3T081030




VK4T108030


34 3/4" * 785mm
27 5/8" * 602mm




VK1T027034



VK2T054034




VK3T081034




VK4T108034


36 3/4" * 914mm
29 5/8" * 522mm




VK1T027036



VK2T054036




VK3T081036



VK4T108036


38 3/4" * 945mm
31 5/8" * 803mm




VK1T027038



VK2T054038




VK3T081038




VK4T108038


40 3/4" * 1080mm
35 5/8" * 905mm




VK1T027042



VK2T054042




VK3T081042




VK4T108042


42 3/4" * 1168mm
35 5/8" * 1008mm




VK1T027046



VK2T054046



VK3T081046



VK4T108046

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

27" Units (1-2-3-4 sections) cont'd

RSO Dim.Cat.
 FRAME CADRE
 GLASS VERRE


27 3/4"•705mm
 27"•686mm
 20 5/8"•524mm

54 3/4"•1391mm
 54"•1372mm
 21 1/16"•535mm


81 3/4"•2076mm
 81"•2057mm
 21 1/4"•539mm

108 3/4"•2762mm
 108"•2743mm
 21 1/4"•539mm


48 3/4"•1238mm
 48"•1219mm
 41 1/8"•507mm




VK1T027048



VK2T054048




VK3T081048




VK4T108048


50 3/4"•1289mm
 50"•1270mm
 43 5/8"•1108mm




VK1T027050



VK2T054050




VK3T081050




VK4T108050


54 3/4"•1391mm
 54"•1372mm
 47 7/8"•1210mm




VK1T027054



VK2T054054




VK3T081054




VK4T108054


58 3/4"•1492mm
 58"•1477mm
 51 5/8"•1311mm




VK1T027058



VK2T054058




VK3T081058




VK4T108058


60 3/4"•1543mm
 60"•1524mm
 53 5/8"•1321mm




VK1T027060



VK2T054060




VK3T081060




VK4T108060


62 3/4"•1594mm
 62"•1577mm
 55 5/8"•1419mm




VK1T027062



VK2T054062



VK3T081062



VK4T108062

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

27" Units (1-2-3-4 sections) cont'd


HSO Dim. Col.
FRAME CADRE
GLASS VERRE

27 3/4" * 705mm
27" * 696mm
20 5/8" * 524mm


54 3/4" * 1391mm
54" * 1372mm
21 1/16" * 535mm

81 3/4" * 2076mm
81" * 2057mm
21 1/4" * 539mm


108 3/4" * 2762mm
108" * 2743mm
21 1/4" * 539mm




VK1T027066



VK2T054066




VK3T081066




VK4T108066


do 3/4" * 163mm
66" * 676mm
59 5/8" * 514mm




VK1T027070



VK2T054070




VK3T081070




VK4T108070


do 3/4" * 115mm
63 5/8" * 1616mm




VK1T027074



VK2T054074




VK3T081074




VK4T108074


do 3/4" * 183mm
74" * 180mm
67 5/8" * 1718mm




VK1T027078



VK2T054078



VK3T081078




VK4T108078

do 3/4" * 210mm
78" * 198mm
71 5/8" * 1819mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

31" Units (1-2-3 sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

31" Units (1-2-3 sections) cont'd


RSO Dim. C4
FRAME GLASS VERRE

31 3/4"•806mm
31"•787mm
24 5/8"•625mm


62 3/4"•1594mm
62"•1575mm
25 1/16"•637mm

93 3/4"•2381mm
93"•2362mm
25 1/4"•641mm


48 5/8"•1219mm
48"•1219mm
41 5/8"•1037mm



VK1T031048




VK2T062048




VK3T093048


34 3/4"•1289mm
34"•1270mm
43 5/8"•1108mm



VK1T031050




VK2T062050




VK3T093050


34 3/4"•1319mm
34"•1320mm
47 5/8"•1210mm



VK1T031054




VK2T062054




VK3T093054


38 3/4"•144mm
38"•143mm
51 5/8"•131mm



VK1T031058




VK2T062058




VK3T093058


40 3/4"•154mm
40"•152mm
53 5/8"•136mm



VK1T031060




VK2T062060




VK3T093060


42 3/4"•154mm
42"•155mm
55 5/8"•143mm



VK1T031062



VK2T062062



VK3T093062

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

31" Units (1-2-3 sections) cont'd


RSO Dim. Col.
 FRAME CADRE
 GLASS VERRE

31 3/4"•800mm
 31"•787mm
 24 5/8"•625mm


62 3/4"•1594mm
 62"•1575mm
 25 1/16"•637mm

93 3/4"•2381mm
 93"•2362mm
 25 1/4"•641mm


80 3/4"•1930mm
 86"•1766mm
 59 5/8"•1514mm



VK1T031066




VK2T062066




VK3T093066


70 3/4"•1794mm
 70"•1776mm
 63 5/8"•1616mm



VK1T031070




VK2T062070




VK3T093070


74"•1830mm
 67 5/8"•1718mm



VK1T031074




VK2T062074




VK3T093074


78 3/4"•1919mm
 73"•1881mm
 71 5/8"•1819mm



VK1T031078



VK2T062078




VK3T093078

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


31" Units (4 sections)



DF COLLECTION
Architectural Detail Guide
Hybrid Casement Window DF 3103

JELD-WEN
WINDOWS & DOORS
























31" Units (4 sections) cont'd



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN®
 WINDOWS & DOORS







35" Units (1-2-3 sections)




DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

35" Units (1-2-3 sections) cont'd




70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm




VK2T070048

105 3/4" * 2686mm
 105" * 2667mm
 29 1/4" * 742mm




VK3T105048

70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm




VK2T070050




VK3T105050

70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm




VK2T070054




VK3T105054

70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm




VK2T070058




VK3T105058

70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm




VK2T070060




VK3T105060

70 3/4" * 1797mm
 70" * 1778mm
 29 1/16" * 738mm



VK2T070062



VK3T105062


DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

35" Units (1-2-3 sections) cont'd


Dim.04
FRAME CADRE
GLASS VERRE

35 3/4" * 908mm
35" * 899mm
28 5/8" * 727mm




VK1T035066

70 3/4" * 1797mm
70" * 1778mm
29 1/16" * 738mm




VK2T070066

105 3/4" * 2686mm
105" * 2657mm
29 1/4" * 742mm




VK3T105066


70 3/4" * 1797mm
70" * 1778mm
63 5/8" * 1616mm



VK1T035070




VK2T070070




VK3T105070


74 3/4" * 1900mm
74" * 1880mm
67 5/8" * 1718mm



VK1T035074



VK2T070074




VK3T105074

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


36" Units (1-2-3 sections)




DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

36" Units (1-2-3 sections) cont'd




VK1T036048




VK2T072048

108 3/4" x 2762mm
108" x 2743mm
30 1/4" x 768mm


VK3T108048




VK1T036050




VK2T072050




VK3T108050




VK1T036054




VK2T072054




VK3T108054




VK1T036058




VK2T072058




VK3T108058




VK1T036060




VK2T072060




VK3T108060



VK1T036062



VK2T072062




VK3T108062


DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


36" Units (1-2-3 sections) cont'd




VK1T036066




VK2T072066




VK3T108066




VK1T036070




VK2T072070




VK3T108070



VK1T036074



VK2T072074







VK3T108074

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

76" Units (3 uneven sections)


 <p>76 3/4" x 1949mm 13 3/16" - 32 5/8" - 13 3/16" 335mm-829mm-335mm</p> <p>RSO Dim. Col. FRAME CADRE GLASS VERRE</p> <p>VK3LT076022</p>	 <p>76 3/4" x 1949mm 13 3/16" - 32 5/8" - 13 3/16" 335mm-829mm-335mm</p> <p>RSO Dim. Col. FRAME CADRE GLASS VERRE</p> <p>VK3LT076048</p>	 <p>76 3/4" x 1949mm 13 3/16" - 32 5/8" - 13 3/16" 335mm-829mm-335mm</p> <p>RSO Dim. Col. FRAME CADRE GLASS VERRE</p> <p>VK3LT076066</p>
 <p>26 3/4" x 679mm 19 3/8" x 495mm 23 5/8" x 685mm</p> <p>VK3LT076026</p>	 <p>22 3/4" x 578mm 15 5/8" x 395mm 19 3/8" x 495mm</p> <p>VK3LT076044</p>	 <p>48 3/4" x 1238mm 48" x 19mm 41 5/8" x 105mm</p> <p>VK3LT076064</p>
 <p>30 3/4" x 781mm 27 5/8" x 685mm</p> <p>VK3LT076030</p>	 <p>50 3/4" x 1289mm 50" x 170mm 47 5/8" x 1108mm</p> <p>VK3LT076050</p>	 <p>66 3/4" x 1695mm 66" x 157mm 63 5/8" x 1514mm</p> <p>VK3LT076070</p>
 <p>34 3/4" x 833mm 27 5/8" x 725mm</p> <p>VK3LT076034</p>	 <p>54 3/4" x 1391mm 47 5/8" x 132mm 51 5/8" x 1210mm</p> <p>VK3LT076054</p>	 <p>70 3/4" x 1797mm 70" x 178mm 63 5/8" x 1616mm</p> <p>VK3LT076074</p>
 <p>36 3/4" x 933mm 29 5/8" x 725mm</p> <p>VK3LT076036</p>	 <p>58 3/4" x 1492mm 58" x 473mm 51 5/8" x 131mm</p> <p>VK3LT076058</p>	 <p>74 3/4" x 1899mm 74" x 488mm 67 5/8" x 1718mm</p> <p>VK3LT076078</p>
 <p>38 3/4" x 964mm 31 5/8" x 855mm</p> <p>VK3LT076038</p>	 <p>60 3/4" x 1543mm 60" x 424mm 53 5/8" x 1322mm</p> <p>VK3LT076060</p>	 <p>78 3/4" x 2000mm 78" x 191mm 71 5/8" x 1819mm</p> <p>VK3LT076078</p>
 <p>42 3/4" x 1086mm 35 5/8" x 855mm</p> <p>VK3LT076042</p>	 <p>62 3/4" x 1594mm 62" x 475mm 55 5/8" x 413mm</p> <p>VK3LT076062</p>	 <p>82 3/4" x 2000mm 82" x 191mm 75 5/8" x 1819mm</p> <p>VK3LT076082</p>
 <p>46 3/4" x 1187mm 39 5/8" x 1086mm</p> <p>VK3LT076046</p>	 <p>70 3/4" x 1695mm 70" x 157mm 63 5/8" x 1514mm</p> <p>VK3LT076066</p>	 <p>92 3/4" x 2000mm 92" x 191mm 85 5/8" x 1819mm</p> <p>VK3LT076086</p>

Frame: 19"- 38"- 19"
 Cadre: 483mm-965mm-483mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

84" Units (3 uneven sections)




Frame: 19"- 46"- 19"
 Cadre: 483mm-1168mm-483mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

92" Units (3 uneven sections)




Frame: 23"- 46"- 23"
 Cadre: 584mm-1168mm-584mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

100" Units (3 uneven sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

108" Units (3 uneven sections)

Frame: 27"- 54"- 27" Cadre: 686mm-1372mm-686mm		
22 3/4" x 575mm 108" x 2743mm 21 3/16" - 48 5/8" - 21 3/16" 538mm-1235mm-538mm	RSO Dim. Col. CADRE GLASS VERRÉ	108 3/4" x 2762mm 108" x 2743mm 21 3/16" - 48 5/8" - 21 3/16" 538mm-1235mm-538mm
	VK3LT108022	
	VK3LT108026	
	VK3LT108030	
	VK3LT108034	
	VK3LT108036	
	VK3LT108038	
	VK3LT108042	
	VK3LT108046	
42 3/4" x 1050mm 42" x 1067mm 35 5/8" x 905mm 35 5/8" x 1006mm	38 3/4" x 954mm 38" x 965mm 31 5/8" x 803mm	58 3/4" x 1422mm 58" x 1433mm 51 5/8" x 1311mm
30 3/4" x 935mm 30" x 914mm 29 5/8" x 752mm	34 3/4" x 854mm 34" x 864mm 27 5/8" x 702mm	50 3/4" x 1289mm 50" x 1270mm 43 5/8" x 108mm
40 3/4" x 1167mm 40" x 1186mm 39 5/8" x 1066mm	31 3/4" x 954mm 31" x 965mm 27 5/8" x 803mm	60 3/4" x 1543mm 60" x 1524mm 53 5/8" x 1362mm
46 3/4" x 1167mm 46" x 1186mm 39 5/8" x 1066mm	38 3/4" x 954mm 38" x 965mm 31 5/8" x 803mm	62 3/4" x 1594mm 62" x 1575mm 55 5/8" x 1413mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103


JELD-WEN
 W I N D O W S & D O O R S

108" Units (3 uneven sections) cont'd

Frame: 27"- 54"- 27"
 Cadre: 686mm-1372mm-686mm


Dim Cad.
RSD
FRAME
GLASS
VERRE

108 3/4" * 2762mm
 108" * 2743mm
 21 3/16" * 48 5/8" - 21 3/16"
 538mm-1235mm-538mm




VK3LT108066

70 3/4" * 1797mm
 70 10" * 177mm
 63 5/8" * 161mm




VK3LT108070

74 3/4" * 1899mm
 74 3/4" * 1850mm
 67 3/8" * 1716mm



VK3LT108074

78 3/4" * 2000mm
 78 15" * 1981mm
 71 5/8" * 1819mm




VK3LT108078

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

116" Units (3 uneven sections)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103


JELD-WEN
 W I N D O W S & D O O R S

116" Units (3 uneven sections) cont'd

Frame: 27"- 62"- 27"
 Cadre: 686mm-1575mm-686mm


RSO Dim Col
 FRAME CADRE
 GLASS VERRE

116 3/4" * 2985mm
 116" * 2946mm
 21 3/16" - 56 5/8" - 21 3/16"
 538mm-1439mm-538mm




VK3LT116066

70 3/4" * 1797mm
 70 178mm
 63 5/8 16 16mm



VK3LT116070

74 3/4" * 1899mm
 74 880mm
 67 5/8 1716mm



VK3LT116074

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103


JELD-WEN
 WINDOWS & DOORS

124" Units (3 uneven sections)


Frame: 31"- 62"- 31"
 Cadre: 787mm-1575mm-787mm

R50 Dim. Col.
 FRAME CADRE
 GLASS VERRE


124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm


124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm




124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm


124 3/4"•3169mm
 124"•3150mm
 25 3/16"- 56 5/8"- 25 3/16"
 639mm-1439mm-639mm



VK3LT124050



VK3LT124054



VK3LT124058




VK3LT124060



VK3LT124062




VK3LT124066



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


76" Units (30° Bay)



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

84" Units (30° Bay)




Frame: 19"- 46"- 19"
 Cadre: 483mm-1168mm-483mm

Visible glass: 12 5/8"- 39 5/8"- 12 5/8"
 Verre visible: 321mm-1006mm-321mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

92" Units (30° Bay)




Frame: 23"- 46"- 23"
 Cadre: 584mm-1168mm-584mm

Visible glass: 16 5/8"- 39 5/8"- 16 5/8"
 Verre visible: 422mm-1006mm-422mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

100" Units (30° Bay)









Frame: 23"- 54"- 23"
 Cadre: 584mm-1372mm-584mm

Visible glass: 16 5/8"-47 5/8"- 16 5/8"
 Verre visible: 422mm-1210mm-422mm






DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

108" Units (30° Bay)




Frame: 27"- 54"- 27"
 Cadre: 686mm-1372mm-686mm



DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN®
 WINDOWS & DOORS

108" Units (30° Bay) cont'd




Frame: 27"- 54"- 27"
 Cadre: 686mm-1372mm-686mm

Visible glass: 20 5/8"- 47 5/8"- 20 5/8"
 Verre visible: 524mm-1210mm-524mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


116" Units (30° Bay)



DF COLLECTION
Architectural Detail Guide
Hybrid Casement Window DF 3103

JELD-WEN®
WINDOWS & DOORS

116" Units (30° Bay) cont'd




Frame: 27"- 62"- 27"
Cadre: 686mm-1575mm-686mm

Visible glass: 20 5/8"- 55 5/8"- 20 5/8"
Verre visible: 524mm-1413mm-524mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

76" Units (45° Bay)




Frame: 19"- 38"- 19"
 Cadre: 483mm-965mm-483mm

Visible glass: 12 5/8"- 31 5/8"- 12 5/8"
 Verre visible: 321mm-803mm-321mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

84" Units (45° Bay)




Frame: 19"- 46"- 19"
 Cadre: 483mm-1168mm-483mm

Visible glass: 12 5/8"- 39 5/8"- 12 5/8"
 Verre visible: 321mm-1006mm-321mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

92" Units (45° Bay)




Frame: 23"- 46"- 23"
 Cadre: 584mm-1168mm-584mm

Visible glass: 16 5/8"- 39 5/8"- 16 5/8"
 Verre visible: 422mm-1006mm-422mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS

100" Units (45° Bay)




DF COLLECTION

Architectural Detail Guide

JELD-WEN[®]
WINDOWS & DOORS

108" Units (45° Bay)




DF COLLECTION

Architectural Detail Guide

JELD-WEN®
WINDOWS & DOORS

108" Units (45° Bay) cont'd




Frame: 27"- 54"- 27"
Cadre: 686mm-1372mm-686mm

Visible glass: 20 5/8"- 47 5/8"- 20 5/8"
Verre visible: 524mm-1210mm-524mm

DF COLLECTION
Architectural Detail Guide
 Hybrid Casement Window DF 3103

JELD-WEN
 WINDOWS & DOORS


116" Units (45° Bay)



DF COLLECTION
Architectural Detail Guide
Hybrid Casement Window DF 3103

JELD-WEN
WINDOWS & DOORS



116" Units (45° Bay) cont'd




Frame: 27"- 62"- 27"
Cadre: 686mm-1575mm-686mm

Visible glass: 20 5/8"- 55 5/8"- 20 5/8"
Verre visible: 524mm-1413mm-524mm


GLAZING OPTIONS - INTERNAL GRILLES - TRIPANE




GLAZING OPTIONS - INTERNAL GRILLES - DUALPANE




Georgian 1"




Georgian




Plat 1"
1" Flat




Plat
Flat



Intercalaire
Spacer bar




Tubulaire
Pencil bar




Carré
Square

GLAZING OPTIONS - SIMULATED DIVIDED LITES & FALSE MULLIONS - TRIPANE


Simili barrotin avec intercalaire
Simulated divided lite with spacer-bar




Simili barrotin
Simulated divided lite



Faux-meneau avec intercalaire
False mullion with spacer-bar




Faux-meneau
False mullion




GLAZING OPTIONS - SIMULATED DIVIDED LITES & FALSE MULLIONS - DUALPANE


Simili barrotin avec intercalaire
Simulated divided lite with spacer-bar




Simili barrotin
Simulated divided lite






Faux-meneau avec intercalaire
False mullion with spacer-bar





Faux-meneau
False mullion





JAMB EXTENSION OPTIONS - ALUMINUM




JAMB EXTENSION OPTIONS - WOOD




MULLION DETAILS



TRIM OPTIONS - FLUSH FRAME WITH AND WITHOUT FLANGE




4 9/16" flush avec lame
4 9/16" flush frame with flange




4 9/16" flush sans lame
4 9/16" flush frame without flange

TRIM OPTIONS - 1 1/2" BRICKMOULD WITH AND WITHOUT FLANGE




4 9/16" moulure 1 1/2" avec lame
 4 9/16" 1 1/2" brickmould with flange




4 9/16" moulure 1 1/2" sans lame
 4 9/16" 1 1/2" brickmould without flange

TRIM OPTIONS - 3 /12" BRICKMOULD WITH AND WITHOUT FLANGE



4 9/16" moulure 3 1/2" avec lame
4 9/16" 3 1/2" brickmould with flange



4 9/16" moulure 3 1/2" sans lame
4 9/16" 3 1/2" brickmould without flange

90° CORNER MULLION

