


Specification	Standard Features	Optional Features <small>Some options may require additional lead time. Consult your JELD-WEN Sales Representative.</small>
Full Colour	<ul style="list-style-type: none"> • White 	<ul style="list-style-type: none"> • Desert Sand Solid Colour
Exterior Trim Colour	<ul style="list-style-type: none"> • White 	<ul style="list-style-type: none"> • Desert Sand • Red • Brown • Mist Grey • Blue • Linen • Green • Ivory • Slate • Ivy
Size	<ul style="list-style-type: none"> • Width 24 1/2" to 71 3/4" • Height 20 1/2" to 59 7/8" 	
Frame	<ul style="list-style-type: none"> • 3 1/4" with Integral Nailing Fin (2 1/4" Jamb) 	<ul style="list-style-type: none"> • Brickmould w/Sill Nosing • 3 1/4" Extender • Exterior Casing • Drip Edge • 1 1/4" J-Trim • U-Channel • Sill Expander
IGU Make-Up	<ul style="list-style-type: none"> • Dualpane 	
Glazing	<ul style="list-style-type: none"> • Insulating Clear 	<ul style="list-style-type: none"> • Low-E w/Argon • Rainglass • Gluechip • Bronze • Laminated • Pinhead • Narrow Reed • Sandblasted • Grey • All glass available tempered
Hardware	<ul style="list-style-type: none"> • Standard Lock 	<ul style="list-style-type: none"> • WEN-Lock (Automatic Lock)
Hardware Colour	<ul style="list-style-type: none"> • White or Desert Sand 	
Screens	<ul style="list-style-type: none"> • Standard Fibreglass Mesh Screen 	
Screen Frame Colour	<ul style="list-style-type: none"> • White or Desert Sand 	
Grilles		<ul style="list-style-type: none"> • 5/8" Wide IGU (Internal Grille Unit) • 5/16" Narrow IGU (Internal Grille Unit)
Jamb Depth	<ul style="list-style-type: none"> • 2 1/4" 	<ul style="list-style-type: none"> • 3 1/4" • 6 1/2" • 4 1/2" • Available up to 12 1/2"
Jamb Options		<ul style="list-style-type: none"> • Vinyl Jamb Extension • Paint Grade Wood • Pacific Coast Hemlock • Oak

N.T.S.

Code Size	Clear Opening Width (in.)	Clear Opening Height (in.)	Clear Opening (sq.ft.)	Visible Glass (sq.ft.)
65	7.36	15.82	0.81	1.76
66	7.36	19.76	1.01	2.23
67	7.36	23.69	1.21	2.70
675	7.36	25.66	1.31	2.94
75	9.33	15.82	1.03	2.16
76	9.33	19.76	1.28	2.74
77	9.33	23.69	1.54	3.32
775	9.33	25.66	1.66	3.61
78	9.33	27.63	1.79	3.90
754	10.31	11.88	0.85	1.72
755	10.31	15.82	1.13	2.36
756	10.31	19.76	1.42	2.99
757	10.31	23.69	1.70	3.62
7575	10.31	25.66	1.84	3.94
758	10.31	27.63	1.98	4.26
759	10.31	31.57	2.26	4.89
84	11.31	11.88	0.93	1.87
85	11.31	15.82	1.30	2.56
86	11.32	19.76	1.61	3.24
87	11.32	23.69	1.92	3.93
875	11.32	25.66	2.07	4.27
88	11.32	27.63	2.23	4.62
89	11.33	31.57	2.48	5.31
810	11.33	35.50	2.79	5.99
94	13.27	11.88	1.09	2.16
95	13.27	15.82	1.46	2.96
96	13.27	19.76	1.82	3.75
97	13.27	23.69	2.18	4.55
975	13.27	25.66	2.36	4.94
98	13.27	27.63	2.55	5.34
99	13.27	31.57	2.91	6.14
910	13.27	35.50	3.27	6.93
912	13.27	43.38	4.00	8.52
104	15.24	11.88	1.26	2.45
105	15.24	15.82	1.67	3.35
106	15.24	19.76	2.09	4.26
107	15.24	23.69	2.51	5.16
1075	15.24	25.66	2.72	5.61
108	15.24	27.63	2.92	6.06
109	15.24	31.57	3.34	6.97
1010	15.24	35.50	3.76	7.87
1012	15.24	43.38	4.59	9.68
124	19.17	11.88	1.58	3.04
125	19.17	15.82	2.11	4.15
126	19.17	19.76	2.63	5.27
127	19.17	23.69	3.15	6.39
1275	19.17	25.66	3.42	6.95
128	19.17	27.63	3.68	7.51
129	19.17	31.57	4.20	8.63
1210	19.17	35.50	4.73	9.75
1212	19.17	43.38	5.78	11.98
1214	19.17	51.25	6.82	14.22
1215	19.17	55.19	7.35	15.34
144	23.11	11.88	1.91	3.62
145	23.11	15.82	2.54	4.95
146	23.11	19.76	3.17	6.29
147	23.11	23.69	3.80	7.62
1475	23.11	25.66	4.12	8.29
148	23.11	27.63	4.43	8.95
149	23.11	31.57	5.07	10.29
1410	23.11	35.50	5.70	11.62








Code Size	Clear Opening Width (in.)	Clear Opening Height (in.)	Clear Opening (sq.ft.)	Visible Glass (sq.ft.)
1412	23.11	43.38	6.96	14.29
1414	23.11	51.25	8.23	16.95
1415	23.11	55.19	8.86	18.29
154	25.08	11.88	2.07	3.91
155	25.08	15.82	2.75	5.35
156	25.08	19.76	3.44	6.79
157	25.08	23.69	4.13	8.24
1575	25.08	25.66	4.47	8.96
158	25.08	27.63	4.81	9.68
159	25.08	31.57	5.50	11.12
1510	25.08	35.50	6.18	12.56
1512	25.08	43.38	6.96	15.44
1514	25.08	51.25	8.23	18.32
1515	25.08	55.19	8.86	19.76
164	27.05	11.88	2.23	4.20
165	27.05	15.82	2.97	5.75
166	27.05	19.76	3.71	7.30
167	27.05	23.69	4.45	8.85
1675	27.05	25.66	4.82	9.62
168	27.05	27.63	5.19	10.40
169	27.05	31.57	5.93	11.95
1610	27.05	35.50	6.67	13.50
1612	27.05	43.38	8.15	16.59
1614	27.05	51.25	9.63	19.69
1615	27.05	55.19	10.37	21.24
184	30.98	11.88	2.56	4.79
185	30.98	15.82	3.40	6.55
186	30.98	19.76	4.25	8.32
187	30.98	23.69	5.10	10.08
1875	30.98	25.66	5.52	10.96
188	30.98	27.63	5.95	11.84
189	30.98	31.57	6.79	13.61
1810	30.98	35.50	7.64	15.37
1812	30.98	43.38	9.33	18.90
1814	30.98	51.25	11.03	22.43
1815	30.98	55.19	11.87	24.19










SCALE: 1/8" = 1'-0"

RO OSM	24 1/2" (622) 23 5/8" (600)	28 3/8" (722) 27 9/16" (700)	30 3/8" (772) 29 1/2" (750)	32 3/8" (822) 31 1/2" (800)	36 1/4" (922) 35 1/2" (900)	40 1/4" (1022) 39 1/2" (1000)	48 1/8" (1222) 47 1/4" (1200)
16 5/8" (422) 15 3/4" (400)			 754	 84	 94	 104	 124
20 1/2" (522) 19 11/16" (500)	 65	 75	 755	 85	 95	 105	 125
24 1/2" (622) 23 5/8" (600)	 66	 76	 756	 86	 96	 106	 126
28 3/8" (722) 27 9/16" (700)	 67	 77	 757	 87	 97	 107	 127
30 3/8" (772) 29 1/2" (750)	 675	 775	 7575	 875	 975	 1075	 1275
32 3/8" (822) 31 1/2" (800)		 78	 758	 88	 98	 108	 128
36 1/4" (922) 35 1/2" (900)			 759	 89	 99	 109	 129
40 1/4" (1022) 39 1/2" (1000)				 810	 910	 1010	 1210
48 1/8" (1222) 47 1/4" (1200)					 912	 1012	 1212
56" (1422) 55 1/8" (1400)							 1214
59 7/8" (1522) 59" (1500)							 1215

SCALE: 1/8" = 1'-0"

RO OSM	56" (1422) 55 1/8" (1400)	59 7/8" (1522) 59" (1500)	63 7/8" (1622) 63" (1600)	71 3/4" (1822) 70 7/8" (1800)
16 5/8" (422) 15 3/4" (400)	 144	 154	 164	 184
20 1/2" (522) 19 11/16" (500)	 145	 155	 165	 185
24 1/2" (622) 23 5/8" (600)	 146	 156	 166	 186
28 3/8" (722) 27 9/16" (700)	 147	 157	 167	 187
30 3/8" (772) 29 1/2" (750)	 1475	 1575	 1675	 1875
32 3/8" (822) 31 1/2" (800)	 148	 158	 168	 188
36 1/4" (922) 35 1/2" (900)	 149	 159	 169	 189
40 1/4" (1022) 39 1/2" (1000)	 1410	 1510	 1610	 1810
48 1/8" (1222) 47 1/4" (1200)	 1412	 1512	 1612	 1812
56" (1422) 55 1/8" (1400)	 1414	 1514	 1614	 1814
59 7/8" (1522) 59" (1500)	 1415	 1515	 1615	 1815

SCALE: 1/8" = 1'-0"

RO OSM	59 7/8" (1522) 59" (1500)	71 3/4" (1822) 70 7/8" (1800)	83 1/2" (2122) 82 5/8" (2100)
16 5/8" (422) 15 3/4" (400)	 6-9/4	 6-12/4	 6-15/4
20 1/2" (522) 19 11/16" (500)	 6-9/5	 6-12/5	 6-15/5
24 1/2" (622) 23 5/8" (600)	 6-9/6	 6-12/6	 6-15/6
28 3/8" (722) 27 9/16" (700)	 6-9/7	 6-12/7	 6-15/7
30 3/8" (772) 29 1/2" (750)	 6-9/75	 6-12/75	 6-15/75
32 3/8" (822) 31 1/2" (800)	 6-9/8	 6-12/8	 6-15/8
36 1/4" (922) 35 1/2" (900)	 6-9/9	 6-12/9	 6-15/9
40 1/4" (1022) 39 1/2" (1000)	 6-9/10	 6-12/10	 6-15/10
48 1/8" (1222) 47 1/4" (1200)	 6-9/12	 6-12/12	 6-15/12
56" (1422) 55 1/8" (1400)	 6-9/14	 6-12/14	 6-15/14
59 7/8" (1522) 59" (1500)	 6-9/15	 6-12/15	 6-15/15

1 WIDE SLIDER OFFSET (OF SHOWN) (FO OPPOSITE)

SCALE: 1/8" = 1'-0"

RO
OSM


71 3/4" (1822)
70 7/8" (1800)

83 1/2" (2122)
82 5/8" (2100)

95 3/8" (2422)
94 1/2" (2400)

107 1/8" (2722)
106 1/4" (2700)

16 5/8" (422)
15 3/4" (400)




45-9-45/4



6-9-6/4




6-12-6/4



6-15-6/4

20 1/2" (522)
19 11/16" (500)



45-9-45/5



6-9-6/5




6-12-6/5



6-15-6/5

24 1/2" (622)
23 5/8" (600)



45-9-45/6



6-9-6/6




6-12-6/6



6-15-6/6

28 3/8" (722)
27 9/16" (700)



45-9-45/7



6-9-6/7




6-12-6/7



6-15-6/7

30 3/8" (772)
29 1/2" (750)



45-9-45/75



6-9-6/75




6-12-6/75



6-15-6/75

32 3/8" (822)
31 1/2" (800)



45-9-45/8



6-9-6/8




6-12-6/8



6-15-6/8

36 1/4" (922)
35 1/2" (900)



45-9-45/9



6-9-6/9




6-12-6/9



6-15-6/9

40 1/4" (1022)
39 1/2" (1000)



45-9-45/10



6-9-6/10



6-12-6/10



6-15-6/10

48 1/8" (1222)
47 1/4" (1200)



45-9-45/12



6-9-6/12




6-12-6/12



6-15-6/12

56" (1422)
55 1/8" (1400)



45-9-45/14



6-9-6/14




6-12-6/14



6-15-6/14

59 7/8" (1522)
59" (1500)



45-9-45/15



6-9-6/15

















6-12-6/15



6-15-6/15









3-LITE SLIDER (FFO SHOWN) (OFF OPPOSITE)

SCALE: 1/8" = 1'-0"

RO OSM	71 3/4" (1822) 70 7/8" (1800)	83 1/2" (2122) 82 5/8" (2100)	95 3/8" (2422) 94 1/2" (2400)	107 1/8" (2722) 106 1/4" (2700)
16 5/8" (422) 15 3/4" (400)	 45-9-45/4	 6-9-6/4	 6-12-6/4	 6-15-6/4
20 1/2" (522) 19 11/16" (500)	 45-9-45/5	 6-9-6/5	 6-12-6/5	 6-15-6/5
24 1/2" (622) 23 5/8" (600)	 45-9-45/6	 6-9-6/6	 6-12-6/6	 6-15-6/6
28 3/8" (722) 27 9/16" (700)	 45-9-45/7	 6-9-6/7	 6-12-6/7	 6-15-6/7
30 3/8" (772) 29 1/2" (750)	 45-9-45/75	 6-9-6/75	 6-12-6/75	 6-15-6/75
32 3/8" (822) 31 1/2" (800)	 45-9-45/8	 6-9-6/8	 6-12-6/8	 6-15-6/8
36 1/4" (922) 35 1/2" (900)	 45-9-45/9	 6-9-6/9	 6-12-6/9	 6-15-6/9
40 1/4" (1022) 39 1/2" (1000)	 45-9-45/10	 6-9-6/10	 6-12-6/10	 6-15-6/10
48 1/8" (1222) 47 1/4" (1200)	 45-9-45/12	 6-9-6/12	 6-12-6/12	 6-15-6/12
56" (1422) 55 1/8" (1400)	 45-9-45/14	 6-9-6/14	 6-12-6/14	 6-15-6/14
59 7/8" (1522) 59" (1500)	 45-9-45/15	 6-9-6/15	 6-12-6/15	 6-15-6/15

3-LITE SLIDER (OFO SHOWN)

SCALE: 1/8" = 1'-0"

RO OSM	30 3/8" (772) 29 1/2" (750)	32 3/8" (822) 31 1/2" (800)	36 1/4" (922) 35 1/2" (900)	40 1/4" (1022) 39 1/2" (1000)	48 1/8" (1222) 47 1/4" (1200)
56" (1422) 55 1/8" (1400)	 7514	 814	 914	 1014	 1214
59 7/8" (1522) 59" (1500)	 7515	 815	 915	 1015	 1215
63 7/8" (1622) 63" (1600)	 7516	 816	 916	 1016	 1216
71 3/4" (1822) 70 7/8" (1800)	 7518	 818	 918	 1018	 1218

SCALE: 1/8" = 1'-0"

RO
OSM


56" (1422)
55 1/8" (1400)

59 7/8" (1522)
59" (1500)


63 7/8" (1622)
63" (1600)

71 3/4" (1822)
70 7/8" (1800)


56" (1422)
55 1/8" (1400)



1414



1514




1614




1814


59 7/8" (1522)
59" (1500)




1415



1515




1615




1815


63 7/8" (1622)
63" (1600)




1416



1516




1616




1816


71 3/4" (1822)
70 7/8" (1800)




1418



1518




1618




1818


SCALE: 3" = 1'-0"




**HORIZONTAL
SECTION DETAIL**



**VERTICAL
SECTION DETAIL**




**VERTICAL MULLION
SECTION DETAIL**




**HORIZONTAL MULLION
SECTION DETAIL**


SCALE: 3" = 1'-0"



**1 5/8" BRICKMOULD
WITH 1" SILL NOSING**




**2" BRICKMOULD
WITH 1" SILL NOSING**




**3 1/2" BRICKMOULD
WITH 1" SILL NOSING**

SCALE: 3" = 1'-0"

1 1/4" J-TRIM




SILL EXPANDER




Note: Expander can be trimmed on side to fit


2" EXTERIOR CASING



3 1/4" SILL EXTENDER




DRIP CAP






SCALE: 3" = 1'-0"

**VINYL
JAMB EXTENSIONS**




**CLEAR WOOD AND PAINTGRADE WOOD
JAMB EXTENSIONS**





Jamb extensions are available as vinyl, clear wood and paint grade wood - up to jamb widths of 12 1/2" (3/8).
Please contact your JELD-WEN representative for availability.

U-CHANNEL



Accepts 1/2" and 3/4" material





SCALE: 3" = 1'-0"





SCALE: 3" = 1'-0"





SCALE: 3" = 1'-0"





SCALE: 3" = 1'-0"



SCALE: 3" = 1'-0"



SCALE: 3" = 1'-0"



SCALE: 3" = 1'-0"

