

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench ZN1 1020/1021**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86307 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024 kl.08:43                               | Laboratory no.:   | DV24270115-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>ZN1 1020/1021</b>    |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result      | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature               | <b>16,8</b> | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | <b>0</b>    | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

Kamstrup A/S  
Industrivej 28  
8660 Skanderborg

Case name: **Kamstrup - Flow  
bench ZN1 1020/1021**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86307 ~

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

**Appendices for this report:**  
None

Report status: Final

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench ZN1 1022/1023**  
 Number of samples: 1  
 Samples received: 05-08-2024  
 Report date: 08-08-2024  
 Report no.: 86308 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024 kl.08:48                               | Laboratory no.:   | DV24270116-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>ZN1 1022/1023</b>    |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result      | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature               | <b>14,9</b> | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | <b>0</b>    | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
 Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

Kamstrup A/S  
Industrivej 28  
8660 Skanderborg

Case name: **Kamstrup - Flow  
bench ZN1 1022/1023**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86308 ~

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

**Appendices for this report:**  
None

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench ZN1 1024/1025**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86310 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024 kl.08:50                               | Laboratory no.:   | DV24270117-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>ZN1 1024/1025</b>    |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result      | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature               | <b>14,3</b> | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | <b>0</b>    | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

Kamstrup A/S  
Industrivej 28  
8660 Skanderborg

Case name: **Kamstrup - Flow  
bench ZN1 1024/1025**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86310 ~

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

**Appendices for this report:**  
None

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench ZN1 1026/1027**  
 Number of samples: 1  
 Samples received: 05-08-2024  
 Report date: 08-08-2024  
 Report no.: 86311 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024 kl.08:52                               | Laboratory no.:   | DV24270118-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>ZN1 1026/1027</b>    |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result      | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature               | <b>16,1</b> | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | <b>0</b>    | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | <b>0</b>    | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
 Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow  
bench ZN1 1026/1027**

Number of samples: 1

Samples received: 05-08-2024

Report date: 08-08-2024

Report no.: 86311 ~

---

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

**Appendices for this report:**  
None

Report status: Final

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench 1032**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86312 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024  | Laboratory no.:   | DV24270121-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>1032</b>             |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|--------|------------|------------|----|-------------------------------|-------------|
| Temperature               | 17,6   | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | 0      | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | 0      | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0      | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow  
bench 1032**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86312 ~

---

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

**Appendices for this report:**  
None

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow bench 1031**  
 Number of samples: 1  
 Samples received: 05-08-2024  
 Report date: 08-08-2024  
 Report no.: 86313 ~

|                    |   |                   |                         |
|--------------------|---|-------------------|-------------------------|
| Sampling start:    | 05-08-2024 kl.09:02                               | Laboratory no.:   | DV24270122-001          |
| Sampler:           | Højvang/ENS                                       | <b>Sample ID:</b> | <b>1031</b>             |
| Analysis period:   | 05-08-2024 to 08-08-2024                          | Packaging:        | OK                      |
| Sampling point:    | <b>Kamstrup industrivej 28 / 51.;</b>             | Purpose:          | Operational control     |
| Sample type:       | <b>Process water (analyzed as drinking water)</b> | Scope:            | Microbiological control |
| Withdrawal method: | Random sample                                     |                   |                         |

Sampling method: ISO 19458: 2006 + MST Drinking water. Manual for sampling: 2021

| Parameter                 | Result | Unit       | Min / Max. | DL | References                    | +/-         |
|---------------------------|--------|------------|------------|----|-------------------------------|-------------|
| Temperature               | 17,6   | °C         |            | 0  | SM 2550:2005, Felt            | h           |
| Pseudomonas aeruginosa    | 0      | CFU/100 mL | / 0        | 0  | ISO 16266:2008+MM0014^        | d 0,24 (lg) |
| Coliform bacteria         | 0      | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0      | MPN/100 mL | / < 0      | 0  | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

**Exceedances:** No exceedances, cf. the min. / Max. Values specified in the report

**Deviations / comments for this test:** None

**Location reference:**

- h) Højvang Laboratorier A/S, Holstebro. DANAK-Nr.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

Min and max values in relation to Executive Order no. 810 of 27/06/2024, tap without rinsing ( nitrite outlet waterworks, however, with max. Value specific to this)

The sample has been taken in accordance with the current sampling plan / agreement.

**Approved by:**



Carina Hansen  
 Laborant

**Designations:**

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

# ANALYSIS REPORT

**Kamstrup A/S**  
**Industrivej 28**  
**8660 Skanderborg**

Case name: **Kamstrup - Flow  
bench 1031**  
Number of samples: 1  
Samples received: 05-08-2024  
Report date: 08-08-2024  
Report no.: 86313 ~

**The report will be sent by email to:**  
vandanalsedk@kamstrup.com - Vandanalyser

**Appendices for this report:**  
None

Report status: Final

## Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.  
# Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.  
^ Analyzed for quality requirements for environmental measurements  
~ This is a translation of the Danish report with the same report number .