

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench ZN1 1020/1021**
 Number of samples: 1
 Samples received: 18-08-2025
 Report date: 21-08-2025
 Report no.: 112091 ~

| | | | |
|--------------------|--|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:14 | Laboratory no.: | DV25310242-001 |
| Sampler: | Højvang/sri | Sample ID: | ZN1 1020/1021 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; Zn 1 1020/1021 | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|--------|------------|------------|----|-------------------------------|-------------|
| Temperature | 17,7 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
 Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow
bench ZN1 1020/1021**

Number of samples: 1

Samples received: 18-08-2025

Report date: 21-08-2025

Report no.: 112091 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

Appendices for this report:
None

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench ZN1 1022/1023**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112093 ~

| | | | |
|--------------------|---|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:14 | Laboratory no.: | DV25310243-001 |
| Sampler: | Højvang/sri | Sample ID: | ZN1 1022/1023 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; 1022/1023 | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|--------|------------|------------|----|-------------------------------|-------------|
| Temperature | 17,1 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow
bench ZN1 1022/1023**

Number of samples: 1

Samples received: 18-08-2025

Report date: 21-08-2025

Report no.: 112093 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

Appendices for this report:
None

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench ZN1 1024/1025**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112095 ~

| | | | |
|--------------------|---|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:16 | Laboratory no.: | DV25310244-001 |
| Sampler: | Højvang/sri | Sample ID: | ZN1 1024/1025 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature | 16,4 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow
bench ZN1 1024/1025**

Number of samples: 1

Samples received: 18-08-2025

Report date: 21-08-2025

Report no.: 112095 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Appendices for this report:
None

Report status: Final

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench ZN1 1026/1027**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112097 ~

| | | | |
|--------------------|---|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:19 | Laboratory no.: | DV25310245-001 |
| Sampler: | Højvang/sri | Sample ID: | ZN1 1026/1027 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature | 17,4 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench ZN1 1026/1027**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112097 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Appendices for this report:
None

Report status: Final

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench 1032**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112099 ~

| | | | |
|--------------------|---|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:23 | Laboratory no.: | DV25310248-001 |
| Sampler: | Højvang/sri | Sample ID: | 1032 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature | 17,6 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench 1032**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112099 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Report status: Final

Appendices for this report:
None

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench 1031**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112101 ~

| | | | |
|--------------------|---|-------------------|-------------------------|
| Sampling start: | 18-08-2025 kl.08:25 | Laboratory no.: | DV25310249-001 |
| Sampler: | Højvang/sri | Sample ID: | 1031 |
| Analysis period: | 18-08-2025 to 21-08-2025 | Packaging: | OK |
| Sampling point: | Kamstrup industrivej 28 / 51.; | Purpose: | Operational control |
| Sample type: | Process water (analyzed as drinking water) | Scope: | Microbiological control |
| Withdrawal method: | Random sample | | |

Sampling method: ISO 19458:2006 + MST Drikkevand. Manual for prøvetagning:2021

| Parameter | Result | Unit | Min / Max. | DL | References | +/- |
|---------------------------|-------------|------------|------------|----|-------------------------------|-------------|
| Temperature | 18,2 | °C | | 0 | SM 2550:2005, Felt | f |
| Pseudomonas aeruginosa | 0 | CFU/100 mL | / 0 | 0 | ISO 16266:2008+MM0014^ | d 0,24 (lg) |
| Coliform bacteria | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |
| Escherichia coli (E.coli) | 0 | MPN/100 mL | / < 0 | 0 | DS/EN ISO 9308-2:2014+MM0001^ | d 0,25 (lg) |

Exceedances: No exceedances, cf. the min. / Max. Values specified in the report

Deviations / comments for this test: None

Location reference:

- f) Højvang Laboratorier A/S, Fredericia. DANAK no.: 428
- d) Højvang Laboratories A/S, Dianalund. DANAK no.: 428

The test results only apply to the tested items / subsets. Without the written permission of the laboratory, the report may only be reproduced in its entirety Højvang Laboratorier A/S disclaims any responsibility in connection with data provided by the requester.

Højvang Laboratorier A/S refuses to comment on attitudes and interpretations.

Analysis results are stated in the report with 2 significant digits unless otherwise agreed. When comparing with any limit and / or requirement value, the analysis result is used in the report.

Højvang Laboratorier A/S disclaims any responsibility in connection with the use of the stated minimum and maximum values or the use of the classifications made.

Made according to:

BEK no. 811 of 27/06/2024 Executive Order on quality requirements for environmental measurements

The sample has been taken in accordance with the current sampling plan / agreement.

Approved by:



Gitte Pedersen
Laborant

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number.

ANALYSIS REPORT

Kamstrup A/S
Industrivej 28
8660 Skanderborg

Case name: **Kamstrup - Flow bench 1031**
Number of samples: 1
Samples received: 18-08-2025
Report date: 21-08-2025
Report no.: 112101 ~

The report will be sent by email to:
vandanalsedk@kamstrup.com - Vandanalyser

Appendices for this report:
None

Report status: Final

Designations:

+/- expanded relative uncertainty in% with coverage factor 2. Results at the detection limit level are subject to a relatively greater measurement uncertainty than is generally the case.

Symbolizes that all components included in the sum in question have a concentration less than the detection limit of the individual component.

^ Analyzed for quality requirements for environmental measurements

~ This is a translation of the Danish report with the same report number .