

Seoul		NCC Ost: Level 2	Ceiling height: 5.30 m
	Description	Technical details	
Video projection	1 ceiling-mounted beamer	Single projection possible Panasonic PT-RZ12KE (laser light source) 12,000 ANSI lumens 1920x1200 16:10 Max. screen size 5.80 x 3.62 m (fixed focal length, no optical zoom) Laser light source Transmission of digital and analogue signals to the beamer is possible (HDMI, DVI, DisplayPort, SDI, VGA)	
Video connection		Possible to other rooms on request	
Projection surface	Motorized retractable screen		
Stage	Permanently built-in, 0.60 m high		
Presentation equipment	Flipchart PC / notebook	Must be brought in from the outside Possible to connect to stage or to control room (in Rock`n`Roll: FoH (front of house)) Possible to play video/audio recordings from control room (in Rock`n`Roll: FoH (front of house))	
Lectern	"Horizon" model	Overview of lecterns on request	
Public address system	Max. 4 wireless microphones possible Max. 8 gooseneck microphones with table stand possible on stage Max. 4 audience microphones possible	Handheld or headset microphone	
Audio recording	As MP3 file	Possible on request	
Audio transmission		Possible to other rooms and foyers on request	
Camera equipment		Possible through external service partners NOTE: max. seating capacity reduced	
Interpreting equipment	Not permanently built-in	Portable booths possible on request NOTE: max. seating capacity reduced	
Stage lighting	2 lighting/media bars 4x ARRI 650 W	Max. 100 kg load per ceiling suspension point White, dimmable	
Room lighting		White, dimmable	
Technical support	1 technician in the control room (in Rock`n`Roll: FoH (front of house)) 1 technician for lighting 1 technician for video equipment 1 technician for interpreting equipment Personnel for distributing interpretation headphones	Mandatory Possible on request	
Networking capability in rooms		Possible on request	
Telecommunications		Possible on request	
Other features	Possible to close window shades		