

Singapur		NCC Ost: Level 2	Ceiling height: 5.35 m
	Description	Technical details	
Video projection	1 ceiling-mounted beamer	Single projection possible Panasonic PT-RZ 670, 6,500 ANSI lumens laser light source (1920x1200) 16:10 Max. screen size 4.55 x 2.84 m Laser light source Transmission of digital and analogue signals to the beamer is possible (HDMI, DVI, DisplayPort, VGA)	
Video connection		Possible to other rooms on request	
Projection surface	Projection on white wall (no canvas)		
Stage	Not available		
Presentation equipment	Flipchart PC / notebook	Must be brought in from the outside Possible to connect to stage or to control room (in Rock' n' Roll: FoH (front of house)) Possible to play video/audio recordings from control room (in Rock' n' Roll: FoH (front of house))	
Lectern	"Phase" model	Overview of lecterns on request	
Public address system	Max. 2 wireless microphones possible Max. 4 gooseneck microphones with table stand possible on stage No audience microphones	Handheld or headset microphone  Not necessary due to room size	
Audio recording	As MP3 file	Possible on request	
Audio transmission		Possible to other rooms and foyers on request	
Camera equipment		Possible through external service partners NOTE: max. seating capacity reduced	
Interpreting equipment	Not permanently built-in	Portable booths possible on request NOTE: max. seating capacity reduced	
Stage lighting	1 lighting/media bar 3x ARRI 650 W	Max. 100 kg load per ceiling suspension point White, dimmable	
Room lighting		White, dimmable	
Technical support	No dedicated technical support in room 1 technician for 2-4 rooms  1 technician for interpreting equipment Personnel for distributing interpretation headphones	On request – necessary only when more than one signal source or more than one microphone is in use If wired microphones and 1 wireless microphone are in use and a notebook port is installed on the stage	
Networking capability in rooms		Possible on request	
Telecommunications		Possible on request	
Other features	Possible to close window shades		