





This is to certify that: Purmo Group (UK) Ltd

Eastern Avenue

Team Valley Trading Estate

Gateshead NE11 0PG United Kingdom

Holds Certificate Number: KM 07100

In respect of:

BS EN 442 Radiators and convectors

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Shahm Barhom, Group Product Certification Director

Effective Date: 2022-09-14 First Issued: 1983-01-24 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 1 of 7



No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

Premier H-E Range

Single panel single convector radiators Type 11

Height: 300 - 700 mm

Length: 286 - 3000 mm

Available as standard (SC) and as compact version (SC G)

Double panel single convector radiators Type 21

Height: 300 - 700 mm

Length: 400 - 3000 mm

Available as standard (DPX) and as compact version (DPX G)

Double panel double convector radiators Type 22

Height: 300 - 700 mm

Length: 286 - 3000 mm

Available as standard (DC) and as compact version (DC G)

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 2 of 7

No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

The following radiators are marketed by Plumb Center as the **CenterRad** range.

Single panel single convector compact radiators Type 11 (SG)

Height: 300 - 700 mm

Length: 300 - 2000 mm

Double panel plus compact radiators Type 21 (DX G)

Height: 300 - 700 mm

Length: 400 - 2000 mm

Double panel double convector compact radiators Type 22 (DG)

Height: 300 - 700 mm

Length: 300 - 2000 mm

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 3 of 7

No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

Select Range

Single panel single convector radiators Type 11

300 - 700 mm Heigh:

Length: 400 - 3000 mm

Available as standard (SS) and as compact version (SS G)

Double panel single convector radiators Type 21

Height: 300 - 900 mm

Length: 400 - 3000 mm

Available as standard (SX) and as compact version (SX G)

Double panel double convector radiators Type 22

Height: 300 - 900 mm

Length: 400 - 3000 mm

Available as standard (SD) and as compact version (SD G)

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 4 of 7

No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

Purmo Range

Single panel single convector compact radiators Type II

Height: 300 - 900 mm

Length: 400 - 3000 mm

Double panel single convector slimline compact radiators Type 21S

Height: 300 - 900 mm

Length: 400 - 3000 mm

Double panel double convector compact radiators Type 22

Height: 300 - 900 mm

Length: 400 - 3000 mm

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 5 of 7

No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

Myson low surface temperature radiators

LST Convector radiator type super

Height: 550 - 950 mm

Length: 600 - 2000 mm

LST Convector radiator type super plus

Height: 550 - 950 mm

Length: 600 - 2000 mm

Purmo Safety Radiator

Single convector safety radiators Type 11 SR

Height: 550 - 850 mm

Length: 600 - 2000 mm

Double convector safety radiators Type 22 SRP

Height: 550 - 850 mm

Length: 600 - 2000 mm

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 6 of 7

No. KM 07100

BS EN 442-1:2014 - Specification for radiators and convectors

CenterRad Plan

Single Panel Type 11

Height: 300 - 700 mm

Length: 300 - 2000 mm

Double Panel Type 22

Height: 300 - 700 mm

Length: 300 - 2000 mm

CenterRad Deco

Single Panel Type 11

Height: 300 - 700 mm

Length: 300 - 2000 mm

Double Panel Type 22

Height: 300 - 700 mm

Length: 300 - 2000 mm

First Issued: 1983-01-24 Effective Date: 2022-09-14 Latest Issue: 2022-09-14 Expiry Date: 2024-12-16

Page: 7 of 7