

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL
POMERGRANATE CURRANT 2 REFILLS

Recommended use : Air Freshener

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1 8005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Serious eye damage/eye irritation	Category 2B	Causes eye irritation.

Labelling

Signal word

Warning

Hazard statements

Combustible liquid.
Causes eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
In case of fire: Use alcohol-resistant foam, carbon dioxide or dry sand to extinguish.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves.

Wash hands thoroughly after handling.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Dipropylene glycol methyl ether	34590-94-8	1.00 - 5.00
Phenethyl Alcohol	60-12-8	1.00 - 5.00
Citronellyl acetate	150-84-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention.

Inhalation : No special requirements.

Ingestion : No special requirements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Specific hazards during firefighting | : | Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire. |
| Further information | : | Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. |

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|--|---|--|
| Personal precautions | : | Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.
Wash thoroughly after handling. |
| Environmental precautions | : | Outside of normal use, avoid release to the environment. |
| Methods and materials for containment and cleaning up | : | Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site. |

7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Handling | : | |
| Precautions for safe | : | Avoid contact with skin, eyes and clothing. |

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872
GEN_SOF Number 82285

handling

For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store in a well-ventilated place. Keep cool.

Other data : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Dipropylene glycol methyl ether	34590-94-8	-	50 ppm	-	ACGIH TWA
Dipropylene glycol methyl ether	34590-94-8	600 mg/m3	100 ppm	-	OSHA TWA
Phenethyl Alcohol	60-12-8	-	0.5 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Color : to

Color : light yellow

Odor : floral
Fruity

Odour Threshold : Test not applicable for this product type

pH : Mixture is not soluble in water

Melting point/freezing point : <-20°C

Initial boiling point and boiling range : 70 - 140 °C

Flash point : 72 °C
161.6 °F
Method: ASTM D 93

Evaporation rate : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

Flammability (solid, gas)	: Sustains combustion
Upper/lower flammability or explosive limits	: Not determined as it does not affect the liquid flammability classification. Flash point is used for classification of flammable liquids.
Vapour pressure	: 0.5233 hPa at 20 °C
Vapour density	: > 1
Relative density	: 0.9683 g/cm ³ at 25 °C estimated
Solubility(ies)	: immiscible
Partition coefficient: n-octanol/water	: Not required as the product is a mixture.
Auto-ignition temperature	: not auto-flammable
Decomposition temperature	: Not measured as mixture is not self-reactive
Viscosity, dynamic	: < 5 cps at 20 °C
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

Volatile Organic Compounds : 92.4 % - additional exemptions may apply
Total VOC (wt. %)* *as defined by US Federal and State Consumer Product Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Warning

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL
POMERGRANATE CURRANT 2 REFILLS**

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872
GEN_SOF Number 82285

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Dipropylene glycol methyl ether	static test LC50	Poecilia reticulata (guppy)	> 1,000 mg/l	96 h
Phenethyl Alcohol	static test LC50	Leuciscus idus (Golden orfe)	> 215 - < 464 mg/l	96 h
Citronellyl acetate	semi-static test LC50	Danio rerio (zebra fish)	6.1 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Dipropylene glycol methyl ether	static test LC50	Daphnia magna (Water flea)	1,919 mg/l	48 h
Phenethyl Alcohol	static test	Daphnia magna (Water		48 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

	EC50	flea)	287.17 mg/l	
Citronellyl acetate	semi-static test EC50	Daphnia magna (Water flea)	3.48 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Dipropylene glycol methyl ether	EC50	Pseudokirchneriella subcapitata (green algae)	969 mg/l	72 h
Phenethyl Alcohol	static test EC10	Desmodesmus subspicatus (green algae)	1,300 mg/l	72 h
Citronellyl acetate	static test EC50	Desmodesmus subspicatus (green algae)	> 7.2 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Dipropylene glycol methyl ether	96 %	28 d	Readily biodegradable.
Phenethyl Alcohol	100 %	28 d	Readily biodegradable.
Citronellyl acetate	82.1 %	28 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration	Partition Coefficient n-
-----------	------------------	--------------------------

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872
GEN_SOF Number 82285

	factor (BCF)	Octanol/water (log)
Dipropylene glycol methyl ether	< 100 Calculated	0.004
Phenethyl Alcohol	No data available	0.8 - 1.38
Citronellyl acetate	474.4 QSAR	4.9

Mobility

Component	End point	Value
Dipropylene glycol methyl ether	No data available	
Phenethyl Alcohol	log Koc	1.5 Measured -
Citronellyl acetate	Koc	2409 -

PBT and vPvB assessment

Component	Results
Dipropylene glycol methyl ether	Not fulfilling PBT and vPvB criteria
Phenethyl Alcohol	Not fulfilling PBT and vPvB criteria
Citronellyl acetate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872

GEN_SOF Number 82285

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

Massachusetts RTK	Dipropylene glycol methyl ether	34590-94-8
Minnesota HSL	Dipropylene glycol methyl ether	34590-94-8
New Jersey HRTK	Dipropylene glycol methyl ether	34590-94-8
Pennsylvania RTKL		
	Dipropylene glycol methyl ether	34590-94-8

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	1
Reactivity	0

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® LIMITED TIME OFFER PLUG-INS® SCENTED OIL POMERGRANATE CURRANT 2 REFILLS

Version 1.0

Print Date 10/23/2025

Revision Date 10/28/2024

SDS Number 350000046872
GEN_SOF Number 82285

NFPA Ratings

Health	1
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--