

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000
GEN_SOF Number 82022

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Recommended use : Candle

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1 8005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the classification criteria for any hazard class under OSHA regulation 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Paraffin waxes and Hydrocarbon waxes	8002-74-2	60.00 - 100.00
Benzyl benzoate	120-51-4	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000
GEN_SOF Number 82022

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact	: No special requirements
Skin contact	: No special requirements
Inhalation	: No special requirements.
Ingestion	: No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO ₂), Dry chemical, Foam
Extinguishing media which shall not be used for safety reasons	: High volume water jet
Further information	: Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Wash thoroughly after handling.
Environmental precautions	: Outside of normal use, avoid release to the environment.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

7. HANDLING AND STORAGE

Handling

Precautions for safe handling

: Avoid contact with skin, eyes and clothing.
Burn candle within sight. Never touch, lift or move a candle while lit. Never burn candle on or near anything that can catch fire.
For personal protection see section 8.
Avoid contact with molten material.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	-	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000
GEN_SOF Number 82022

Form	: Wax.
Color	: orange
Odor	: spicy
Odour Threshold	: Test not applicable for this product type
pH	: Test not applicable for this product type
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: ≥ 135 C ≥ 275 °F Method: ASTM D 93
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Sustains combustion
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000
GEN_SOF Number 82022

Solubility(ies)	: insoluble	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: Test not applicable for this product type	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 2.7 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the classification criteria for any hazard class under OSHA regulation 29 CFR 1910.1200.

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 2089 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	static test LC50 Read-across (Analogy)	Pimephales promelas (fathead minnow)	> 100 mg/l	96 h
Benzyl benzoate	semi-static test LC50	Danio rerio (zebra fish)	2.32 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE**

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

	flow-through test NOEC Measured	Danio rerio (zebra fish)	0.023 mg/l	35 d
--	------------------------------------	--------------------------	------------	------

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	EC50 Read-across (Analogy)	Daphnid	> 10,000 mg/l	48 h
	semi-static test NOEC Read-across (Analogy)	Daphnia	10 mg/l	21 d
Benzyl benzoate	static test EC50	Daphnia magna (Water flea)	3.09 mg/l	48 h
	semi-static test NOEC	Daphnia magna	0.258 mg/l	21 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	NOEC Read-across (Analogy)	Pseudokirchneriella subcapitata (green algae)	> 100 mg/l	72 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

Benzyl benzoate	Static NOEC Measured	Pseudokirchneriella subcapitata (microalgae)	0.247 mg/l	72 h
-----------------	----------------------------	---	------------	------

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Paraffin waxes and Hydrocarbon waxes	31 % Read-across (Analogy)	28 d	Not readily biodegradable.
Benzyl benzoate	94 %	28 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Paraffin waxes and Hydrocarbon waxes	No data available	6.7
Benzyl benzoate	193.4	3.97

Mobility

Component	End point	Value
Paraffin waxes and Hydrocarbon waxes		-
Benzyl benzoate	Koc	6310
		--

PBT and vPvB assessment

Component	Results
Paraffin waxes and Hydrocarbon waxes	Not fulfilling PBT and vPvB criteria
Benzyl benzoate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE LTO 3 WICK CANDLES - ORANGE ZEST & CLOVE

Version 1.0

Print Date 10/23/2025

Revision Date 08/19/2024

SDS Number 350000046000

GEN_SOF Number 82022

16. OTHER INFORMATION

HMIS Ratings

Health	0
Flammability	0
Reactivity	0

NFPA Ratings

Health	0
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--