

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Recommended use : Air Freshener

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1 8005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Eye irritation	Category 2B	Causes eye irritation.

Labelling

Signal word

Warning

Hazard statements

Combustible liquid.
Causes eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
In case of fire: Use alcohol-resistant foam, carbon dioxide or dry sand to extinguish.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves.

Wash hands thoroughly after handling.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	5.00 - 15.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/ attention.

Inhalation : No special requirements.

Ingestion : No special requirements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Specific hazards during firefighting | : | Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire. |
| Further information | : | Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. |

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|--|---|--|
| Personal precautions | : | Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.
Wash thoroughly after handling. |
| Environmental precautions | : | Outside of normal use, avoid release to the environment. |
| Methods and materials for containment and cleaning up | : | Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site. |

7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Handling | : | |
| Precautions for safe | : | Avoid contact with skin, eyes and clothing. |

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

handling

For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion

: Keep away from sources of ignition - No smoking.

Storage

Requirements for storage areas and containers

: Keep container closed when not in use.
Store in a well-ventilated place. Keep cool.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Benzyl Acetate	140-11-4	-	10 ppm	-	ACGIH TWA
Citral	5392-40-5	-	5 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection

: Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection

: Wear suitable gloves.

Eye protection

: Safety glasses with side-shields

Skin and body protection

: No special requirements.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless to light yellow

Odor : Herbal

Odour Threshold : Test not applicable for this product type

pH : Mixture is non-polar

Melting point/freezing point : <-20°C

Initial boiling point and boiling range : 70 - 140 °C

Flash point : 88 °C
190.4 °F
Method: ASTM D 93

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : 0.17 hPa

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268
GEN_SOF Number 83675

at 20 C

Vapour density : > 1

Relative density : 0.975 g/cm³ at 25 °C

Solubility(ies) : immiscible

Partition coefficient: n-octanol/water : Not required as the product is a mixture.

Auto-ignition temperature : not auto-flammable

Decomposition temperature : Not measured as mixture is not self-reactive

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : similar to water

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds : 81.6 % - additional exemptions may apply
Total VOC (wt. %)* *as defined by US Federal and State Consumer Product Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

- Chemical stability** : Stable under recommended storage conditions.
- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Heat, flames and sparks.
- Incompatible materials** : Strong oxidizing agents
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

- Emergency Overview** : Warning
- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 > 10 mg/L
- Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

Skin irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US**

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

--	--	--	--	--

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Fragrance - Trade Secret	No data available	No data available

Mobility

Component	End point	Value
Fragrance - Trade Secret	No data available	

PBT and vPvB assessment

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number or identification number	3082	3082	3082
UN proper shipping name	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-LIMONENE), 9,III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-LIMONENE), 9,III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-LIMONENE), 9,III
Transport hazard class(es)	9	9	9
Packing group	III	III	III
Environmental hazards	-	Marine pollutant	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268

GEN_SOF Number 83675

- Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.		
Minnesota HSL	Benzyl Acetate	140-11-4
New Jersey HRTK	Benzyl Acetate	140-11-4
Pennsylvania RTKL		
	Benzyl Acetate	140-11-4

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	1
Reactivity	0

NFPA Ratings

Health	1
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL FRESH EUCALYPTUS LAVENDER 5 REFILLS 3.35FO/5 US

Version 1.3

Print Date 06/23/2026

Revision Date 05/16/2025

SDS Number 350000047268
GEN_SOF Number 83675

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--