

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : Off DWO WM Repk Tick Arsl 6oz/6 US D9

Recommended use : Insect Repellent

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1 8005585252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 1	Extremely flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

Labelling

Hazard symbols

Flame
Gas cylinder

Signal word

Danger

Hazard statements

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.

Precautionary statements

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Protect from sunlight. Store in a well-ventilated place.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Other hazards : Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
Excessive exposure to spray mist, fog or vapour may cause respiratory irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	10.00 - 30.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : If you suspect a reaction to this product, discontinue use and remove contaminated clothing.

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Specific hazards during firefighting : Aerosol Product - Containers may rocket or explode in heat of fire. Do not allow run-off from fire fighting to enter drains or water courses.

Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.
Wear personal protective equipment.
Wash thoroughly after handling.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Use appropriate containment to avoid environmental contamination.
Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with eyes and lips.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Pressurized container.
Do not pierce or burn, even after use.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
Do not spray on an open flame or other ignition source.

Storage

Requirements for storage areas and containers : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Keep away from food, drink and animal feedingstuffs.
Keep in a dry, cool and well-ventilated place.
Protect from sunlight.
Store in a well-ventilated place.

Other data : Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Butane	106-97-8	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	-	-	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection : Do not spray in enclosed areas.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	aerosol
Form	:	Compressed gas
Color	:	clear
Odor	:	Alcoholic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	-7 °C 19.4 °F
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	:	No data available

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

explosive limits

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.84 g/ml at 21 °C

Solubility(ies) : slightly soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic Compounds Total VOC (wt. %)* : 64.2 % - additional exemptions may apply
*as defined by US Federal and State Consumer Product Regulations

Other information : None identified :

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger

Acute oral toxicity : LD50 3,735 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : Do not apply to cuts or irritated skin.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**Off DWO WM Repk Tick Arsl 6oz/6 US D9**

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

N,N-Diethyl-m-toluamide	LC50	Danio rerio (zebra fish)	97 mg/l	96 h
Butane	LC50 QSAR	Fish	24.11 mg/l	96 h
Propane	LC50 QSAR	Fish	49.9 mg/l	96 h
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test LC50	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d
N,N-Diethyl-m-toluamide	LC50	Daphnia magna (Water flea)	75 mg/l	51 h
	semi-static test	Daphnia magna	3.7 mg/l	21 d

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**Off DWO WM Repk Tick Arsl 6oz/6 US D9**

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

	NOEC Measured OECD Guideline 211 (Daphnia magna Reproduct ion Test)			
Butane	EC50 QSAR	Daphnid	14.22 mg/l	48 h
Propane	LC50	Daphnid	27.14 mg/l	48 h
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
N,N-Diethyl-m-toluamide	ErC50	Selenastrum capricornutum, Skeletonema costatum	43 mg/l	96 h
Butane	EC50 QSAR	Green algae	7.71 mg/l	96 h
Propane	EC50	Green algae	11.89 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
-----------	--------------	-------------	-----------	------

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable.
N,N-Diethyl-m-toluamide	83.8 %	28 d	Readily biodegradable.
Butane	70 %	< 10 d	Readily biodegradable.
Propane	70 %	< 10 d	Readily biodegradable.
Isobutane	70 %	< 10 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
N,N-Diethyl-m-toluamide	21.9 estimated	2.4
Butane	No data available	2.89
Propane	13	2.36
Isobutane	1.57 - 1.97	2.8

Mobility

Component	End point	Value
Ethyl alcohol	Koc	1
N,N-Diethyl-m-toluamide	Koc	43.3
Butane	No data available	
Propane	Koc	460
Isobutane	No data available	

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
N,N-Diethyl-m-toluamide	Not fulfilling PBT and vPvB criteria
Butane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria
Isobutane	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

For disposal information, please read and follow Disposal instructions on the pesticide label.

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

	Land transport	Sea transport	Air transport
UN number or identification number	1950	1950	1950
UN proper shipping name	AEROSOLS, flammable	AEROSOLS, flammable	AEROSOLS, flammable
Transport hazard class(es)	2.1	2	2.1
Packing group	-	-	-
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

CAUTION:

Causes moderate eye irritation.

Harmful if swallowed.

Use of this product may cause skin reactions in rare cases.

Flammable.

Contents under pressure.

Exposure to temperatures above 120° F may cause bursting.

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

Registration # / Agency
4822-167/US/EPA

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	44
Reactivity	0 4

NFPA Ratings

Health	2
Fire	4 4
Reactivity	0 0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



Off DWO WM Repk Tick Arsl 6oz/6 US D9

Version 4.0

Print Date 09/03/2025

Revision Date 02/26/2025

SDS Number 350000004807

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--