



Department of Urology

Prostate Cancer



What is Prostate Cancer?

The cells that make up the outermost part of the prostate can become cancerous and give rise to prostate cancer. If left untreated, prostate cancer cells may eventually spread and invade other parts of the body, particularly the lymph nodes and bones, producing secondary tumours.



Risk Factors

Age

 The risk of prostate cancer increases after the age of 50 years

Hereditary

- Family history increases the risk of prostate cancer

Diet

 The risk of prostate cancer may increase with a high-fat diet or obesity

Symptoms


Early stage prostate cancer may not produce any signs. As the cancer advances to a later stage, it may produce the following symptoms:

- Frequent urination, especially at night
- Weak urinary stream
- Inability to urinate
- Interruption of urinary stream
- Blood in the urine
- Bone pain
- Weight loss
- Loss of appetite

Diagnosis

Screening tests can help to detect prostate cancer early. Some of the screening tests available include:

 Digital Rectal Examination: This is the first step in diagnosing prostate cancer. The doctor uses a gloved finger to examine the rectum and detect any abnormalities in the texture, shape or size of the prostate gland.



A doctor uses a gloved finger to examine the rectum.

Diagnosis

- Prostate-Specific Antigen (PSA) Blood Test:
 PSA is a substance produced by prostate cells.
 High PSA levels will warrant further investigation.
- 3. Transrectal Ultrasound: An ultrasound probe is inserted into the rectum to check the prostate. This may or may not be fused with Magnetic Resonance Imaging (MRI) for targeting.
- 4. Biopsy: This procedure involves taking thin sections of tissue from the prostate gland. A positive result for cancer cells may be followed by additional tests to ascertain the stage of cancer. Additional tests include:
 - Bone scan
 - Computerised Tomography (CT) scan
 - Magnetic Resonance Imaging (MRI)

Treatment

- Surgery: May be recommended if the tumour is localised at the prostate. It involves the complete removal of the prostate.
- Radiation Therapy: Radiation therapy uses highenergy beams to kill the cancer cells.
- Hormonal Therapy: Hormone therapy for prostate cancer is a treatment that stops the male hormone testosterone from being produced or reaching prostate cancer cells. Most prostate cancer cells rely on testosterone to help them grow. Hormone therapy causes prostate cancer cells to die or to grow more slowly
- Chemotherapy: Chemotherapy is a cancer treatment that uses drugs to stop the growth of cancer cells.
- Active Surveillance or Watchful Waiting:
 Selected persons may be closely monitored by blood tests and biopsies.

Prevention

There is no total prevention for prostate cancer. In general, men are advised to make choices that benefit their overall health such as:



Adopt a diet that is rich in fruits and vegetables and low in animal fat



Exercise regularly and be physically active



Maintain a healthy weight

Men over 50 years of age and/or men who have a strong family history of prostate cancer should be aware of the symptoms of prostate cancer, and discuss the risks and benefits of prostate cancer screening with their doctors.

Getting Support

For more information, please contact our Clinical Coordinator, Department of Urology, at +65 9726 1802.

Clinics 2A and 2B TTSH Medical Centre, Level 2 Contact: 6357 7000 (Central Hotline)



Scan the QR Code with your smart phone to access the information online or visit http://bit.ly/TTSHHealth-Library

Was this information helpful?
Please feel free to email us if you have any feedback regarding what you have just read at patienteducation@ttsh.com.sg



© Tan Tock Seng Hospital, Singapore 2022. All rights reserved. All information correct as of August 2022. No part of this document may be reproduced, copied, reverse compiled, adapted, distributed, commercially exploited, displayed or stored in a database, retrieval system or transmitted in any form without prior permission of Tan Tock Seng Hospital. All information and material found in this document are for purposes of information only and are not meant to substitute any advice provided by your own physician or other medical professionals.