## EGD/ ERCP/ PEG PLACEMENT PREP

Please read all enclosed information carefully. Please complete all forms enclosed. Bring these completed forms, your insurance card(s), and your copayment or deductible on the day of your procedure.

If you take Coumadin, Warfarin, Plavix, or any blood thinning medication, have an artificial heart valve, or an allergy to Latex, please call central scheduling at 303-205-1090 option 3 for further instructions.

Prep Instructions: (Please read carefully and follow)	
EGD (Upper Endoscopy)EGD/ED (Upper Endosco	py with Esophageal Dilation)
No solid food after midnight. Clear liquids only up until 4 hours prior to medications with a small sip of water 4 hours prior to procedure). DC OF YOUR PROCEDURE.	
ERCP (Endoscopic Retrograde Cholangiopancreatograph	у)
No solid food after midnight. Clear liquids only up until 4 hours prior to medications with a small sip of water 4 hours prior to procedure).	to procedure. (Take your blood pressure and heart
PEG Placement or change (Percutaneous Endoscopic Gas	strostomy tube placement)
If you are taking nourishment by mouth, you are to have no solid foo- clear liquids up until 4 hours prior to procedure. (Take you blood pres procedure).	
Clear liquids include: broth (plain), coffee, tea (no milk or cream sports drinks, Jell-O without fruit and popsicles. Please no red,	
If you have any questions or need	d further instructions

YOU MUST BE ACCOMPANIED BY A FRIEND OR RELATIVE TO DRIVE YOU HOME.
YOU MAY NOT DRIVE, OR GO HOME BY TAXI OR BUS.

please call the scheduling department at 303-205-1090 Option 3

IF YOU DO NOT HAVE A DRIVER, YOUR PROCEDURE WILL BE CANCELLED.